

2017 CEILING FAN
COLLECTION




Table of Contents

Ceiling Fan Collections

Scrapper	2	Royal Knight Hugger I	41
Torque	3	Royal Knight Hugger II	42
Rotor	4	Royal Knight Hugger III	43
Europa	5~6	Junior	44
Europa LED	7~8	Mediterranean	45~46
Europa I	9~10	Atlantic	47~48
Europa I LED	11~12	Caribbean	49~52
Europa II LED	13~14	Titanium	53
Mirage	15~16	Dominator	54
Mirage LED	17~18	Sunset	55~57
Mirage I	19~20	Torrent	58~59
Mirage I LED	21~22	Industrial	60
Mirage II LED	23~24	Artic	61
Contempo	25~26	Fitter & Light Kits	62~71
Contempo LED	27~28	Side Glass / Center Glass	72
Contempo I	29~30	Finishes	73
Contempo I LED	31~32	Fan Blades	74~75
Contempo II LED	33~34	Wall Controls	76
Royal Star	35~36	Remote Controls	76
Royal Star II	37~38	Downrods & Connectors	77
Royal Start III	39	Room Size Compatibility	78
Royal Knight II	40	Ceiling Fan Specifications	79
		Energy Saving Features	80

Scrapper

The subtle craftsmanship added to these fans provide a meaningful design that is sure to please.

- 60" sweep
- 3 ABS blades
- 11° blade pitch
- 76" lead wire
- 188 x 12 mm motor
- 4" downrod included
- 3 speed / reversible
- Includes hand held remote control- RC8




1072BN

Brushed Nickel Finish
Bamboo Style Blades



1072OB

Oil Rubbed Bronze Finish
Carved Wood Style Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
8077 CFM	70 Watts	115 CFM/ Watts

Torque

The implied minimalism of this fan makes room to show off our advanced engineering technology.

- 52" sweep
- 3 blades
- 11° blade pitch
- 76" lead wire
- 153 x 18 mm motor
- 4" downrod included
- 3 speed / reversible
- Includes hand held remote control- RC8




1073OB

Oil Rubbed Bronze Finish
Wood Style Blades



1073BN

Brushed Nickel Finish
Wood Style Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
6814 CFM	60 Watts	113 CFM/ Watts

Rotor

Welcome to a new generation of our highly successful, ground-breaking fan. The energy efficient LED light source integrates light without compromising design.

Europa

The clean lines and modern design of The Europa Series add style to any contemporary space.



1076BN
Brushed Aluminum Finish
Aluminum Color Blades

- 52" sweep
- 2 ABS blades
- 16° blade pitch
- 52" lead wire
- 188 x 12 mm motor
- 5" downrod included
- 4 speed / reversible
- Integrated light kit
LED 15W, warm white
3000K, Dimmable
- Includes hand held
remote control- RC6



1076WW
White Finish
White Blades



1076OB
Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades




1004BN
Brushed Nickel Finish
Brushed Nickel Blades

- 50" sweep
- 4 blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Integrated light kit
satin white glass
use 2 x 13w E26
CFL included



1004OB
Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5814 CFM	51.2 Watts	114 CFM/ Watts



Europa

The clean lines and modern design of The Europa Series add style to any contemporary space.

Europa LED

The clean lines and modern design of The Europa Series add style to any contemporary space.

- 50" sweep
- 4 blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Integrated light kit
satin white glass
use 17w LED, 3000k, 900lms
dimmable



1004WW
White Finish
White Blades



1008LED-BN-WT
Brushed Nickel Finish
Walnut Blades




1004BN-WT
Brushed Nickel Finish
Walnut Blades



1004BK
Black Finish
Black Blades



1008LED-BN
Brushed Nickel Finish
Brushed Nickel Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
6600 CFM	61.4 Watts	108 CFM/ Watts

Europa LED

The clean lines and modern design of The Europa Series add style to any contemporary space.

Europa I

The modern design of The Europa Series with elegantly curved blades.



1008LED-OB

Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades



1007OB

Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades

- 50" sweep
- 4 curved blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Satin white glass light kit
- Integrated light kit satin white glass use 2 x 13W E26 CFL included



1008LED-WW

White Finish
White Blades




1008LED-BK

Black Finish
Black Blades



1007BN

Brushed Nickel Finish
Brushed Nickel Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
6600 CFM	61 Watts	108 CFM/ Watts



Europa I

The modern design of The Europa Series with elegantly curved blades.



1007WW

White Finish
White Blades

Europa I LED

The modern design of The Europa Series with elegantly curved blades.



1007LED-WW

White Finish
White Blades

- 50" sweep
- 4 curved blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Integrated light kit
satin white glass
use 17w LED, 3000k, 900lms
dimnable




1007BK

Black Finish
Black Blades



1007LED-BN

Brushed Nickel Finish
Brushed Nickel Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5670 CFM	66 Watts	85.9 CFM/ Watts



Europa I LED

The modern design of The Europa Series with elegantly curved blades.



1007LED-OB

Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades

Europa II LED

The clean lines and modern design of The Europa Series add style to any contemporary space.



1041LED-WW

White Finish
White Blades

- 44" sweep
- 4 blades
- 12° blade pitch
- 76" lead wire
- 153 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Integrated light kit
satin white glass
use 17w LED, 3000k, 900lms
dimmable




1007LED-BK

Black Finish
Black Blades



1041LED-BK

Black Finish
Black Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5670 CFM	66 Watts	85.9 CFM/ Watts



Europa II LED

The clean lines and modern design of The Europa Series add style to any contemporary space.

Mirage

Everything you love from The Europa Series in a 5 blade spread.



1041LED-BN
Brushed Nickel Finish
Natural Maple Blades



1005BN
Brushed Nickel Finish
Brushed Nickel Blades


- 50" sweep
- 5 blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Satin white glass light kit
- Integrated light kit satin white glass use 2 x 13W E26 CFL included



1041LED-OB
Oil Rubbed Bronze Finish
Walnut Blades



1005OB
Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5594 CFM	60 Watts	93 CFM/ Watts



Mirage

Everything you love from The Europa Series in a 5 blade spread.

Mirage LED

Everything you love from The Europa Series in a 5 blade spread.



1005BN-WT
Brushed Nickel Finish
Walnut Blades



1005LED-OB
Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades

- 50" sweep
- 5 blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Integrated light kit
satin white glass
use 17w LED, 3000k, 900lms
dimmable




1005WW
White Finish
White Blades



1005BK
Black Finish
Black Blades



1005LED-BN
Brushed Nickel Finish
Brushed Nickel Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5975 CFM	58.2 Watts	103 CFM/ Watts

Mirage LED

Everything you love from The Europa Series in a 5 blade spread.

Mirage I

Everything you love from The Europa Series in a 5 blade spread.



1005LED-WW
White Finish
White Blades



1025BN
Brushed Nickel Finish
Brushed Nickel Blades

- 50" sweep
- 5 curved blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Satin white glass light kit
- Integrated light kit
satin white glass
use 2 x 13W E26
CFL included




1005LED-BN-WT
Brushed Nickel Finish
Walnut Blades



1005LED-BK
Black Finish
Black Blades



1025OB
Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5975 CFM	58.2 Watts	103 CFM/ Watts



Mirage I

Everything you love from The Europa Series in a 5 blade spread.



1025WW
White Finish
White Blades

Mirage I LED

Everything you love from The Europa Series in a 5 blade spread.



1025LED-OB
Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades


- 50" sweep
- 5 curved blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Integrated light kit
satin white glass
use 17w LED, 3000k, 900lms
dimmable



1025BK
Black Finish
Black Blades



1025LED-BN
Brushed Nickel Finish
Brushed Nickel Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5260 CFM	66 Watts	79.69 CFM/ Watts



Mirage I LED

Everything you love from The Europa Series in a 5 blade spread.

Mirage II LED

Everything you love from The Europa Series in a 5 blade spread.

- 44" sweep
- 5 blades
- 12° blade pitch
- 76" lead wire
- 153 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Integrated light kit
satin white glass
use 17w LED, 3000k, 900lms
dimmable



1025LED-BK
Black Finish
Black Blades




1042LED-BN
Brushed Nickel Finish
Natural Maple Blades



1025LED-WW
White Finish
White Blades



1042LED-BK
Black Finish
Black Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5260 CFM	66 Watts	79.69 CFM/ Watts



Mirage II LED

Everything you love from The Europa Series in a 5 blade spread.



1042LED-WW

White Finish
White Blades

Contempo

Everything you love from The Europa Series in a 3 blade spread.



1079BN

Brushed Nickel Finish
Brushed Nickel Blades

- 50" sweep
- 3 blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Integrated light kit
satin white glass
use 2 x 13W E26
CFL included




1042LED-OB

Oil Rubbed Bronze Finish
Walnut Blades



1079BK

Black Finish
Black Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5594 CFM	60 Watts	93 CFM/ Watts



Contempo


Everything you love from The Europa Series in a 3 blade spread.



1079WW
White Finish
White Blades



1079OB
Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5916 CFM	52.2 Watts	113 CFM/ Watts

Contempo LED

Everything you love from The Europa Series in a 3 blade spread.



1079LED-OB
Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades

- 50" sweep
- 3 blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Integrated light kit
satin white glass
use 17w LED, 3000k, 900lms
dimmable



1079LED-BN
Brushed Nickel Finish
Brushed Nickel Blades

Contempo LED

Everything you love from The Europa Series in a 3 blade spread.

Contempo I

Everything you love from The Europa Series in a 3 blade spread.



1079LED-BK

Black Finish
Black Blades



1078BN

Brushed Nickel Finish
Brushed Nickel Blades

- 50" sweep
- 3 curved blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Integrated light kit
satin white glass
use 2 x 13W E26
CFL included




1079LED-WW

White Finish
White Blades



1078OB

Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5916 CFM	52.2 Watts	113 CFM/ Watts



Contempo I

Everything you love from The Europa Series in a 3 blade spread.

Contempo I LED

Everything you love from The Europa Series in a 3 blade spread.

- 50" sweep
- 3 curved blades
- 12° blade pitch
- 76" lead wire
- 153 x 15 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Integrated light kit
satin white glass
use 17w LED, 3000k, 900lms
dimmable



1078WW
White Finish
White Blades




1078LED-OB
Oil Rubbed Bronze Finish
Oil Rubbed Bronze Blades



1078BK
Black Finish
Black Blades



1078LED-BN
Brushed Nickel Finish
Brushed Nickel Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5860 CFM	63 Watts	93 CFM/ Watts



Contempo I LED


Everything you love from The Europa Series in a 3 blade spread.



1078LED-BK
Black Finish
Black Blades



1078LED-WW
White Finish
White Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5860 CFM	63 Watts	93 CFM/ Watts

Contempo II LED

Everything you love from The Europa Series in a 3 blade spread.



1049LED-BN
Brushed Nickel Finish
Natural Maple Blades

- 44" sweep
- 3 blades
- 12° blade pitch
- 76" lead wire
- 153 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Integrated light kit
satin white glass
use 17w LED, 3000k, 900lms
dimmable



1049LED-OB
Oil Rubbed Bronze Finish
Walnut Blades

Contempo II LED

Everything you love from The Europa Series in a 3 blade spread.

Royal Star

A timeless and reliable classic that compliments any aesthetic.



1049LED-WW
White Finish
White Blades



1052OB-ES
Oil Rubbed Bronze Finish
Walnut Blades

- 52" sweep
- 5 blades
- 12° blade pitch
- 52" lead wire
- 153 x 12 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Dual mount kit adaptable
- Light kit adaptable




1049LED-BK
Black Finish
Black Blades



1052BN-OB-ES
Brushed Nickel Finish
Oil Rubbed Bronze Blades



1052BK-ES
Black Finish
Black Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5594 CFM	60 Watts	93 CFM/ Watts




Royal Star

A timeless and reliable classic that compliments any aesthetic.




1052BN-WT-ES
Brushed Nickel Finish
Walnut Blades



1052WW-ES White
(White Blades)



1052BNR-ES
Brushed Nickel Finish
Rosewood Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5373 CFM	62.2 Watts	86 CFM/ Watts

Royal Star II

A timeless and reliable classic that compliments any aesthetic.



1052BN-ES
Brushed Nickel Finish
Natural Maple Blades

- 52" sweep
- 5 blades
- 12° blade pitch
- 52" lead wire
- 153 x 12 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Dual mount kit adaptable
- Light kit adaptable



1052BN-BN-ES
Brushed Nickel Finish
Brushed Nickel Blades



1052BNW-ES
Brushed Nickel Finish
White Blades

Royal Star II

A timeless and reliable classic that compliments any aesthetic.

Royal Star III

A timeless and reliable classic that compliments any aesthetic.



- 52" sweep
- 5 blades
- 12° blade pitch
- 52" lead wire
- 153 x 12 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Dual mount kit adaptable
- Schoolhouse light kit with 1 x 23W GU24 CFL lamp included

1052-SBN
Brushed Nickel Finish
Natural Maple Blades
with 3001G Glass



- 52" sweep
- 5 blades
- 12° blade pitch
- 52" lead wire
- 153 x 12 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Dual mount kit adaptable
- Light kit with 3 x 13W GU24 CFL lamps and glass included


1052-3HBN-L
Brushed Nickel Finish
Natural Maple Blades
with 2015G Glass



1052-SWW
White Finish
White Blades
with 3001G Glass




1052-3HWW-L
White Finish
White Blades
with 2015G Glass



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5373 CFM	62.2 Watts	86 CFM/ Watts



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5373 CFM	62 Watts	90 CFM/ Watts



Royal Knight II

Classic elements from the Royal Star family with a 42" blade sweep.



1053BN

Brushed Nickel Finish
Natural Maple Blades

- 42" sweep
- 5 blades
- 12° blade pitch
- 26" lead wire
- 153 x 9 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Dual mount kit adaptable
- Light kit adaptable




1053WW

White Finish
White Blades



1053OB

Oil Rubbed Bronze Finish
Walnut Blades




Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
3782 CFM	49 Watts	77 CFM/ Watts

Royal Knight Hugger I

Traditional styling perfect for low ceiling applications.



1062BN

Brushed Nickel Finish
Natural Maple Blades

- 52" sweep
- 5 blades
- 12° blade pitch
- 12" lead wire
- 153 x 12 mm motor
- 3 speed / reversible
- Triple capacitor
- Light kit adaptable




1062WW

White Finish
White Blades



1062OB

Oil Rubbed Bronze Finish
Walnut Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5373 CFM	62.2 Watts	86 CFM/ Watts

Royal Knight Hugger II

Traditional styling perfect for low ceiling applications and tight spaces.

Royal Knight Hugger III

Traditional styling perfect for low ceiling applications and the most compact spaces.



- 42" sweep
- 5 blades
- 12° blade pitch
- 12" lead wire
- 153 x 9 mm motor
- 3 speed / reversible
- Triple capacitor
- Light kit adaptable

1063BN

Brushed Nickel Finish
Natural Maple Blades



- 30" sweep
- 5 blades
- 16° blade pitch
- 12" lead wire
- 153 x 9 mm motor
- 3 speed / reversible
- Triple capacitor
- Light kit adaptable

1064BN

Brushed Nickel Finish
Natural Maple Blades



1063WW

White Finish
White Blades



1064OB

Oil Rubbed Bronze Finish
Walnut Blades




1063OB

Oil Rubbed Bronze Finish
Walnut Blades




1064WW

White Finish
White Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
4500 CFM	49 Watts	92 CFM/ Watts



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5430 CFM	43 Watts	126.2 CFM/ Watts



Junior

Small yet powerful. Classic and reliable styling with a narrow 30" blade sweep.



1054BN

Brushed Nickel Finish
Natural Maple Blades

- 30" sweep
- 5 blades
- 16° blade pitch
- 26" lead wire
- 153 x 9 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Dual mount kit adaptable
- Light kit adaptable




1054WW

White Finish
White Blades



1054OB

Oil Rubbed Bronze Finish
Walnut Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5550 CFM	44.5 Watts	125 CFM/ Watts

Mediterranean

Sophistication made with intelligence, this fan will fit perfectly in any modern décor.



1056OB

Oil Rubbed Bronze Finish
Walnut Blades

- 52" sweep
- 5 blades
- 12° blade pitch
- 52" lead wire
- 153 x 14 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Light kit adaptable



1056BN

Brushed Nickel Finish
Natural Maple Blades

Mediterranean

Sophistication made with intelligence, this fan will fit perfectly in any modern décor

Atlantic

Bring that cool coastal breeze indoors with The Atlantic.

- 52" sweep
- 5 blades
- 12° blade pitch
- 52" lead wire
- 153 x 12 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Dual mount kit adaptable
- Light kit with 2 x 13W GU24 CFL lamps included



1056WW
White Finish
White Blades




1057BN
Brushed Nickel Finish
Natural Maple Blades
with 1RP180 Glass



1056BK
Black Finish
Black Blades



1057BK
Black Finish
Black Blades
with 1RP180 Glass



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5478 CFM	62.5 Watts	88 CFM/ Watts



Atlantic


Bring that cool coastal breeze indoors with The Atlantic.



1057WW
White Finish
White Blades
with 1RP180 Glass



1057OB
Oil Rubbed Bronze Finish
Walnut Blades
with 1RP180 Glass



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5373 CFM	62 Watts	86 CFM/ Watts

Caribbean

Creates a refreshing breeze reminiscent of the Caribbean.



1051BN
Brushed Nickel Finish
Natural Maple Blades

- 52" sweep
- 5 blades
- 12° blade pitch
- 52" lead wire
- 153 x 12 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Dual mount kit adaptable



1051WW
White Finish
White Blades



1051OB
Oil Rubbed Bronze Finish
Walnut Blades



Caribbean

Creates a refreshing breeze reminiscent of the Caribbean.



1051BN-BN

Brushed Nickel Finish
Brushed Nickel Blades




1051BN-WT

Brushed Nickel Finish
Walnut Blades



1051BN-R

Brushed Nickel Finish
Rosewood Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5270 CFM	62 Watts	85 CFM/ Watts

Caribbean

Creates a refreshing breeze reminiscent of the Caribbean.



Brushed Nickel Finish
Natural Maple Blades
with 1RP86 Light Kit

- 52" sweep
- 5 blades
- 12° blade pitch
- 52" lead wire
- 153 x 12 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Dual mount kit adaptable
- Light kit with 2 x 13W GU24 CFL lamps included



1051WW-L

White Finish
White Blades
with 1RP80 Glass



1051OB-L

Oil Rubbed Bronze Finish
Walnut Blades
with 1RP80 Glass



Caribbean

Creates a refreshing breeze reminiscent of the Caribbean.

Titanium

Titanium is the ultimate in design to enhance any contemporary decor.




1051BN-L
Brushed Nickel Finish
Natural Maple Blades
with 1RP80 Glass



1051BN-BN-L
Brushed Nickel Finish
Brushed Nickel Blades
with 1RP80 Glass



1051BN-WT-L
Brushed Nickel Finish
Walnut Blades
with 1RP80 Glass




Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5270 CFM	62 Watts	85 CFM/ Watts



1075BN
Brushed Nickel
Reversible Brushed Nickel / Natural
Maple Blades

- 52" sweep
- 5 blades
- 12° blade pitch
- 76" lead wire
- 188 x 20 mm motor
- 6" downrod included
- 3 speed / reversible
- Satin white glass light kit
- 2 X 13W GU24 CFL lamps included



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
6100 CFM	70 Watts	87 CFM/ Watts



Dominator

This handsome design represents a new age in ceiling fans.

Sunset

Make the most of the evening with this outdoor rated, wet location fan.



1071BN

Brushed Nickel Finish
Brushed Nickel Blades

- 52" sweep
- 4 blades
- 11° blade pitch
- 76" lead wire
- 153 x 12 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor



1015W-BP-ES

Brushed Pewter Finish
Brushed Pewter ABS Blades

- 52" sweep
- 5 blades
- 12° blade pitch
- 52" lead wire
- 153 x 12 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Outdoor, Wet location listed with ABS blades
- Light kit adaptable



1071OB

Oil Rubbed Bronze Finish
Walnut Blades




1071WW

White Finish
White Blades



1015W-OB-ES

Oil Rubbed Bronze Finish
Oil Rubbed Bronze ABS Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5594 CFM	60 Watts	93 CFM/ Watts



Sunset

Make the most of the evening with this outdoor rated, wet location fan.

Sunset

Make the most of the evening with this outdoor rated, wet location fan.

- 42" sweep
- 5 blades
- 12° blade pitch
- 52" lead wire
- 153 x 9 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Outdoor, wet location listed with ABS blades
- Light kit adaptable



1015W-WW-ES
White Finish
White ABS Blades




1016W-BP
Brushed Pewter Finish
Brushed Pewter ABS Blades



1015W-BK-ES
Black Finish
Black ABS Blades




1016W-WW
White Finish
White ABS Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
5334 CFM	53.1 Watts	100 CFM/ Watts



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
4500 CFM	49 Watts	92 CFM/ Watts

Torrent

Rain and humidity are no match for this outdoor, wet location fan. Keep the wet weather out with the Torrent.

Torrent

Rain and humidity are no match for this outdoor, wet location fan. Keep the wet weather out with the Torrent.

- 52" sweep
- 5 blades
- 14° blade pitch
- 76" lead wire
- 172 x 14 mm motor
- 4" downrod included
- 3 speed / reversible
- Triple capacitor
- Outdoor, wet location listed with ABS blades
- Light kit adaptable



1017W-BP-ES
Brushed Pewter Finish
Brushed Pewter Wood Grain
ABS Blades




1017W-WW-ES
White Finish
White Wood Grain
ABS Blades



1017W-BK-ES
Black Finish
Black Wood Grain
ABS Blades



1017W-OB-ES
Oil Rubbed Bronze Finish
Oil Rubbed Bronze Wood Grain
ABS Blades



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
6268 CFM	60.2 Watts	104 CFM/ Watts



Industrial

Efficient and modern circulation for larger spaces.

Arctic

Circulate large volumes of air efficiently through commercial and industrial spaces.



1091BA
Brushed Aluminum Finish
Brushed Aluminum Blades

- 56" sweep
- 3 blades
- 10° blade pitch
- 52" lead wire
- 192 x 17 mm motor
- 12" downrod included
- 310 RPM
- 10 year warranty



1070BN
Brushed Nickel Finish
Aluminum Blades


- 70" sweep
- 7 blades
- 15.5° blade pitch
- 76" lead wire
- 180 x 17 mm DC motor
- 8" & 24" downrod included
- 5 speed / reversible
- Light kit adaptable
- Includes hand held remote control- RC7



1091WW
White Finish
White Blades




WC-3
Wall control available



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
6900 CFM	72 Watts	95.83 CFM/ Watts



Energy Information at High Speed

Airflow	Power Use	Airflow Efficacy
13200 CFM	46 Watts	286 CFM/ Watts

Fitters & Light Kits

White Finish



LK10WW-13-L
1x13W E26 CFL
W4 1/2" x H 2 1/8"



LK100WW-L
1x13W GU24 CFL
W4 1/4" x H1 1/2"



LK11WW-L
1x13W E26 CFL
W3 3/4" x H2 1/8"



LK412WW-L
4x40W E12
W7" x H2 7/8"



LK30WW-L
3x60W E12
W6 3/16" x H3 1/8"



LK300WW-L
3x13W GU24 CFL
W6 3/16" x H3"



LK4120WW-L
4x13W GU24 CFL
W7" x H2 7/8"



1RP8WW-L
2x13W E26 CFL
1RP80WW-L
2x13W GU24 CFL
W10 3/4" x H4 3/8"



1RP11WW-L
2x13W E26 CFL
W9 3/4" x H5 5/8"



1RP18WW-L
3x13W E26 CFL Alabaster
1RP180WW-L
3x13W GU24 CFL
W11 7/8" x H6 3/4"



1RP22WW-L
2x13W E26
1RP220WW-L
2x13W GU24 CFL
W11" x H3 7/8"



LK12WW-L
1x23W E26 CFL
W4 7/8" x H2 1/4"



1RP27WW
LED 17W, 800 lm, 3000K
W9 3/4" x H5 5/8"



1RP28WW-L
3x13W E26 CFL
W9 3/4" x H5 5/8"



1RP81WW-L
2x13W GU24 CFL
W12 3/8" x H4 1/8"



1RP82WW-L
2x13W GU24 CFL
W10" x H4 1/4"



1RP83WW
LED 17W, 1000 lm, 3000K
W8" x H 2"



Fitters & Light Kits

White Finish



Fitters & Light Kits

Black Finish



1RP84WW
LED 17W, 800 lm, 3000K
W10 3/4" x H4 3/8"

LED



1RP31WW
LED 17W, 800 lm, 3000K
W10" x H4 1/4"

LED



1RP32WW
LED 17W, 1000 lm, 3000K
W11" x H3 7/8"

LED



1RP18LED-WW
Alabaster Glass
LED 17W, 1000 Lms, 3000K
W11 7/8" x H6 3/4"

LED




1RP19WW
Alabaster Glass
3 x 13W E26 CFL
W12" x H7 3/8"

LED



1RP19LED-WW
Alabaster Glass
LED 17W, 1000 Lms, 3000K
W12" x H7 3/8"

LED



1RP85WW
LED 17W, 1000 Lms, 3000K
W10" x H4 1/2"

LED



1RP86WW
LED 17W, 1000 Lms, 3000K
W10" x H4"

LED



LK10BK-13-L
L 1x13W E26 CFL
LK10BK-23-L
1x23W E26 CFL
W4 1/2" x H2 1/8"



1RP18BK-L
3x13W E26 CFL Alabaster
1RP180BK-L
3x13W GU24 CFL Alabaster
W11 7/8" x H6 3/4"



1RP80BK-L
2x13W GU24 CFL
W10 3/4" x H4 3/8"



1RP31BK
LED 17W, 800 lm, 3000K
W10" x H4 1/4"



LK12BK-L
1x23W E26 CFL
W4 7/8" x H2 1/4"



1RP27BK
LED 17W, 800 lm, 3000K
W9 3/4" x H5 5/8"



1RP82BK-L
2x13W GU24 CFL
W10" x H4 1/4"



1RP32BK
LED 17W, 1000 lm, 3000K
W11" x H3 7/8"



LK412-BK-L
4x40W E12
W7" x H2 7/8"



1RP28BK-L
3x13W E26 CFL
W9 3/4" x H5 5/8"



1RP83BK
17W, 1000 lm, 3000K
W8" x H2"



1RP84BK
LED 17W, 800 lm, 3000K
W 10 3/4" x H 4 3/8"



Fitters & Light Kits

Black Finish



Fitters & Light Kits

Brushed Nickel Finish



LK10BN-13-L
1x13W E26 CFL
LK10BN-23-L
1x23W E26 CFL
W4 1/2" x H2 1/8"



LK100BN-L
1x13W GU24 CFL
W4 1/4" x H1 1/2"



Outdoor
LK12BP-L
1x23W E26 CFL
W4 7/8" x H2 1/4"



LK30BN-L
3x60W E12
W6 3/16" x H3 1/8"



LK300BN-L
3x13W GU24 CFL
W6 3/16" x H3"



LK412BN-L
4x40W E12
W7" x H2 7/8"



LK4120BN-L
4x13W GU24 CFL
W7" x H2 7/8"



1RP31BN
LED 15W, 900 lm, 3000K
W10" x H4 1/4"



1RP32BN
LED 15W, 900 lm, 3000K
W11" x H3 7/8"



1RP8BN-L
2x13W E26 CFL
1RP80BN-L
2x13W GU24 CFL
W10 3/4" x H4 3/8"



1RP11BN-L
2x13W E26 CFL
W 9 3/4" x H5 5/8"

Fitters & Light Kits

Brushed Nickel Finish



1RP18LED-BN
Alabaster Glass
LED 17W, 1000 Lms, 3000K
W11 7/8" x H6 3/4"

LED



1RP19BN
Alabaster Glass
3 x 13W E26 CFL
W12" x H7 3/8"



1RP19LED-BN
1RP19LED-BN
Alabaster Glass
LED 17W, 1000 Lms, 3000K
W12" x H7 3/8"

LED



1RP85BN
LED 17W, 1000 Lms, 3000K
W10" x H4 1/2"

LED



1RP86BN
LED 17W, 1000 Lms, 3000K
W10" x H4"

LED



Fitters & Light Kits

Brushed Nickel Finish



1RP18BN-L
3x13W E26 CFL Alabaster
1RP180BN-L
3x13W GU24 CFL
W11 7/8" x H6 3/4"



IRP22BN-L
2x13W E26 CFL
1RP220BN-L
2x13W GU24 CFL
W11" x H3 7/8"



Outdoor
1RP27BP
LED 17W, 800 lm, 3000K
W9 3/4" x H5 5/8" **LED**



Outdoor
1RP28BP-L
3x13W E26 CFL
W9 3/4" x H5 5/8"



1RP81BN-L
2x13W GU24 CFL
W12 3/8" x H4 1/8"



1RP82BN-L
2x13W GU24 CFL
W10" x H4 1/4"



1RP83BN
16W, 1000 lm, 3000K
W8" x H2" **LED**



1RP84BN
LED 17W, 800 lm, 3000K
W10 3/4" x H4 3/8" **LED**



Fitters & Light Kits

Oil Rubbed Bronze Finish



LK100B-13-L
1x13W E26 CFL
LK100B-23-L
1x23W E26 CFL
W4 1/2" x H2 1/8"



LK100OB-L
1x13W GU24 CFL
W4 1/4" x H1 1/2"



Outdoor
LK120B-L
1x23W E26 CFL
W4 7/8" x H2 1/4"



LK300OB-L
3x13W GU24 CFL
W6 3/16" x H3"



LK300B-L
3x60W E12
W6 3/16" x H3 1/8"



LK4120B-L
4x40W E12
W7" x H2 7/8"



LK4120OB-L
4x13W GU24 CFL
W7" x H2 7/8"



1RP80B-L
2x13W E26 CFL
1RP80OB-L
2x13W GU24 CFL
W10 3/4" x H4 3/8"



Fitters & Light Kits

Oil Rubbed Bronze Finish



1RP18OB-L
3x13W E26 CFL Alabaster
1RP180OB-L
3x13W GU24 CFL
W11 7/8" x H6 3/4"



1RP22OB-L
2x13W E26 CFL
1RP220OB-L
2x13W GU24 CFL
W11" x H3 7/8"



Outdoor
1RP27OB
LED 17W, 800 lm, 3000K
W 9 3/4" x H 5 5/8"



1RP28OB-L
Outdoor 3x13W E26 CFL
W9 3/4" x H5 5/8"



1RP81OB-L
2x13W GU24 CFL
W12 3/8" x H4 1/8"



1RP82OB-L
2x13W GU24 CFL
W10" x H4 1/4"



1RP31OB
17W, 800 lm, 3000K
W10" x H 4 1/4"



1RP32OB
LED 17W 1000 lm, 3000K,
W11" x H3 7/8"



1RP83OB
17W, 1000 lm, 3000K
W8" x H2"



1RP84OB
LED 17W, 800 lm, 3000K
W10 3/4" x H4 3/8"



Fitters & Light Kits

Oil Rubbed Bronze Finish



1RP18LED-OB
Alabaster Glass
LED 17W, 1000 Lms, 3000K
W11 7/8" x H6 3/4"



1RP19OB
Alabaster Glass
3 x 13W E26 CFL
W12" x H7 3/8"



1RP19LED-OB
Alabaster Glass
LED 17W, 1000 Lms, 3000K
W12" x H7 3/8"



1RP85OB
LED 17W, 1000 Lms, 3000K
W10" x H4 1/2"



1RP86OB
LED 17W, 1000 Lms, 3000K
W10" x H4"



Side Glass / Center Glass

Finishes



2002G
2 1/4" Frosted Glass



2004CG
2 1/4" Clear Glass



2004FG
2 1/4" Frosted Glass



2006FG
2 1/4" Frosted Glass



2015FG
2 1/4" Frosted Glass



2015CG
2 1/4" Clear Glass



2021G
2 1/4" White Opal Glass



2061G
2 1/4" Alabaster Glass



3001G
4" White Opal Schoolhouse Glass



3003G
3 1/4" White Opal Schoolhouse Glass



OB-Oil Rubbed Bronze



BK-Black



WW-White



BP- Brushed Pewter
Outdoor



BN-Brushed Nickel



Fan Blades

All blades suitable for indoor use

Fan Blades	Model#	1051	1052	1053	1054	1057	1062	1063	1064
White	B42 WH			•				•	
	B52 WH	•	•			•	•		
	B54 WH				•				•
Brushed Nickel	B42 BN								
	B52 BN	•	•			•	•		
Medium Oak	B42 MO								
	B52 MO	•	•			•	•		
	B54 MO				•				•
Rosewood	B52 RSWD	•	•			•	•		
Black	B52 BK	•	•			•	•		
Natural Maple	B42 NM								
	B52 NM	•	•			•	•		
	B54 NM				•				•
Washed Oak	B52 WO	•	•			•	•		
Walnut	B42 WT								
	B52 WT	•	•			•	•		
Oil Robbed	B52 OB	•	•			•	•		

Fan Blades

All blades suitable for indoor use

Fan Blades	Model#	1004	1004LED	1005	1005LED	1007	1007LED	1025	1025LED	1041LED	1042LED	1049LED	1078	1078LED	1079	1079LED
Black	B69 BK															
	B79 BK											•			•	•
	B70 BK									•						
	B80 BK	•	•													
	B71 BK										•					
	B81 BK			•	•											
Brushed Nickel	B69 BN															
	B79 BN											•				
	B70 BN														•	•
	B80 BN									•						
	B71 BN	•	•													
B81 BN			•	•						•						
White	B69 WH															
	B79 WH											•				
	B70 WH														•	•
	B80 WH									•						
	B71 WH	•	•													
B81 WH			•	•												
Oil Robbed Bronze	B69 OB															
	B79 OB											•				
	B70 OB														•	•
	B80 OB									•						
	B71 OB	•	•													
B81 OB			•	•												
Black	B82 BK					•	•						•	•		
	B83 BK															
	B84 BK							•	•							
Brushed Nickel	B82 BN												•	•		
	B83 BN					•	•									
	B84 BN							•	•							
white	B82 WH												•	•		
	B83 WH					•	•									
	B84 WH							•	•							
Oil Robbed Bronze	B82 OB					•	•						•	•		
	B83 OB															
	B84 OB							•	•							

Wall Controls

All RP Lighting's ceiling fans, with exception of the Industrial, are equipped with a pull chain speed control and a forward/reverse switch providing three, or four, speeds in either direction. However, for your convenience, we also offer a full range of wall mounted speed controls.

 <p>WC7 White Finish Dual slide 3 speed fan control 3 Wire installation 3 light setting (incandescent only)</p>	 <p>WC7 Ivory Finish 3 Wire installation Dual slide 3 speed fan control 3 light setting (incandescent only)</p>	 <p>WC4 White Finish Single slide 2 Wire installation 3 speed fan control Designed for multiple fan use Fan up to 5 Amps</p>	 <p>WC6 White Finish 3 Wire installation 3 speed fan control on/ off light control</p>
 <p>WC12 White Finish 2 Wire installation Single slide 4 speed fan control</p>	 <p>WC12 Ivory Finish 2 Wire installation Single slide 4 speed fan control</p>	 <p>WC8 White Finish Dual slide 4 speed fan control 3 Wire installation Full rang light dimming Compatible with LED, CFL and Incandescent</p>	 <p>WC3 2 Wire installation Rotary 4 speed fan control Face plate not included</p>

Our basic remote control is sold separately. It is adaptable to most of our fans throughout the line. RP Lighting's remote controls operate from a wireless radio frequency. With the touch of a button, at distances of up to 50 feet, you can control the fan's three, or four, speeds and full range of light dimming from off to full bright. This remote control system has a ceiling mounted receiver, a hand held 9-volt battery powered transmitter, and a wall mounting bracket.

 <p>RC5 Fan / Light Remote Control Canopy mount 4 speed fan control On / Off light control For CFL and incandescent</p>	 <p>RC3-4 Fan / Light Remote Control Canopy mount 4 speed fan control Full rang light dimming For incandescent only</p>	
 <p>RC6 Fan / Light Remote Control Canopy mount 4 speed fan control For #1076</p>	 <p>RC8 Fan / Light Remote Control Canopy mount 3 speed fan control On / Off light control For #1072, #1073 fan</p>	 <p>RC7 Fan / Light Remote Control Canopy mount 5 speed fan control On / Off light control For #1070 fan only</p>


Downrods & Connectors



Downrod Connector
For extra high ceilings; this coupler allows two downrods to be connected together.

Finishes	Downrod Item# / Length						
	E12	E18	E24	E36	E48	E60	E72
White	x	x	x	x	x	x	x
Black	x	x	x	x	x	x	x
Brushed Nickel	x	x	x	x	x	x	x
Oil Rubbed Bronze	x	x	x	x	x	x	x


Downrods
1/2" Diameter decorative downrods are available in a variety of sizes and finishes. For best performance and appearance, use an extension downrod with your ceiling fan when installing on a high or sloped ceiling.




For best performance, be sure there is at least 7ft of clearance under your ceiling fan blades. The standard 4" downrod should work in most 8ft ceiling installation.

SA45-(Specify color)
Slope adapters for ceiling pitch from 30° to 45°
Large ceiling mount bracket stabilizes the junction box in ceiling for smoother and quieter performance.

Tri-mount system (flush mount, standard mount and vaulted ceilings up to 45°)







SA45 WH SA45 BN SA45 OB



Room Size Compatibility



These measurements are for general air flow requirements only. Decorating plans or aesthetic considerations should influence your fan choices beyond these room size specifications. For large rooms, multiple fans are recommended.

				
Blade Sweep	70"	56" - 60"	50" - 52"	30" - 42"
Approximate Room Size	15' x 15' Over 180 sq. ft.	12' x 15' 160-180 sq. ft.	10' x 12' 100-150 sq. ft.	6' x 8' 40-60 sq. ft.

Ceiling Fan Dimensions

Dimension A and B are measured with standard downrod included with the fan.

Series	Model #	Dimensions (inches)			
		A	B	C	D
Europa	1004	12 1/4"	--	10"	15 7/8"
Mirage	1005	12 1/4"	--	10"	15 7/8"
Europa I	1007	12 1/4"	--	10"	15 7/8"
Sunset	1015W	11"	13 1/2"	11 1/2"	--
Sunset	1016W	10"	11 1/2"	9"	--
Torrent	1017W	11 3/4"	12"	12 1/4"	--
Mirage I	1025	12 1/4"	--	10"	15 7/8"
Europa II LED	1041LED	12 1/4"	--	10"	15 7/8"
Mirage II LED	1042LED	12 1/4"	--	10"	15 7/8"
Contempo II LED	1049LED	12 1/4"	--	10"	15 7/8"
Caribbean	1051	11 1/4"	12 4/5"	11 4/5"	--
Caribbean	1051-L	11 1/4"	12 4/5"	11 4/5"	16 1/2"
Royal Star	1052	10 1/16"	11 5/8"	11"	--
Royal Star	1052-S	10 1/16"	11 5/8"	11"	18 1/8"
Royal Star	1052-3H	10 1/16"	11 5/8"	11"	18 1/8"
Roal Knight II	1053	9 3/4"	11 1/2"	9"	--
Junior	1054	9 3/4"	11 1/2"	9"	--
Mediterranean	1056	12"	14"	13"	--
Atlantic	1057	10 1/4"	11 5/8"	11"	18 7/8"
Royal Knight Hugger I	1062	5 1/8"	7 1/2"	11"	--
Royal knight Hugger II	1063	4 3/4"	7 1/2"	9 1/2"	--
Royal Knight Hugger III	1064	4 3/4"	7 1/2"	9 1/2"	--
Arctic	1070	13 1/2"	17 3/4"	8 3/4"	--
Dominator	1071	10 7/8"	12"	6 7/8"	--
Scraper	1072	8 1/2"	11 1/2"	9 1/4"	--
Torque	1073	10 7/8"	11 1/2"	7"	--
Titanium	1075	12 1/2"	--	16"	14 1/2"
Rotor	1076	6 7/8"	--	13"	14 1/2"
Contempo I	1078	12 1/4"	--	10"	15 7/8"
Contempo	1079	12 1/4"	--	10"	15 7/8"
Intustrial	1091	19"	21"	8"	--



Tassels



T-09 WH T-09 NM T-09 BK T-09 WT

Ceiling Fan Specifications

Model #	Blade Sweep	Motor Size (m/m)	Speed (RPM)		Airflow (CFM)		No. of Blades	Blades Pitch (Deg.)	Electricity Used Watts	Amps	Capacitor	Warranty
			High	Low	High	Low						
1004	50"	153	250	110	6600	3160	4	12	61	0.51	3	Lifetime
1008LED	50"	153	250	110	6600	3160	4	12	61	0.51	3	Lifetime
1005	50"	153	230	95	5970	2810	5	12	58	0.50	3	Lifetime
1005LED	50"	153	230	95	5970	2810	5	12	58	0.50	3	Lifetime
1007	50"	153	225	90	5670	1620	4	12	66	0.55	3	Lifetime
1015W	52"	153	170	85	5334	2716	5	12	53	0.48	3	Lifetime
1016W	42"	153	220	80	4500	1588	5	12	49	0.39	3	Lifetime
1017W	52"	172	187	75	5481	2322	5	14	70	0.59	3	Lifetime
1025	50"	153	210	85	5260	1620	5	12	66	0.55	3	Lifetime
1041	44"	153					4	12			3	Lifetime
1042	44"	153					5	12			3	Lifetime
1049	44"	153					3	12			3	Lifetime
1051	52"	153	170	70	5270	2342	5	12	62	0.51	3	Lifetime
1051-L	52"	153	170	70	5270	2342	5	12	62	0.51	3	Lifetime
1052	52"	153	170	70	5373	2342	5	12	62	0.51	3	Lifetime
1052-S	52"	153	170	70	5373	2342	5	12	62	0.51	3	Lifetime
1052-3H	52"	153	170	70	5373	2342	5	12	62	0.51	3	Lifetime
1053	42"	153	215	75	4970	1588	5	12	49	0.4	3	Lifetime
1053-S	42"	153	215	75	4970	1588	5	12	49	0.4	3	Lifetime
1054	30"	153	280	115	5550	2150	5	16	44.5	0.37	3	Lifetime
1056	52"	153	170	70	5478	2452	5	12	62.5	0.521	3	Lifetime
1057	52"	153	182	70	5373	2342	5	12	61	0.5	3	Lifetime
1062	52"	153	170	70	5373	2260	5	12	62	0.51	3	Lifetime
1063	42"	153	215	75	4500	1513	5	12	49	0.4	3	Lifetime
1063-S	42"	153	215	75	4886	1513	5	12	49	0.4	3	Lifetime
1064	30"	153	300	130	5430	2013	5	16	43	0.36	3	Lifetime
1070	70"	180	140	75	13200	5600	7	15.5	46	0.57	-	Lifetime
1071	52"	153	195	73	5594	1909	4	11.5	60	0.50	3	Lifetime
1072	60"	188	215	74	8077	2083	3	-	70	0.60	-	Lifetime
1073	52"	153	212	87	6814	1802	3	-	60	0.50	-	Lifetime
1075	52"	188	195	80	6100	2500	5	12	70	0.80	3	Lifetime
1076	52"	188	140	75	5814	3100	2	16	51	0.44	-	Lifetime
1078	50"	153	245	100	5860	1670	3	12	63	0.55	3	Lifetime
1078LED	50"	153	245	100	5860	1670	3	12	63	0.55	3	Lifetime
1079	50"	153	240	90	5910	2470	3	12	52	0.44	3	Lifetime
1079LED	50"	153	240	90	5910	2470	3	12	52	0.44	3	Lifetime
1091	56"	192	310	130	6900	3100	3	10	72	0.6	1	10 Years

Energy Saving Feature

RP lighting Pacific, Ltd. has added a number of ceiling fans and ceiling fan light kits that are Energy Star listed. Look for the Energy Star logo for fans that will provide maximum energy savings and performance

Special Features

Oversized, Triple Mounting Systems and heavy duty die cast hanging ball which eliminates wobble problems and provides maximum angles up to 35° for sloped and vaulted ceiling.

Precision ground solid steel motor shaft fixed into stators, create no wobble and friction.


Self lubrication, permanently **double sealed ball bearings**.

Pure aluminum die cast rotors provide the most energy efficiency possible.

Motor housing is stamped or die casted, **triple plated and double casted** with corrosion resistors. Housings are matched for a perfect fit.

Heavy duty copper wiring.

Detachable switch housing with pre-wired plug in connector makes installation quick and easy. Light kit adaptable.




3 speed with reversible switch can be used for summer/winter air flow

Triple capacitors for more silent operation.


Summer

In the warm months of summer, switch your fan to turn counter clockwise in order to make your room feel up to 7° C cooler.



Winter

In the cooler months of autumn and winter, switch your fan to turn clockwise in order to recirculate the hot air that has been trapped near the ceiling.



Scrapper 2
1072BN
1072OB
Torque3
1073OB
1073BN
Rotor4
1076BN
1076WW
1076OB
Europa5-6
1004BN
1004OB
1004WW
1004BK
Europa LED7-8
1008LED-BN-WT
1008LED-BN
1008LED-OB
1008LED-WW
1008LED-BK
Europa I9-10
1007OB
1007BN
1007WW
1007BK
Europa I LED11-12
1007LED-WW
1007LED-BN
1007LED-OB
1007LED-BK
Europa II LED13-14
1041LED-WW
1041LED-BK
1041LED-BN
1041LED-OB
Mirage15-16
1005BN
1005OB
1005BN-WT
1005WW
1005BK
Mirage LED17-18
1005LED-OB
1005LED-BN
1005LED-WW
1005LED-BN-WT
1005LED-BK
Mirage I19-20
1025BN
1025OB
1025WW
1025BK
Mirage I LED21-22
1025LED-OB
1025LED-BN
1025LED-BK
1025LED-WW
Mirage II LED23-24
1042LED-BN
1042LED-BK
1042LED-WW
1042LED-OB
Contempo25-26
1079BN
1079BK
1079WW
1079OB
Contempo LED27-28
1079LED-OB
1079LED-BN
1079LED-BK
1079LED-WW

Contempo I29-30
1078BN
1078OB
1078WW
1078BK
Contempo I LED31-32
1078LED-OB
1078LED-BN
1078LED-BK
1078LED-WW
Contempo II LED33-34
1049LED-BN
1049LED-OB
1049LED-WW
1049LED-BK
Royal Star35-36
1052OB-ES
1052BN-OB-ES
1052BK-ES
1052BN-WT-ES
1052WW-ES White
1052BNR-ES
Royal Star II37-38
1052BN-ES
1052BN-BN-ES
1052BNW-ES
1052SBN
1052SWW
Royal Star III39
1052-3HBN-L
1052-3HWW-L
Royal Knight II40
1053BN
1053WW
1053OB
Royal Knight Hugger I41
1062BN
1062WW
1062OB
Royal Knight Hugger II42
1063BN
1063WW
1063OB
Royal Knight Hugger III43
1064BN
1064OB
1064WW
Junior44
1054BN
1054WW
1054OB
Mediterranean45-46
1056OB
1056BN
1056WW
1056BK

Atlantic47-48
1057BN
1057BK
1057WW
1057OB
Caribbean49-52
1051BN
1051WW
1051OB
1051BN-BN
1051BN-WT
1051BN-R
1051BN-L
1051WW-L
1051OB-L
1051BN-BN-L
1051BN-WT-L
Titanium53
1075BN
Dominador54
1071BN
1071OB
1071WW
Sunset55-57
1015W-BP-ES
1015W-OB-ES
1015W-WW-ES
1015W-BK-ES
1016W-BP
1016W-WW
Torrent58-59
1017W-BP-ES
1017W-BK-ES
1017W-WW-ES
1017W-OB-ES
Industrial60
1091BA
1091WW
WC-3
Arctic61
1070BN
Fitters & Light Kits62-71
LK10WW-13-L
LK100WW-L
LK11WW-L
LK412WW-L
LK30WW-L
LK300WW-L
LK4120WW-L
1064BN
1064OB
1064WW
Junior44
1054BN
1054WW
1054OB
Mediterranean45-46
1056OB
1056BN
1056WW
1056BK
1RP11WW-L
1RP18WW-L
1RP180WW-L
1RP22WW-L
1RP220WW-L
LK12WW-L
1RP27WW
1RP28WW-L
1RP81WW-L
1RP82WW-L
1RP83WW
1RP84WW
1RP31WW
1RP32WW
1RP18LED-WW
1RP19WW
1RP19LED-WW
1RP85WW
1RP86WW

LK412-BK-L
1RP18BK-L
1RP180BK-L
1RP27BK
1RP28BK-L
1RP80BK-L
1RP82BK-L
1RP83BK
1RP31BK
1RP32BK
1RP84BK
LK10BN-13-L
LK10BN-23-L
LK100BN-L
LK12BP-L
LK30BN-L
LK300BN-L
LK412BN-L
LK4120BN-L
1RP31BN
1RP32BN
1RP8BN-L
1RP80BN-L
1RP11BN-L
1RP18LED-BN
1RP19BN
1RP19LED-BN
1RP85BN
1RP86BN
1RP18BN-L
1RP180BN-L
1RP22BN-L
1RP220BN-L
1RP27BP
1RP28BP-L
1RP81BN-L
1RP82BN-L
1RP83BN
1RP84BN
LK100B-13-L
LK100B-23-L
LK100OB-L
LK120B-L
LK300OB-L
LK300B-L
LK412OB-L
LK4120OB-L
1RP80B-L
1RP80OB-L
1RP180B-L
1RP180OB-L
1RP220B-L
1RP220OB-L
1RP27OB
1RP28OB-L
1RP81OB-L
1RP82OB-L
1RP31OB
1RP32OB
1RP83OB
1RP84OB
1RP18LED-OB
1RP19OB
1RP19LED-OB
1RP85OB
1RP86OB

Side Glass / Center Glass72
2002G
2004CG
2004FG
2006FG
2015FG
2015CG
2021G
2061G
3001G
3003G
Finishes73
OB-Oil Rubbed Bronze
BK-Black
WW-White
BP- Brushed Pewter
BN-Brushed Nickel
Fan Blades74-75
Wall Controls76
WC7
WC12
WC4
WC6
WC3
WC8
Remote Controls77
RC5
RC3-4
RC6
RC8
RC7
Downrods & Connectors78
xxx79
Energy Saving Feature80
Room Size Compatibility81



4931 Paseo Del Norte NE, Albuquerque, NM 87113

www.rplighting.com

royal@rplighting.com

800.937.6925 | 505.821.6964

F: 888.207.9509 | 505.821.0367

