

**HI-PRO LED  
HIGH LUMEN  
INDUSTRIAL/  
COMMERCIAL  
LAMPS**

**JANUARY, 2019**



## The standard in large venue efficient lighting.

Lighting larger spaces can be challenging, to say the least. Building codes everywhere set minimum lighting safety and efficiency standards for virtually every structure, every space, large or small. Hi-Pro LED hi lumen lamps are engineered to meet those standards, and meet them for years to come. Hi-Pro Led lamps can save up to 80% on utility costs vs. older technologies and significantly reducing maintenance costs. Many of our lamps are designed for very specific applications making it easier to meet the multiple lighting requirements a venue might present, and Satco employs the best electrical components, materials and overall engineering the industry has to offer.

This attention to design and purpose makes lighting large industrial and commercial spaces — warehouses, retail floors, factory floors, loading docks, residences, parking garages, schools, places of worship, office buildings of all types, indoors or out — easy and efficient. Now, entire venues can benefit from the lower energy costs, safety, lower maintenance and the lasting value Hi-Pro LEDs offer.


## Hi-Pro LED high lumen industrial/commercial lamps from Satco/Nuvo.

# LED A21 LAMPS

## Hi-Pro LED A21 lamps

High lumen, A21 lamps for industrial and commercial applications

- For use in bollard and post top lighting
- High ceiling recessed lighting
- Replaces high lumen incandescent and CFL lamps
- Dimmable
- Damp location
- Saves over 80% on energy costs
- Advanced heat dissipation design
- Direct wire range voltage 120-277V options
- High efficiency—up to 150 LPW
- 2700K, 4000K and 5000K options
- Base up, base down or horizontal operation
- Long life—25,000 hours
- ENERGY STAR certified\*
- 5 Year limited warranty\*\*\*



### High Lumen A21 Industrial/Commercial LED Lamps



Item Number	Lamp Description	W	V	CRI	CCT	Lm	Bm	M.O.L. (Inches)	Life/ Hrs.	UPC	Pack/ Master
<b>Dimmable</b>											
S8735*	20WA21/LED/HID/2700K/120V/DIM/E26	20	120	80+	2700K	2350	280°	5	25K	045923087356	24/6
S8778*	20WA21/LED/HID/4000K/120V/DIM/E26	20	120	80+	4000K	2747	280°	5	25K	045923087783	24/6
S8736*	20WA21/LED/HID/5000K/120V/DIM/E26	20	120	80+	5000K	2860	280°	5	25K	045923087363	24/6
<b>Non-Dimmable</b>											
S8737*	20WA21/LED/HID/2700K/120-277V/E26	20	120-277	80+	2700K	2450	280°	5	25K	045923087370	24/6
S8779*	20WA21/LED/HID/4000K/120-277V/E26	20	120-277	80+	4000K	2828	280°	5	25K	045923087790	24/6
S8738*	20WA21/LED/HID/5000K/120-277V/E26	20	120-277	80+	5000K	2910	280°	5	25K	045923087387	24/6
<b>Accessories</b>											
92-410	Mog to Med Socket Reducer									045923924064	
80-929	Hard Wire Surge Protector									045923809293	

\* ENERGY STAR certification pending - July 2018

\*\*\* See warranty for details.

## Hi-Pro LED A23 & A25 lamps

### Applications

- For use in bollard and post top lighting
- High ceiling recessed lighting

### Features


- Replaces high lumen incandescent and CFL lamps and up to 150W HID
- 25W - E26 and EX39 / up to 3600 lumens
- 35W - EX39 / up to 4800 lumens
- Saves over 80% on energy costs
- Advanced heat dissipation design
- Direct wire range voltage 120-277V
- High efficiency—up to 145 LPW
- 2700K, 4000K, 5000K and 6500K options
- Base up, base down or horizontal operation
- Damp location
- Long life—50,000 hours
- 5 Year limited warranty



S13100



S13111



### High Lumen A23 & A25 Industrial/Commercial Lamps



Item Number	Lamp Description	W	V	CRI	CCT	Lm	Bm	M.O.L. (Inches)	Life/Hrs.	UPC	Pack/Mstr.
S13100**	25WA23/LED/HID/2700K/120-277V/E26	25	120-277V	80	2700K	3375	280°	6.28	50K	045923131004	24
S13101**	25WA23/LED/HID/4000K/120-277V/E26	25	120-277V	80	4000K	3575	280°	6.28	50K	045923131011	24
S13102**	25WA23/LED/HID/5000K/120-277V/E26	25	120-277V	80	5000K	3625	280°	6.28	50K	045923131028	24
S13103**	25WA23/LED/HID/6500K/120-277V/E26	25	120-277V	80	6500K	3625	280°	6.28	50K	045923131035	24
S13104*	25WA23/LED/HID/2700K/120-277V/EX39	25	120-277V	80	2700K	3375	280°	6.66	50K	045923131042	24
S13105*	25WA23/LED/HID/4000K/120-277V/EX39	25	120-277V	80	4000K	3575	280°	6.66	50K	045923131059	24
S13106*	25WA23/LED/HID/5000K/120-277V/EX39	25	120-277V	80	5000K	3625	280°	6.66	50K	045923131066	24
S13107*	25WA23/LED/HID/6500K/120-277V/EX39	25	120-277V	80	6500K	3625	280°	6.66	50K	045923131073	24
S13108*	35WA25/LED/HID/2700K/120-277V/EX39	35	120-277V	80	2700K	4480	280°	7.25	50K	045923131080	24
S13109*	35WA25/LED/HID/4000K/120-277V/EX39	35	120-277V	80	4000K	4725	280°	7.25	50K	045923131097	24
S13110*	35WA25/LED/HID/5000K/120-277V/EX39	35	120-277V	80	5000K	4830	280°	7.25	50K	045923131103	24
S13111*	35WA25/LED/HID/6500K/120-277V/EX39	35	120-277V	80	6500K	4830	280°	7.25	50K	045923131110	24

\*DLC pending, February, 2019. \*\*ENERGY STAR pending, May, 2019.

# LED 100-277V LAMPS

## Hi-Pro LED lamps

High lumen,  
omni-directional lamps for  
High bay/low bay/  
post top, base up/  
base down applications

- Replaces HID, CFL, and Incandescent
- Direct wire range voltage 100-277V
- Built-in surge protection 80-120W
- Approved for totally enclosed fixtures\*\*
- IP65 rated
- 3 CCT options
- DLC listed\*
- Long life—50,000 hours
- 5 Year limited warranty

S29390

S29392

S29394

S29397

### High Lumen Industrial/Commercial LED Lamps



Item Number	Lamp Description	Replaces Inc/CFL/HID	W	V	Base Type	CCT	Lm	M.O.L. (Inches)	Life/Hrs.	UPC	Pack/Master
S29670	18W/LED/HID/2700K/100-277V	120/32/70	18	100-277	E26	2700K	2200	6 7/8	50K	045923296703	48
S29390	18W/LED/HID/5000K/100-277V	120/32/70	18	100-277	E26	5000K	2700	6 7/8	50K	045923293900	48
S29671	22W/LED/HID/2700K/100-277V	150/40/100	22	100-277	E26	2700K	2680	7 1/16	50K	045923296710	48
S29391	22W/LED/HID/5000K/100-277V	150/40/100	22	100-277	E26	5000K	2950	7 1/16	50K	045923293917	48
S29672	36W/LED/HID/2700K/100-277V	200/55/150	36	100-277	E26	2700K	4390	9 1/4	50K	045923296727	12
S29392	36W/LED/HID/5000K/100-277V	200/55/150	36	100-277	E26	5000K	4800	9 1/4	50K	045923293924	12
S29673*	45W/LED/HID/4000K/120-277V	300/65/175	45	100-277	EX39	4000K	5850	10 3/4	50K	045923296734	12
S29393*	45W/LED/HID/5000K/100-277V	300/65/175	45	100-277	EX39	5000K	6000	10 3/4	50K	045923293931	12
S29674*	54W/LED/HID/4000K/120-277V	300/85/250	54	100-277	EX39	4000K	7020	10 3/4	50K	045923296741	12
S29394*	54W/LED/HID/5000K/100-277V	300/85/250	54	100-277	EX39	5000K	7200	10 3/4	50K	045923293948	12
S29675*	80W/LED/HID/4000K/120-277V	400/100/320	80	100-277	EX39	4000K	10400	9 1/4	50K	045923296758	6
S29395*	80W/LED/HID/5000K/100-277V	400/100/320	80	100-277	EX39	5000K	10640	9 1/4	50K	045923293955	6
S29676*	100W/LED/HID/4000K/100-277V	500/150/400	100	100-277	EX39	4000K	13000	9 5/8	50K	045923296765	6
S29396*	100W/LED/HID/5000K/100-277V	500/150/400	100	100-277	EX39	5000K	13300	9 5/8	50K	045923293962	6
S29677*	120W/LED/HID/4000K/100-277V	750/200/600	120	100-277	EX39	4000K	15600	10 3/8	50K	045923296772	6
S29397*	120W/LED/HID/5000K/100-277V	750/200/600	120	100-277	EX39	5000K	16000	10 3/8	50K	045923293979	6

#### Accessories

92-410	Mog to Med Socket Reducer	045923924064
80-929	Hard Wire Surge Protector	045923809293

\*\* For minimum compartment size of enclosed fixture visit [www.satco.com](http://www.satco.com). Lamp life may vary depending on application and use. See warranty for details.



# LED 277-347V LAMPS

## Hi-Pro LED 277-347V high lumen lamps

High lumen, omni-directional lamps for industrial and commercial applications

- Replaces HID, CFL, and Incandescent
- Direct wire range voltage 277-347V
- Approved for totally enclosed fixtures\*\*
- IP65 rated
- 5000K
- Beam angle 300°
- CRI 80+
- Base up, base down or horizontal operation
- Long life—40,000 hours
- 5 Year limited warranty

S8710, S8711  
S8712

S8713, S8714

S8715, S8716

S8717

### High Lumen Industrial/Commercial 277-347V LED Lamps



Item Number	Lamp Description	W	V	Base Type	CCT	Lm	M.O.L. (Inches)	Life/Hrs.	UPC	Pack
S28710	18W/LED/HID/5000K/277-347V/E26	18	277-347	E26	5000K	2400	6 3/4	40K	045923287107	48
S28711	22W/LED/HID/5000K/277-347V/E26	22	277-347	E26	5000K	2950	6 9/16	40K	045923287114	48
S28712	36W/LED/HID/5000K/277-347V/E26	36	277-347	E26	5000K	4800	9 3/16	40K	045923287121	12
S28713	45W/LED/HID/5000K/277-347V/EX39	45	277-347	EX39	5000K	6000	10 11/16	40K	045923187138	12
S28714	54W/LED/HID/5000K/277-347V/EX39	54	277-347	EX39	5000K	7200	10 11/16	40K	045923287145	12
S28715	80W/LED/HID/5000K/277-347V/EX39	80	277-347	EX39	5000K	10640	9 1/4	40K	045923287152	4
S28716	100W/LED/HID/5000K/277-347V/EX39	100	277-347	EX39	5000K	13300	9 5/8	40K	045923287169	4
S28717	120W/LED/HID/5000K/277-347V/EX39	120	277-347	EX39	5000K	16000	10 3/8	40K	045923287176	4

#### Accessories

92-410	Mog to Med Socket Reducer	045923924064
80-935	Hard Wire Surge Protector	045923809354

\*\* For minimum compartment size of enclosed fixture visit [www.satco.com](http://www.satco.com). Lamp life may vary depending on application and use. See warranty for details.



## Hi-Pro LED 12-24V low voltage lamps

Low voltage, high lumen, omni-directional lamps for industrial and commercial applications

- Replaces HID, CFL, and Incandescent
- Direct wire range voltage 100-277V
- Built-in surge protection 80-120W
- Approved for totally enclosed fixtures\*\*
- IP65 rated
- 3000K, 5000K
- DLC listed\*
- Long life—50,000 hours
- 5 Year limited warranty

S9753

S9754

S9755



### High Lumen Industrial/Commercial LED Lamps - 12-24V

Item Number	Lamp Description	Replaces INC/HID	W	V	Base Type	CCT	Lm	M.O.L. (Inches)	Life/ Hrs.	UPC	Pack
S9753	10W/LED/HID/5000K/12V-24V E26	90/30	10	12-24	E26	5000K	1200	5 13/16	50K	045923097539	48
S9754	14W/LED/HID/5000K/12V-24V E26	150/50	14	12-24	E26	5000K	1680	6 3/16	50K	045923097546	48
S9755	18W/LED/HID/5000K/12V-24V E26	200/70	18	12-24	E26	5000K	2160	7	50K	045923097553	48

\*\* For minimum compartment size of enclosed fixture visit [www.satco.com](http://www.satco.com). Lamp life may vary depending on application and use. See warranty for details.


## Hi-Pro LED lamps with motion sensor

High lumen, omni-directional lamps with adjustable motion sensor for industrial and commercial applications

- Replaces HID, CFL, and Incandescent
- Direct wire range voltage 100-277V
- Approved for totally enclosed fixtures\*\*
- 3000K, 5000K
- 5 Year limited warranty

Adjustable motion sensor

**Adjustable Motion Sensor**  
Adjust the position and angle of the motion sensor according to the fixtures.



### High Lumen Industrial/Commercial LED Lamps with Motion Sensors



Item Number	Lamp Description	Replaces Inc/CFL/HID	W	V	Base Type	CCT	Lm	M.O.L. (Inches)	Life/ Hrs.	UPC	Pk/ Mstr.
S8988	63W/LED/HID/3K/MS/100-277V	300/85/250	63	100-277	E39	3000K	7875	10 7/8	50K	045923089886	12
S8989	63W/LED/HID/5K/MS/100-277V	300/85/250	63	100-277	E39	5000K	7875	10 7/8	50K	045923089893	12

\*\* For minimum compartment size of enclosed fixture visit [www.satco.com](http://www.satco.com). Lamp life may vary depending on application and use.



# LED WALL PACK LAMPS

## Hi-Pro LED wall pack lamp series

High lumen, directional lamps for industrial and commercial fixture applications

- For use in wall pack, canopy, shoe box, or cobra head fixtures
- 20/40/60 Watt options replaces 100/175/250 Watt HID
- Replaces HID
- Approved for totally enclosed fixtures\*\*
- Direct wire range voltage 100-277V
- IP64, higher efficiency, improved heat dissipation
- Reduced size
- 180° beam/adjustable base (E26/E39)
- Horizontal operation
- DLC listed\*
- Long life—50,000 hours
- 5 Year limited warranty

320° Swivel when installed



### High Lumen Industrial/Commercial LED Lamps



Item Number	Lamp Description	W	V	Rpl.	Base Type	CCT	Lm	Bm	M.O.L. (Inches)	Life/Hrs.	UPC	Pack
S8928	20W/LED/HID/WP/5K/E26/100-277V	20	100-277	100W	E26	5000K	3000	180°	5 ¼	50K	045923089282	12
S8929	40W/LED/HID/WP/5K/E26/100-277V	40	100-277	175W	E26	5000K	6000	180°	7 ⅞	50K	045923089299	12
S8930*	40W/LED/HID/WP/5K/E39/100-277V	40	100-277	175W	E39	5000K	6000	180°	8 ½	50K	045923089305	12
S8987*	60W/LED/HID/WP/5K/E39/100-277V	60	100-277	250W	E39	5000K	9000	180°	10 ¾	50K	045923089879	12

#### Accessories

92-410	Mog to Med Socket Reducer										045923924064	
80-929	Hard Wire Surge Protector										045923809293	

\*\* For minimum compartment size of enclosed fixture visit [www.satco.com](http://www.satco.com). Lamp life may vary depending on application and use. See warranty for details.



# LED SHOE BOX LAMPS

## Hi-Pro LED shoe box lamp series



High lumen, directional lamps for industrial and commercial fixture applications

- For use in shoe box fixtures
- 80/110 Watt options (10,000/14,000 lm) replaces 250/400 Watt HID
- Replaces HID
- Approved for totally enclosed fixtures\*\*
- Damp location
- Direct wire range voltage 100-277V
- Higher efficiency, improved heat dissipation
- 2 CCT options
- Expandable 180° beam design with adjustable base (E39)
- Horizontal operation
- DLC listed\*
- Long life—50,000 hours
- 5 Year limited warranty

Opened Position  
9-1/4"

320° Swivel  
when installed

Closed setting  
for easy  
installation



### High Lumen Industrial/Commercial LED Lamps

Item Number	Lamp Description	W	V	Rpl.	Base Type	CCT	Lm	Bm	M.O.L. (Inches)	Life/Hrs.	UPC	Pack
S8931*	80W/LED/HID/SB/3K/E39/100-277V	80	100-277	250W	E39	3000K	10000	180°	8 11/16	50K	045923089312	4
S8932*	80W/LED/HID/SB/5K/E39/100-277V	80	100-277	250W	E39	5000K	10000	180°	8 11/16	50K	045923089329	4
S8937*	110W/LED/HID/SB/3K/E39/100-277V	110	100-277	400W	E39	3000K	14000	180°	11 1/8	50K	045923089374	4
S8938*	110W/LED/HID/SB/5K/E39/100-277V	110	100-277	400W	E39	5000K	14000	180°	11 1/8	50K	045923089381	4

#### Accessories

80-929	Hard Wire Surge Protector	045923809293
--------	---------------------------	--------------

\*\* For minimum compartment size of enclosed fixture visit [www.satco.com](http://www.satco.com). Lamp life may vary depending on application and use. See warranty for details.



# LED MULTI-BEAM LAMPS

## Hi-Pro LED multi-beam lamps

High lumen, adjustable, multi-directional lamps for industrial and commercial applications

- Replaces HID, CFL, and incandescent
- Direct wire range voltage 100-277V
- Approved for totally enclosed fixtures\*\*
- High bay, low bay, hanging sockets, and post top
- 2700K or 5000K
- Light panels lock into place creating 3 separate beam angle options
- IP65 rated
- Long life—50,000 hours
- 5 Year limited warranty

270° Beam

360° Beam

180° Beam

### High Lumen Multi-Beam Industrial/Commercial LED Lamps



Item Number	Lamp Description	Replaces Inc/CFL/HID	W	V	Base Type	CCT	Lm	CRI	M.O.L. (Inches)	Life/Hrs.	UPC	Pack/Master
S29768	30W/LED/HID/MB/2700K/100-277V	200/55/150	30	100-277	E26	2700K	3660	83	6 3/8	50K	045923297687	24
S29750	30W/LED/HID/MB/5000K/100-277V	200/55/150	30	100-277	E26	5000K	3900	83	6 3/8	50K	045923297502	24
S29798	40W/LED/HID/MB/2700K/100-277V	300/65/175	40	100-277	EX39	2700K	4880	83	7 7/8	50K	045923297984	12
S29751	40W/LED/HID/MB/5000K/100-277V	300/65/175	40	100-277	EX39	5000K	5200	83	7 7/8	50K	045923297519	12
S29799	60W/LED/HID/MB/2700K/100-277V	500/85/250	60	100-277	EX39	2700K	7320	83	8 1/16	50K	045923297991	12
S29752	60W/LED/HID/MB/5000K/100-277V	500/85/250	60	100-277	EX39	5000K	7800	83	8 1/16	50K	045923297526	12
S29769	75W/LED/HID/MB/5000K/100-277V	750/105/400	75	100-277	EX39	5000K	9800	80+	8 5/8	50K	045923297694	12
S29679	90W/LED/HID/MB/5000K/100-277V	750/200/600	90	100-277	EX39	5000K	11700	80+	8 5/8	50K	045923296796	4

#### Accessories

92-410	Mog to Med Socket Reducer	045923924064
80-929	Hard Wire Surge Protector	045923809293

\*\* For minimum compartment size of enclosed fixture visit [www.satco.com](http://www.satco.com). Lamp life may vary depending on application and use. See warranty for details.

PATENT PENDING




# LED HIGH BAY/LOW BAY & POST TOP LAMPS

## Hi-Pro LED high bay/low bay "power flood" lamps

High lumen, LED lamps for industrial and commercial applications

- Replaces HID, CFL, and Incandescent
- 120° beam angle
- Long neck option fits more fixtures
- Direct wire range voltage 120-277V
- Light weight
- Advanced passive heat dissipation
- DLC listed\*
- Long life—50,000 hours
- 5 Year limited warranty





### High Lumen Industrial/Commercial LED Lamps

Item Number	Lamp Description	Replaces INC/CFL/HID	W	V	Base Type	CRI	CCT	Lm	Bm	M.O.L. (Inches)	Life/Hrs.	UPC	Pack/Mstr.
S8776*	60W/LED/HID-HB/5000K/120-277V	500/150/250	60	120-277	E39	80+	5000K	7200	120°	9 1/8	50K	045923087769	6
S8777*	75W/LED/HID-HB/5000K/120-277V	750/200/400	75	120-277	E39	80+	5000K	9010	120°	10 13/16	50K	045923087776	4
Accessories													
80-929	HARD WIRE SURGE PROTECTOR											045923809293	

## Hi-Pro LED post top lamps

- For use in any post top fixture to provide light out and down only
- Direct wire (ballast by-pass) 100-277V / E26
- Approved for enclosed fixtures\*\*
- Long life—50,000 hours
- 5 Year limited warranty



Controls light pollution



### High Lumen LED Lamps

Item Number	Lamp Description	W	V	Base Type	CRI	CCT	Lm	M.O.L. (Inches)	Life/Hrs.	UPC	Pack/Mstr.
S9779	40W/LED/HID/PT/3000K/100-277V	40	100-277	E26	80+	3000K	5000	5 1/2	50K	045923097799	12
Accessories											
92-410	Mog to Med Socket Reducer									045923924064	
80-929	Hard Wire Surge Protector									045923809293	

\*\* See warranty for details.









# LED PAR LAMPS

## Hi-Pro LED PAR30 lamps

High lumen, PAR lamps for industrial and commercial applications

- Replaces Halogen and ceramic metal Halide lamps
- Saves over 80% on energy costs
- Direct wire range voltage 100-277V
- High efficiency—100LPW
- 3000 and 4000K options
- Base up, base down or horizontal operation
- Long life—50,000 hours
- ENERGY STAR certified\*
- 5 Year limited warranty



S9762, S9763

S9764, S9765

### High Lumen PAR30 Industrial/Commercial LED Lamps





Item Number	Lamp Description	W	V	CRI	CCT	Lm	Bm	M.O.L. (Inches)	Life/Hrs.	UPC	Pack/Master
S9762*	12W/LED/PAR30/SN/3K/100-277V	12	100-277	83	3000K	1200	25°	3 1/2	50K	045923097621	24/6
S9763*	12W/LED/PAR30/SN/4K/100-277V	12	100-277	83	4000K	1200	25°	3 1/2	50K	045923097638	24/6
S9764*	12W/LED/PAR30/LN/3K/100-277V	12	100-277	83	3000K	1200	25°	4 5/16	50K	045923097645	24/6
S9765*	12W/LED/PAR30/LN/4K/100-277V	12	100-277	83	4000K	1200	25°	4 5/16	50K	045923097652	24/6
Accessories											
80-929	HARD WIRE SURGE PROTECTOR									045923809293	

## Hi-Pro LED PAR38 lamps

High lumen, PAR lamps for industrial and commercial applications

- Replaces Halogen and ceramic metal Halide lamps
- Saves over 80% on energy costs
- Direct wire range voltage 100-277V
- High efficiency—over 100LPW
- 3000 and 4000K options
- Base up, base down or horizontal operation
- Long life—50,000 hours
- ENERGY STAR certified\*
- 5 Year limited warranty



### High Lumen PAR38 Industrial/Commercial LED Lamps



Item Number	Lamp Description	W	V	CRI	CCT	Lm	Bm	M.O.L. (Inches)	Life/Hrs.	UPC	Pack/Master
S9760*	18W/LED/PAR38/3000K/100-277V	18	100-277	83	3000K	1950	25°	5 1/16	50K	045923097607	12/6
S9761*	18W/LED/PAR38/4000K/100-277V	18	100-277	83	4000K	2000	25°	5 1/16	50K	045923097614	12/6
Accessories											
80-929	HARD WIRE SURGE PROTECTOR									045923809293	

## Hi-Pro LED temporary hi-bay caged lamp series

High lumen, omni-directional lamps for industrial and commercial applications

- For use in any commercial work area replacing HID, CFL and Incandescent
- 60/100/150 Watt options (up to 15,000 lm)
- Includes 3' power cord/plug
- Portable
- Outlet for connecting multiple lamps
- Remote control "on/off"
- Cage is redesigned to be free standing with additional support
- IP64, higher efficiency, improved heat dissipation
- 360° Omni-directional light
- Damp location
- DLC listed\*
- Long life—50,000 hours
- 5 Year limited warranty

S28939


S28946

S28975

60W Replaces 250W  
100W Replaces 400W  
150W Replaces 600W



Linkable  
60Wx10 pcs. max  
100Wx6 pcs. max  
150Wx4 pcs. max  
600W max



### High Lumen Industrial/Commercial LED Lamps



Item Number	Lamp Description	Replaces	W	V	CRI	CCT	Lm	Bm	M.O.L. (Inches)	Life/Hrs.	UPC	Pack
S28939*	60W/LED/HID/TEMP/5K/RC/120V	250W	60	120	85	5000K	6000	360°	10 11/16	50K	045923289392	4
S28946*	100W/LED/HID/TEMP/5K/RC/120V	400W	100	120	85	5000K	10000	360°	12	50K	045923289460	4
S28975*	150W/LED/HID/TEMP/5K/RC/120V	600W	150	120	85	5000K	15000	360°	13 3/8	50K	045923289750	4




# LED WORK LAMPS


## Hi-Pro LED temporary string light series

High lumen, omni-directional string lights for industrial and commercial applications

- For use in any commercial work area
- 5 lamps per string
- 20W / 2000 lumens per lamp (100W)
- 10' between lamps (50' per string)
- Replaces HID, CFL, and Incandescent
- 360° Omni-directional light
- Direct wire 120V
- Wet location
- IP65 - Water and dust proof
- Long life—50,000 hours
- 3 Year limited warranty



Beam Profile - Each Lamp



High Lumen Industrial/Commercial LED String Light

Item Number	Lamp Description	W	V	CRI	Base Type	CCT	Lm	Bm	M.O.L. (Inches)	Life/ Hrs.	UPC	Pack
S8976	100W/LED/5PC/TEMP/STRING/120V	100	120	85	String/Plug	5000K	10000	360°	6 5/8	50K	045923089763	1

## Instant hi-bay fixture Keyless porcelain mogul base lamp holder with screw terminals

### Features

- Perfect for use with LED HID replacement lamps
- Commercial/industrial applications safety cable included
- Holder rated at 1500W Max.
- 600V
- Max lamp weight 5 lbs.




Lamp and cables not included

E39 Mogul Base



Screw terminals



### Keyless Porcelain Mogul Base Lamp Holder



Item Number	Lamp Description	Max. W	Max. V	UPC	Pack
90-483	Keyless Mogul Lamp Holder	1500	600	045923904837	40

## Mogul to medium base reducer

- E29 to E26 reducer
- 660W
- 600V

## LED HID Surge Protector

- Indicator light
- Nominal operating voltage: 100-277V AC
- Maximum discharge current voltage: 300V AC
- Nominal discharge current: 5kA
- Nominal discharge voltage: 10kV
- Maximum discharge voltage: 20kV
- Frequency: 50-60Hz
- Outer casing protection grade: IP67
- Operating temperature range: -40°C to 70°C



Item Number	Description	UPC
Accessories		
92-410	Mog to Med Socket Reducer	045923924064

Item Number	Description	UPC
Accessories		
80-929	Hard Wire Surge Protector	045923809293



National Toll-Free:  
800-43-SATCO  
(800-437-2826)  
[www.satco.com](http://www.satco.com)

Copyright © 2019  
Satco Products, Inc  
All Rights Reserved.  
1/19 SA2190



**Distribution Centers:**

FLORIDA  
900 N.W. 159th Dr.  
Miami, FL 33169  
PH 305-624-2044  
FX 305-623-0286

CALIFORNIA  
31288 San Benito St.  
Hayward, CA 94544  
PH 510-487-4822  
FX 510-487-8955

WASHINGTON  
4710 116th St. S.W.  
Mukilteo, WA 98275  
PH 425-789-3300  
FX 425-789-3310

TEXAS  
2000 Valwood Pkwy.  
Farmers Branch, TX  
75234  
PH 972-247-2437  
FX 972-247-5408

PUERTO RICO  
Campeche St. 23  
Julio N. Matos  
Industrial Park,  
Carolina, PR 00984  
PH 787-757-3510  
FX 787-757-3540

**Corporate Offices and  
Distribution Center:**

NEW YORK  
110 Heartland Blvd.  
Brentwood, NY 11717  
PH 631-243-2022  
FX 631-243-2027