

Centennial Brass

12V Integrated LED and Drop-In Products



KICHLER



Centennial Brass

12V Integrated LED and Drop-In Products

Our Centennial Brass finish presents a natural vintage look and feel with brown and gold undertones that will patina over time. These solid, thick-walled, cast brass fixtures are ideal for most environments, including coastal.

- Full CBR installation now possible with one of the widest product selections available in Centennial Brass.
- With commercial-grade durability, this cast brass construction will stand up against the toughest elements and look great for years to come.
- Drop-in fixtures are optimized to work with Kichler LED lamps.
- 10 and 15-year mechanical and finish warranties on product fixtures. Visit Kichler.com/Warranty for details.



Our exclusive **Advanced Product Solutions and Layout Team (APS)** is a free service that can answer your installation questions or assist with property designs and layouts.

For layout design services, contact us at layouts@kichler.com and we'll get you started.

For product and installation questions, contact our support team at **844-KICHLER (844-542-4537)** or email techsupport@kichler.com.



Table of Contents


12V LIGHTING

| | | |
|------------------------|----|-------------------------|
| Integrated LED | 04 | Accent & Accessories |
| | 06 | In-Ground & Accessories |
| | 06 | Path & Spread |
| | 08 | Deck & Patio |
| | 08 | Accessories |
| Drop-In with LED Lamps | 10 | Accent & Accessories |
| | 13 | In-Ground & Accessories |
| | 15 | Path & Spread |
| | 16 | Deck & Patio |
| | 16 | Accessories |
| 12V LED Lamps | 18 | |

Symbols Guide

D **Damp Rating:** Used in sheltered areas that are protected from direct contact with rain, snow or excessive moisture.

W **Wet Rating:** Suitable for direct contact with rain, snow or excessive moisture (such as fog or ocean spray).

 **016 Title 24, Part 6:** A document that contains the California Building Energy Efficiency Standards as regulated by the California Energy Commission. Products marked with this logo and labelled as JA8-2016 or JA8-2016-E have been found to meet the requirements stated in 2016 T24, Part 6. For more information, visit www.energy.ca.gov/title24.

FC Federal Communications Commission devices designated with this logo comply with part 15 of the FCC Rules.

CONNECT WITH US



Follow us: [instagram.com/KichlerLighting](https://www.instagram.com/KichlerLighting)
 Like us: [facebook.com/Kichler.Lighting](https://www.facebook.com/Kichler.Lighting)
 Follow us: twitter.com/KichlerLight
 Join us: [houzz.com/pro/KichlerLighting/Kichler](https://www.houzz.com/pro/KichlerLighting/Kichler)
 Find us: [pinterest.com/KichlerStyle](https://www.pinterest.com/KichlerStyle)
 Watch us: [youtube.com/KichlerLighting](https://www.youtube.com/KichlerLighting)

Kichler
 7711 East Pleasant Valley Road
 P.O. Box 318010
 Cleveland, Ohio 44131-8010

To find an Authorized Dealer, visit
Kichler.com/where-to-buy



All electrical products are UL/CSA/ or ETL Listed and Certified to UL/CSA Standards for use in U.S.A. and Canada except where noted.



Kichler is a member of the American Lighting Association (ALA), a trade association representing the residential lighting and ceiling fan industries in the United States and Canada. Its membership includes leading lighting and fan manufacturers, showrooms (retailers), manufacturers representatives and designers. ALA members are dedicated to providing the public with the proper application of quality residential lighting.

To serve you better, Kichler® reserves the right to make improvements to products in this catalog. Therefore, some products may change during the life of the catalog and the product information contained in this catalog may also have changed.

Accent



| Name | Small Accent with Variable Lumen Output (VLO) | | Large Accent with Variable Lumen Output (VLO) | |
|-----------------|--|--|--|--|
| SKU & Finish | 16015CBR27 - 15° Spot 16016CBR27 - 35° Flood 16017CBR27 - 60° Wide Flood | 16015CBR30 - 15° Spot 16016CBR30 - 35° Flood 16017CBR30 - 60° Wide Flood | 16018CBR27 - 15° Spot 16019CBR27 - 35° Flood 16020CBR27 - 60° Wide Flood | 16018CBR30 - 15° Spot 16019CBR30 - 35° Flood 16020CBR30 - 60° Wide Flood |
| Watt/VA | Level 1 = 2W/3.5VA, 100 lm, 50 lm/W Level 2* = 3.5W/5.5VA, 200 lm, 57 lm/W Level 3 = 5.5W/7.5VA, 300 lm, 55 lm/W | | Level 1* = 5.25W/8.5VA, 400 lm, 76 lm/W Level 2 = 8.5W/12.5VA, 600 lm, 70 lm/W Level 3 = 12W/17VA, 835 lm, 69 lm/W | |
| Kelvin & Lumens | 2700K - Warm White (see Wattage for lumen info.) | 3000K - Pure White (see Wattage for lumen info.) | 2700K - Warm White (see Wattage for lumen info.) | 3000K - Pure White (see Wattage for lumen info.) |

*Factory setting

*Factory setting



| Name | LED Accent - 200 lm | | LED Accent - 300 lm | | LED Accent - 500 lm | |
|-----------------|---|---|---|---|---|---|
| SKU & Finish | 16150CBR27 10° Spot 16151CBR27 35° Flood 16152CBR27 60° Wide Flood | 16150CBR30 10° Spot 16151CBR30 35° Flood 16152CBR30 60° Wide Flood | 16153CBR27 10° Spot 16154CBR27 35° Flood 16155CBR27 60° Wide Flood | 16153CBR30 10° Spot 16154CBR30 35° Flood 16155CBR30 60° Wide Flood | 16156CBR27 10° Spot 16157CBR27 35° Flood 16158CBR27 60° Wide Flood | 16156CBR30 10° Spot 16157CBR30 35° Flood 16158CBR30 60° Wide Flood |
| Watt/VA | 2.9W, 4.6VA | | 3.7W, 5.8VA | | 7W, 10VA | |
| Kelvin & Lumens | 2700K - Warm White 200 lm, 69 lm/W | 3000K - Pure White 200 lm, 69 lm/W | 2700K - Warm White 300 lm, 81 lm/W | 3000K - Pure White 300 lm, 81 lm/W | 2700K - Warm White 500 lm, 71 lm/W | 3000K - Pure White 500 lm, 71 lm/W |



| Name | LED Wall Wash | |
|-----------------|---------------------------------------|---------------------------------------|
| SKU & Finish | 16070CBR27 | 16070CBR30 |
| Watt/VA | 4.3W, 5.8VA | |
| Kelvin & Lumens | 2700K - Warm White 294 lm, 67 lm/W | 3000K - Pure White 302 lm, 73 lm/W |

Accent Accessories

Accent VLO
Small Long Cowl

Name

16067CBR

SKU &
Finish

Notes

2" x 4.5"

Accent VLO
Large Long Cowl

16068CBR

2.75" x 5.75"

Accent VLO Small
360 Degree Cowl

16069CBR

2" x 1.75"

Accent VLO Large
360 Degree Cowl

16074CBR

2.72" x 2.45"



LED Accent 6" Long Cowl

Name

16076CBR

SKU &
Finish

Notes

3.5" x 3.5" x 5"



Male and Female Riser 3"

15509CBR

1" x 1" x 4.25"



Male and Female Riser 6"

15510CBR

1" x 1" x 7"



Male and Female Riser 12"

15511CBR

1" x 1" x 13"



Male and Female Riser 18"

Name

15512CBR

SKU &
Finish

Notes

1" x 1" x 19"



Male and Female Riser 24"

15513CBR

1" x 1" x 25"



90 Degree Elbow

15514CBR

.05" x .05" x 2.75"



Two Fixture Mount

15515CBR

2" x 1" x 2"

In-Ground



| Name | 100 Lumen LED Mini All-Purpose Recessed Light | | 200 Lumen LED Mini All-Purpose Recessed Light | |
|-----------------|---|---------------------------------------|---|---------------------------------------|
| SKU & Finish | 16140CBR27 | 16140CBR30 | 16141CBR27 | 16141CBR30 |
| Watt/VA | 2W, 3.5VA | | 3.5W, 5.5VA | |
| Kelvin & Lumens | 2700K - Warm White 100 lm, 50 lm/W | 3000K - Pure White 100 lm, 50 lm/W | 2700K - Warm White 200 lm, 57 lm/W | 3000K - Pure White 200 lm, 57 lm/W |

In-Ground Accessories



| Name | LED Mini All-Purpose Recessed Blunt Cut Ground Stake | LED Mini All-Purpose Recessed Frosted Lens | Uni-Sleeve Well Light Gimbal Kit |
|--------------|--|--|---|
| SKU & Finish | 16182BK | 16180FRO | 16190BK |
| Notes | 2" x 2" x 4.75" | 1.5" | 6" x 8" x 6" Turn any 1/2" knuckled accent fixture into a recessed well light. |

Path & Spread



| Name | Cast Hammered Roof | | Ripley™ | | Conical Side Mount Cast Brass | |
|-----------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|
| SKU & Finish | 15871CBR27 | 15871CBR30 | 15800CBR27 | 15800CBR30 | 15827CBR27 | 15827CBR30 |
| Watt/VA | 2W, 3VA | | 4.3W, 5.8VA | | 4.3W, 5.8VA | |
| Kelvin & Lumens | 2700K - Warm White 168 lm, 48 lm/W | 3000K - Pure White 182 lm, 49 lm/W | 2700K - Warm White 294 lm, 67 lm/W | 3000K - Pure White 302 lm, 73 lm/W | 2700K - Warm White 294 lm, 67 lm/W | 3000K - Pure White 302 lm, 73 lm/W |

Path & Spread



| Name | Stepped Dome | |
|-----------------|---------------------------------------|---------------------------------------|
| SKU & Finish | 15820CBR27 | 15820CBR30 |
| Watt/VA | 2W, 3VA | |
| Kelvin & Lumens | 2700K - Warm White 168 lm, 46 lm/W | 3000K - Pure White 182 lm, 49 lm/W |



| Name | Stepped Dome Short | |
|-----------------|---------------------------------------|---------------------------------------|
| SKU & Finish | 15821CBR27 | 15821CBR30 |
| Watt/VA | 2W, 3VA | |
| Kelvin & Lumens | 2700K - Warm White 168 lm, 46 lm/W | 3000K - Pure White 182 lm, 49 lm/W |



| Name | Large Dome LED Path Light | |
|-----------------|---------------------------------------|---------------------------------------|
| SKU & Finish | 15810CBR27 | 15810CBR30 |
| Watt/VA | 3W, 4.5VA | |
| Kelvin & Lumens | 2700K - Warm White 250 lm, 83 lm/W | 3000K - Pure White 250 lm, 83 lm/W |



| Name | Small Dome LED Path Light | |
|-----------------|---------------------------------------|---------------------------------------|
| SKU & Finish | 15870CBR27 | 15870CBR30 |
| Watt/VA | 3W, 4.5VA | |
| Kelvin & Lumens | 2700K - Warm White 250 lm, 83 lm/W | 3000K - Pure White 250 lm, 83 lm/W |



| Name | Traditional LED Path Light | |
|-----------------|---------------------------------------|---------------------------------------|
| SKU & Finish | 15878CBR27 | 15878CBR30 |
| Watt/VA | 3W, 4.5VA | |
| Kelvin & Lumens | 2700K - Warm White 250 lm, 83 lm/W | 3000K - Pure White 250 lm, 83 lm/W |



| Name | Mission LED Path Light | |
|-----------------|---------------------------------------|---------------------------------------|
| SKU & Finish | 15880CBR27 | 15880CBR30 |
| Watt/VA | 3W, 4.5VA | |
| Kelvin & Lumens | 2700K - Warm White 250 lm, 83 lm/W | 3000K - Pure White 250 lm, 83 lm/W |



| Name | Cast Fundamentals LED Path | |
|-----------------|---------------------------------------|---------------------------------------|
| SKU & Finish | 16120CBR27 | 16120CBR30 |
| Watt/VA | 3W, 4.5VA | |
| Kelvin & Lumens | 2700K - Warm White 250 lm, 83 lm/W | 3000K - Pure White 250 lm, 83 lm/W |

Deck & Patio



| Name | Conical LED Mini Deck Light | |
|-----------------|--------------------------------------|--------------------------------------|
| SKU & Finish | 15765CBR27 | 15765CBR30 |
| Watt/VA | .86W, 1.86VA | |
| Kelvin & Lumens | 2700K - Warm White 41 lm, 50 lm/W | 3000K - Pure White 43 lm, 51 lm/W |

| Half Moon LED Deck Light | |
|--------------------------|---|
| SKU & Finish | 15764CBR27 15764CBR30 |
| Watt/VA | .86W, 1.86VA |
| Kelvin & Lumens | 2700K - Warm White 41 lm, 50 lm/W 3000K - Pure White 43 lm, 51 lm/W |

| LED Louvered Mini Step Light | |
|------------------------------|---|
| SKU & Finish | 15782CBR27 15782CBR30 |
| Watt/VA | .86W, 1.86VA |
| Kelvin & Lumens | 2700K - Warm White 41 lm, 50 lm/W 3000K - Pure White 43 lm, 51 lm/W |

Accessories



| Name | Gutter Mount | |
|--------------|--------------------|--|
| SKU & Finish | 15489CBR | |
| Notes | 2.75" x 0.75" x 4" | |

| 3" Round Mounting Base | |
|------------------------|--------------|
| SKU & Finish | 15493CBR |
| Notes | 3" x 1" x 3" |

| Tree Bracket | |
|--------------|-------------------|
| SKU & Finish | 15516CBR |
| Notes | 1.5" x 1.25" x 6" |



Accent



| | |
|-------------------------|--|
| Name | MR8 Brass Accent Light |
| SKU & Finish | 15483CBR |
| LED Lamp Options | 2W MR8 (18150-18157) Compares up to 15W Halogen |

| | |
|-------------------------|---|
| Name | MR11 Brass Accent Light |
| SKU & Finish | 15484CBR |
| LED Lamp Options | 2.5W MR11 (18158-18165) Compares up to 20W Halogen |

| | |
|-------------------------|---|
| Name | MR16 Fixed Socket Adjustable Accent with Cowl |
| SKU & Finish | 15485CBR |
| LED Lamp Options | 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen |



| | |
|-------------------------|---|
| Name | MR16 Fixed Socket Accent Light |
| SKU & Finish | 15517CBR |
| LED Lamp Options | 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen |

| | |
|-------------------------|---|
| Name | MR16 Brass Accent Light |
| SKU & Finish | 15475CBR |
| LED Lamp Options | 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen |

| | |
|-------------------------|---|
| Name | 2.5" Mini Accent Light |
| SKU & Finish | 15384CBR |
| LED Lamp Options | 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen |



| | |
|-------------------------|---|
| Name | MR16 Brass Downlight |
| SKU & Finish | 15486CBR |
| LED Lamp Options | 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen |

| | |
|-------------------------|---|
| Name | PAR36 Brass Uplight Accent Light |
| SKU & Finish | 15487CBR |
| LED Lamp Options | 4W PAR36 (18166-18173) Compares up to 20W Halogen 6W PAR36 (18174-18181) Compares up to 35W Halogen 10W PAR36 (18182-18189) Compares up to 50W Halogen 11W PAR36 (18021-18028) Compares up to 50W Halogen 14W PAR36 (18190-18197) Compares up to 75W Halogen |

| | |
|-------------------------|--|
| Name | Brass Mini Wall Wash Light |
| SKU & Finish | 15476CBR |
| LED Lamp Options | 1W T5 Wedge (18198, 18199) Compares up to 10W Halogen 1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon 2.3W T5 Wedge (18204, 18205) Compares up to 20W Halogen |



| Name | Solid Brass Hanging Light | Twinkler Brass Hanging Light |
|------------------|---|---|
| SKU & Finish | 15500CBR | 15501CBR |
| LED Lamp Options | 2W MR8 (18150-18157) Compares up to 15W Halogen 2.5W MR11 (18158-18165) Compares up to 20W Halogen 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen 1W Micro Ceramic (18200, 18201) Compares up to 10W Halogen 2W T3/G4 Bi-Pin (18206, 18207) Compares up to 20W Halogen | 2W MR8 (18150-18157) Compares up to 15W Halogen 2.5W MR11 (18158-18165) Compares up to 20W Halogen 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen 1W Micro Ceramic (18200, 18201) Compares up to 10W Halogen 2W T3/G4 Bi-Pin (18206, 18207) Compares up to 20W Halogen |

Accent Accessories



| | |
|--------------|--------------------------|
| Name | Male and Female Riser 3" |
| SKU & Finish | 15509CBR |
| Notes | |



| | |
|--------------|--------------------------|
| Name | Male and Female Riser 6" |
| SKU & Finish | 15510CBR |
| Notes | |



| | |
|--------------|---------------------------|
| Name | Male and Female Riser 12" |
| SKU & Finish | 15511CBR |
| Notes | |



| | |
|--------------|---------------------------|
| Name | Male and Female Riser 18" |
| SKU & Finish | 15512CBR |
| Notes | |



| | |
|--------------|---------------------------|
| Name | Male and Female Riser 24" |
| SKU & Finish | 15513CBR |
| Notes | |



| | |
|--------------|---------------------|
| Name | 90 Degree Elbow |
| SKU & Finish | 15514CBR |
| Notes | 0.5" x 0.5" x 2.75" |



| | |
|--------------|-------------------|
| Name | Two Fixture Mount |
| SKU & Finish | 15515CBR |
| Notes | 2" x 1" x 2" |

In-Ground



| | |
|------------------|--|
| Name | MR8 Recessed In-Ground Basic Trim |
| SKU & Finish | 15490CBR |
| LED Lamp Options | 2W MR8 (18150-18157) Compares up to 15W Halogen |



| | |
|------------------|--|
| Name | MR8 Recessed In-Ground Louvered |
| SKU & Finish | 15492CBR |
| LED Lamp Options | 2W MR8 (18150-18157) Compares up to 15W Halogen |



| | |
|------------------|--|
| Name | MR8 Recessed In-Ground with Cowl |
| SKU & Finish | 15491CBR |
| LED Lamp Options | 2W MR8 (18150-18157) Compares up to 15W Halogen |



| | |
|------------------|---|
| Name | In-Ground with Brass Trim |
| SKU & Finish | 15495CBR |
| LED Lamp Options | 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen |



| | |
|------------------|---|
| Name | In-Ground with Brass Beacon |
| SKU & Finish | 15498CBR |
| LED Lamp Options | 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen |



| | |
|------------------|---|
| Name | In-Ground with Brass Rock Guard |
| SKU & Finish | 15497CBR |
| LED Lamp Options | 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen |



| | |
|------------------|---|
| Name | In-Ground with Brass Cowl |
| SKU & Finish | 15496CBR |
| LED Lamp Options | 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen |



| | |
|------------------|---|
| Name | In-Ground with Brass Side Throw |
| SKU & Finish | 15499CBR |
| LED Lamp Options | 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen |



| | |
|------------------|--|
| Name | PAR36 Well with Brass Trim |
| SKU & Finish | 15507CBR |
| LED Lamp Options | 4W PAR36 (18166-18173) Compares up to 20W Halogen 6W PAR36 (18174-18181) Compares up to 35W Halogen 10W PAR36 (18182-18189) Compares up to 50W Halogen 11W PAR36 (18021-18028) Compares up to 50W Halogen 14W PAR36 (18190-18197) wCompares up to 75W Halogen |

In-Ground



| Name | PAR36 Rock Guard Well | Brass In-Ground with Frosted Lens |
|------------------|---|---|
| SKU & Finish | 15508CBR | 15481CBR |
| LED Lamp Options | 4W PAR36 (18166-18173) Compares up to 20W Halogen 6W PAR36 (18174-18181) Compares up to 35W Halogen 10W PAR36 (18182-18189) Compares up to 50W Halogen 11W PAR36 (18021-18028) Compares up to 50W Halogen 14W PAR36 (18190-18197) Compares up to 75W Halogen | 4W MR16 (18126-18133) Compares up to 20W Halogen 5W MR16 (18134-18141) Compares up to 35W Halogen 7W MR16 (18142-18149) Compares up to 50W Halogen |

In-Ground Accessory



| Name | Brass Rock Guard with Clear Lens |
|--------------|----------------------------------|
| SKU & Finish | 15482CBR |
| Notes | For 15481 In-Ground fixture |

Path & Spread



| | |
|------------------|---|
| Name | Adjustable Height Small |
| SKU & Finish | 15502CBR |
| LED Lamp Options | 1W T3/G4 (18200, 18201) Compares up to 10W Halogen 2W T3/G4 (18042, 18043) Compares up to 20W Halogen 2W T3/G4 (18206, 18207) Compares up to 20W Halogen |



| | |
|------------------|---|
| Name | Adjustable Height Large |
| SKU & Finish | 15503CBR |
| LED Lamp Options | 1W T3/G4 (18200, 18201) Compares up to 10W Halogen 2W T3/G4 (18042, 18043) Compares up to 20W Halogen 2W T3/G4 (18206, 18207) Compares up to 20W Halogen |



| | |
|------------------|---|
| Name | Small Hat Brass |
| SKU & Finish | 15506CBR |
| LED Lamp Options | 1W T3/G4 (18200, 18201) Compares up to 10W Halogen 2W T3/G4 (18042, 18043) Compares up to 20W Halogen 2W T3/G4 (18206, 18207) Compares up to 20W Halogen |



| | |
|------------------|---|
| Name | Traditional Solid Brass |
| SKU & Finish | 15478CBR |
| LED Lamp Options | 1W T3/G4 (18200, 18201) Compares up to 10W Halogen 2W T3/G4 (18042, 18043) Compares up to 20W Halogen 2W T3/G4 (18206, 18207) Compares up to 20W Halogen |



| | |
|------------------|---|
| Name | Missionary Solid Brass |
| SKU & Finish | 15480CBR |
| LED Lamp Options | 1W T3/G4 (18200, 18201) Compares up to 10W Halogen 2W T3/G4 (18042, 18043) Compares up to 20W Halogen 2W T3/G4 (18206, 18207) Compares up to 20W Halogen |



| | |
|------------------|---|
| Name | 6" Dome |
| SKU & Finish | 15470CBR |
| LED Lamp Options | 2W T5 Wedge (18039, 18040) Compares up to 16W Xenon 1W T3/G4 (1800, 18201) Compares up to 10W Halogen 2W T3/G4 (18206, 18207) Compares up to 20W Halogen |



| | |
|------------------|--|
| Name | Two Arm |
| SKU & Finish | 15844CBR |
| LED Lamp Options | 1W T5 Wedge (18198, 18199) Compares up to 10W Halogen 1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon 2.3W T5 Wedge (18204, 18205) Compares up to 20W Halogen |



| | |
|------------------|--|
| Name | Tube |
| SKU & Finish | 15845CBR |
| LED Lamp Options | 1W T5 Wedge (18198, 18199) Compares up to 10W Halogen 1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon 2.3W T5 Wedge (18204, 18205) Compares up to 20W Halogen |

Deck & Patio



| | |
|------------------|--|
| Name | Brass Deck Light |
| SKU & Finish | 15477CBR |
| LED Lamp Options | 1.5W T5 Wedge (18120, 18121) Compares up to 16W Xenon 1W T5 Wedge (18198, 18199) Compares up to 10W Halogen |

Accessories



| | |
|--------------|--------------------|
| Name | Gutter Mount |
| SKU & Finish | 15489CBR |
| Notes | 2.75" x 0.75" x 4" |












| | |
|--------------|------------------------|
| Name | 3" Round Mounting Base |
| SKU & Finish | 15493CBR |
| Notes | 3" x 1" x 3" |




| | |
|--------------|-------------------|
| Name | Tree Bracket |
| SKU & Finish | 15516CBR |
| Notes | 1.5" x 1.25" x 6" |



- PAR36 = Wet Location
- Omni S8, T5, T3, BA15 = Wet Location
- MR16, MR11, MR8 = Damp Location

| LAMP | BASE/ LAMP TYPE | WATTS | KELVIN/LUMENS (lm for Bare Lamps) | BEAM ANGLE/ITEM # | | | |
|---|---|---|--------------------------------------|-------------------|------------------|--------------|----------------|
| | | | | 15° Spot | 25° Narrow Flood | 40° Flood | 60° Wide Flood |
|  | MR8 Bi-Pin Damp Location D | 2W, 3.1VA Compares up to 15W Halogen | 2700K - Warm White / 140 lm | 18150 | 18152 | 18154 | 18156 |
| | | | 3000K - Pure White / 150 lm | 18151 | -- | 18155 | 18157 |
|  | MR11 Bi-Pin Damp Location D | 2.5W, 3.8VA Compares up to 20W Halogen | 2700K - Warm White / 180 lm | 18158 | 18160 | 18162 | 18164 |
| | | | 3000K - Pure White / 180 lm | 18159 | 18161 | 18163 | 18165 |
|  | MR16 Damp Location D | 4W, 5.4VA Compares up to 20W Halogen | 2700K - Warm White / 285 lm | 18126 | 18128 | 18130 | 18132 |
| | | | 3000 - Pure White / 285 lm | 18127 | 18129 | 18131 | 18133 |
|  | MR16 Damp Location D | 5W, 6.6VA Compares up to 35W Halogen | 2700K - Warm White / 365 lm | 18134 | 18136 | 18138 | 18140 |
| | | | 3000K - Pure White / 365 lm | 18135 | 18137 | 18139 | 18141 |
|  | MR16 Damp Location D | 7.2W, 9.9VA Compares up to 50W Halogen | 2700K - Warm White / 615 lm | 18142 | 18144 | 18146 | 18148 |
| | | | 3000K - Pure White / 615 lm | 18143 | 18145 | 18147 | 18149 |
|  | PAR36 Wet Location W | 4.2W, 6.3VA Compares up to 20W Halogen | 2700K - Warm White / 290 lm | 18166 | 18168 | 18170 | -- |
| | | | 3000K - Pure White / 290 lm | 18167 | 18169 | 18171 | 18173 |
|  | PAR36 Wet Location W | 6W, 8.5VA Compares up to 35W Halogen | 2700K - Warm White / 475 lm | 18174 | 18176 | 18178 | -- |
| | | | 3000K - Pure White / 475 lm | 18175 | -- | 18179 | 18181 |
|  | PAR36 Wet Location W | 10W, 13.2VA Compares up to 50W Halogen | 2700K - Warm White / 700 lm | 18182 | 18184 | 18186 | 18188 |
| | | | 3000K - Pure White / 700 lm | 18183 | 18185 | 18187 | 18189 |
|  | PAR36 Wet Location W | 14W, 19.2VA Compares up to 75W Halogen | 2700K - Warm White / 1090 lm | 18190 | -- | 18194 | 18196 |
| | | | 3000K - Pure White / 1090 lm | 18191 | 18193 | 18195 | 18197 |

12V PHOTOMETRICS




The curves indicate the illuminated area and the average illumination when the luminaire is at different distances. Stated footcandles are for bare lamps only. For additional landscape product information tools and resources, visit Kichler.com/Landscape.

| LAMP | BASE/ LAMP TYPE | WATTS | KELVIN/LUMENS (lm for Bare Lamps) | BEAM ANGLE/ITEM #s | |
|---|---|--|--------------------------------------|--------------------|--------------|
| | | | | 120° Beam Angle | |
|  | S8 Wedge* Wet Location W | 1.5W, 2.4VA Compares up to 18.5W Krypton | 2700K - Warm White / 130 lm | 18122 | |
| | | | 3000K - Pure White / 130 lm | 18123 | |
|  | T5 Wedge* Wet Location W | 1.5W, 2.4VA Compares up to 16W Xenon | 2700K - Warm White / 130 lm | 18120 | |
| | | | 3000K - Pure White / 130 lm | 18121 | |
|  | G4/T3 Bi-Pin* Wet Location W | 1.5W, 2.4VA Compares up to 20W Halogen | 2700K - Warm White / 130 lm | 18124 | |
| | | | 3000K - Pure White / 130 lm | 18125 | |
| LAMP | BASE/ LAMP TYPE | WATTS | KELVIN/LUMENS (lm for Bare Lamps) | BEAM ANGLE/ITEM #s | |
| | | | | 180° | 300° |
|  | T5 Wedge Mini Ceramic Wet Location W | 1W, 1.2VA Compares up to 10W Halogen | 2700K - Warm White / 85 lm | 18198 | -- |
| | | | 3000K - Pure White / 85 lm | 18199 | -- |
|  | T3/G4 Bi-Pin Micro Ceramic Wet Location W | 1W, 1.2VA Compares up to 10W Halogen | 2700K - Warm White / 85 lm | 18200 | -- |
| | | | 3000K - Pure White / 85 lm | 18201 | -- |
|  | T5 Wedge High Lumen Mini Wet Location W | 2.3W, 3.3VA Compares up to 20W Halogen | 2700K - Warm White / 215 lm | -- | 18204 |
| | | | 3000K - Pure White / 215 lm | -- | 18205 |
|  | S8 Wedge High Lumen Mini Wet Location W | 2.3W, 3.3VA Compares up to 20W Halogen | 2700K - Warm White / 215 lm | -- | 18202 |
| | | | 3000K - Pure White / 215 lm | -- | 18203 |
|  | T3/G4 Bi-Pin High Lumen Mini Wet Location W | 2.3W, 3.3VA Compares up to 20W Halogen | 2700K - Warm White / 215 lm | -- | 18206 |
| | | | 3000K - Pure White / 215 lm | -- | 18207 |
|  | BA15 Single Contact High Lumen Mini Wet Location W | 2.3W, 3.3VA Compares up to 20W Halogen | 2700K - Warm White / 215 lm | -- | 18208 |
| | | | 3000K - Pure White / 215 lm | -- | 18209 |

12V LED LAMPS FOR PROFESSIONAL RESULTS

* Ideal for side mount path, deck/step, wall wash fixtures and more.

- Consistent Results: 9-15V operating range with no loss in light output
- Custom Optics: Superior control and light uniformity
- Kichler Performance: High lumens per watt & total lumen output



The background of the page is a photograph of an outdoor patio. It features a stone wall, several hanging lights with perforated brass shades, and two round tables with metal mesh chairs. One table has a tray with a bottle of water and some flowers. The scene is dimly lit, suggesting an evening or dusk setting.

Our Vision

At Kichler Lighting, everything we do, every single day, is with the intention of creating and delivering products that allow people to see what matters most to them. We will do that by relentlessly pursuing quality, ensuring continued innovation, always going one step further in our commitment to exceptional customer service and education, as well as creating on-trend designs that are both stylish and "life-stylish," promising to deliver project success for you.

Get inspired at [Kichler.com](https://www.kichler.com)

Featured on Front Cover: Twinkler Brass Hanging Light 15501CBR, Traditional Solid Brass Path 15478CBR, MR16 Brass Accent 15475CBR | Pages 11, 15, 10

Back Cover: Twinkler Brass Hanging Light 15501CBR | Page 11

Printed in U.S.A., STLD19001-15M | For more information call: 866-558-5706

© 2019 Kichler Lighting LLC. All Rights Reserved. The majority of newer Kichler fixtures are U.S. Patent Pending.