

Hi-Lite Mfg. Co.



**LED
TECH
BROCHURE**



H-15116-91/HL-A-91



H-15116-96/18"ST-HSC-96



H-18112-96/HL-H-96



H-4316-B-119



H-16116-96/CB8-91



H-7412-B-77



H-16058-B-BR47



H-4120-77/CB8-91



H-23670-91-RIB/CB8-91
/CLLS W/91 RING



H-16810-B-91/WGR-97



H-15620-102/CB8-91



H-23680-101-RIB/CB8-91



H-16516-92/CB8-91



H-7130-96/CB8-91



Hi-Lite Mfg. Co.

LED 2 Series Specifications

Description

The Hi-Lite LED 2 series is a drop-in LED light engine with integrated thermal management and optics. The LED 2 series is available for Open-rated fixtures. The LED 2 series is offered in five lumen outputs: 850, 1250, 2000, 3000, and 4000.

Specifications

- Open-rated fixture only (not rated for use within a sealed fixture or glass enclosure)
- 96° Beam Angle Domed Lens
- 9W, 850lm, 440mA (tested at 4000 K)
- 13W, 1250lm, 440mA (tested at 4000 K)
- 21W, 2000lm, 900mA (tested at 4000 K)
- 31W, 3000lm, 900mA (tested at 4000 K)
- 38W, 4000lm, 900mA (tested at 4000 K)
- ≥ 90 CRI for all CCTs (2700 K, 3000 K, 3500 K, 4000 K)
- 3-year Limited Warranty-LED Module only
- 1-year Limited Warranty-LED Driver only
- Designed to last 50,000 hours at L₇₀



(USE THIS FORMAT TO PLACE ORDER)

Wattage	Light Source	Color Temperature	Dimming Option	Driver Location	Voltage
9 (850 lumens)	LED2	27 (2700 K)	Leave blank if dimming is not required.	BCM (Ballast Canopy Mount)	9W & 13W 1 (120V) 2 (277)
13 (1250 lumens)		30 (3000 K)			
21 (2000 lumens)		35 (3500 K)	For 9W and 13W only I (Incandescent) (Not available in 277V) E (0-10V Dimming 10%)		21W, 31W, & 38W M (Multi 120/277)
		31 (3000 lumens)			
38 (4000 lumens)			For 21W, 31W, & 38W only E (0-10V Dimming 10%)		
31	LED2	30		BCM	- M
31/LED2/30/BCM-M					

Ordering Examples:

- 31/LED2/30/BCM-M - 31W, LED2, 3000 K, Non-Dimming, Ballast Canopy Mount, 120/277 V
- 21/LED2/27/E/BCM-M - 21W, LED2, 2700 K, Electronic Dimming, Ballast Canopy Mount, 120/277 V
- 38L2/40/BCM-M - 38W, LED2, 4000 K, Non-Dimming, Ballast Canopy Mount, 120/277 V

Key Features

- Rated for 50,000 hours
- Min 0°C start up temp



H-15116-91/HL-A-91/CGU-91



H-15416-96CLR/CB8-91/97 GUARD



H-7130-91/HL-D-91/CGU-91-FR



H-16812-B-119/CGU-FR-119



H-CGU-10-1B-91-FR




H-CGU-10-1B-96-RIB



H-19414-B-77/CGU-FR-114



H-4111-B-BR47/CGU-AMC-BR47



H-91418-93-RIB/18"ST-HSC-93



H-33108-BR47-RIB/CB8-91



H-16116-101/CB8-91/LCGU-FR-101



H-1358-119-FR/CB8-91/113-RING



H-20112-96/CB8-91



H-CGU-10-96-RIB/CB8-91



Hi-Lite Mfg. Co.

LED 3 Series Specifications

Description

The Hi-Lite LED 3 series is a Chip-On-Board (COB) drop-in LED light board. The LED 3 series is specifically used for enclosed light fixtures with jelly jar style fixtures. The LED 3 series is offered in two lumen outputs: 1200 and 1600.

Specifications

- For use with enclosed-rated Jelly Jar style fixtures and accessories only.
- Standard 120° Beam Angle
- 12W, 1200lm, 350mA (tested at 4000 K)
- 90 CRI for all CCTs (2700K, 3000K, 3500K, 4000K)
- Lumen maintenance, L70 lifetime=50k hours based on 105° operating temp.
- 3-year Limited Warranty-LED Module only
- 1-year Limited Warranty-LED Driver only



(USE THIS FORMAT TO PLACE ORDER)

Wattage /	Light Source /	Color Temperature /	Dimming option /	Driver Location -	Voltage
12 (1200 lumens)	LED3	27 (2700 K) 30 (3000 K) 35 (3500 K) 40 (4000 K)	Leave blank if dimming is not required. E (0-10V Dimming10%)	BCM (Ballast Canopy Mount)	M (Multi 120/277)
12 /	LED3 /	27 /	/	BCM -	M
12/LED3/27/BCM-M					

Ordering Examples:

- 12/LED3/27/BCM-M - 12W, LED3, 2700 K, Non-Dimming, Ballast Canopy Mount, 120/277 V
- 12/LED3/30/E/BCM-M - 12W, LED3, 3000 K, Electronic Dimming, Ballast Canopy Mount, 120/277 V
- 12/LED3/40/E/BCM-M - 12W, LED3, 4000 K, Electronic Dimming, Ballast Canopy Mount, 120/277 V



Hi-Lite Mfg. Co.

LED Series Specifications



FIXTURE NUMBER	LED 2	LED 3 / 4
H-1208	N/A	12
H-1210	N/A	12
H-1212	N/A	12
H-1214	N/A	12
H-1216	N/A	12
H-1308-B	N/A	12
H-1310-B	N/A	12
H-1312-B	N/A	12
H-1314-B	N/A	12
H-1316-B	N/A	12
H-1320	N/A	12
H-1344	N/A	12
H-1350	N/A	12
H-1351-B	N/A	12
H-1356	N/A	12
H-1358	N/A	12
H-1408	N/A	12
H-1410	N/A	12
H-1412	N/A	12
H-1414	N/A	12
H-1416	N/A	12
H-1418	N/A	12
H-1420	N/A	12
H-1422	N/A	12
H-1424	N/A	12
H-1508-B	N/A	12
H-1510-B	N/A	12
H-1512-B	N/A	12
H-1514-B	N/A	12
H-1516-B	N/A	12
H-1518-B	N/A	12
H-1520-B	N/A	12
H-1522-B	N/A	12
H-1524-B	N/A	12
H-4110	9,13,21,31	12

FIXTURE NUMBER	LED 2	LED 3 / 4
H-4111-B	9,13,21,31	12
H-4120	9,13,21,31,38	12
H-4214	9,13,21,31	12
H-4216	9,13,21,31	12
H-4220	9,13,21,31,38	12
H-4222	9,13,21,31,38	12
H-4224	9,13,21,31,38	12
H-4314-B	9,13,21,31	12
H-4316-B	9,13,21,31	12
H-7130	9,13,21,31,38	12
H-7350	N/A	12
H-7355	N/A	12
H-7375	N/A	12
H-7412-B	9,13,21,31,38	12
H-7414-B	9,13,21,31	12
H-7416-B	9,13,21,31	12
H-7512	9,13,21,31	12
H-7514	9,13,21,31	12
H-7516	9,13,21,31	12
H-7524	9,13,21,31,38	12
H-13115	9,13,21,31,38	12
H-13120	9,13,21,31,38	12
H-15112	9,13,21,31,38	12
H-15113	9,13	12
H-15114	9,13,21,31,38	12
H-15115	9,13,21,31,38	12
H-15116	9,13	12
H-15117	9,13,21,31,38	12
H-15118	9,13,21,31,38	12
H-15120	9,13,21,31,38	12
H-15124	9,13,21,31,38	12
H-15127	9,13,21,31,38	12
H-15216	9,13,21,31,38	12
H-15218	9,13,21,31,38	12
H-15220	9,13,21,31,38	12



Hi-Lite Mfg. Co.

LED Series Specifications




FIXTURE NUMBER	LED 2	LED 3 / 4
H-15312-B	9,13,21,31,38	12
H-15314-B	9,13,21,31,38	12
H-15316-B	9,13,21,31,38	12
H-15412	N/A	12
H-15414	N/A	12
H-15416	N/A	12
H-15418	N/A	12
H-15420	N/A	12
H-15424	N/A	12
H-15427	N/A	12
H-15512	9,13,21,31,38	12
H-15514	9,13,21,31,38	12
H-15516	9,13,21,31,38	12
H-15518	9,13,21,31,38	12
H-15612	9,13,21,31,38	12
H-15614	9,13,21,31,38	12
H-15616	9,13,21,31,38	12
H-15618	9,13,21,31,38	12
H-15620	9,13,21,31,38	12
H-15624	9,13,21,31,38	12
H-15627	9,13,21,31,38	12
H-16034	9,13,21,31,38	N/A
H-16036	9,13,21,31,38	N/A
H-16038	9,13,21,31,38	N/A
H-16044	9,13,21	N/A
H-16046	9,13,21	N/A
H-16054-B	9,13,21	N/A
H-16056-B	9,13,21	N/A
H-16058-B	9,13,21	N/A
H-16064-F	9,13,21,31	N/A
H-16066-F	9,13,21,31	N/A
H-16110	9,13,21,31,38	12
H-16112	9,13,21,31,38	12
H-16114	9,13,21,31,38	12
H-16116	9,13,21,31,38	12

FIXTURE NUMBER	LED 2	LED 3 / 4
H-16212	N/A	12
H-16214	N/A	12
H-16216	N/A	12
H-16218	N/A	12
H-16224	N/A	12
H-16312 (will have vented cone)	9,13,21,31	12
H-16314 (will have vented cone)	9,13,21,31	12
H-16316 (will have vented cone)	9,13,21,31	12
H-16318 (will have vented cone)	9,13,21,31	12
H-16320 (will have vented cone)	9,13,21,31,38	12
H-16324 (will have vented cone)	9,13,21,31,38	12
H-16412	N/A	12
H-16414	N/A	12
H-16416	N/A	12
H-16418	N/A	12
H-16420	N/A	12
H-16424	N/A	12
H-16510	9,13,21,31,38	12
H-16512	9,13,21,31,38	12
H-16514	9,13,21,31,38	12
H-16516	9,13,21,31,38	12
H-16518	9,13,21,31,38	12
H-16520	9,13,21,31,38	12
H-16524	9,13,21,31,38	12
H-16612	N/A	12
H-16614	N/A	12
H-16616	N/A	12
H-16618	N/A	12
H-16620	N/A	12
H-16624	N/A	12
H-16712-F	N/A	12
H-16714-F	N/A	12
H-16716-F	N/A	12
H-16718-F	N/A	12
H-16720-F	N/A	12



Hi-Lite Mfg. Co.

LED Series Specifications



FIXTURE NUMBER	LED 2	LED 3 / 4
H-16724-F	N/A	12
H-16810-B	9,13,21,31	12
H-16812-B	9,13,21,31,38	12
H-16912	9,13,21,31,38	12
H-16914	9,13,21,31,38	12
H-16916	9,13,21,31,38	12
H-16918	9,13,21,31,38	12
H-16920	9,13,21,31,38	12
H-16924	9,13,21,31,38	12
H-17118	9,13,21,31,38	12
H-17124	9,13,21,31,38	12
H-18110	9,13,21,31	12
H-18112	9,13,21,31,38	12
H-18114	9,13,21,31,38	12
H-19112	9,13,21,31,38	12
H-19114	9,13,21,31,38	12
H-19116	9,13,21,31,38	12
H-19118	9,13,21,31,38	12
H-19120	9,13,21,31,38	12
H-19122	9,13,21,31,38	12
H-19124	9,13,21,31,38	12
H-19214	N/A	12
H-19216	N/A	12
H-19218	N/A	12
H-19220	N/A	12
H-19222	N/A	12
H-19224	N/A	12
H-19314	9,13,21,31,38	12
H-19316	9,13,21,31,38	12
H-19318	9,13,21,31,38	12
H-19320	9,13,21,31,38	12
H-19322	9,13,21,31,38	12
H-19324	9,13,21,31,38	12
H-19412-B	9,13,21,31,38	12
H-19414-B	9,13,21,31,38	12





FIXTURE NUMBER	LED 2	LED 3 / 4
H-19416-B	9,13,21,31,38	12
H-20108	N/A	12
H-20110	N/A	12
H-20112	N/A	12
H-20116	N/A	12
H-23630	9,13,21,31,38	N/A
H-23634	9,13,21,31,38	N/A
H-23638	9,13,21,31,38	N/A
H-23640	9,13,21,31,38	N/A
H-23644	9,13,21,31,38	N/A
H-23648	9,13,21,31,38	N/A
H-23650	9,13,21,31,38	N/A
H-23654	9,13,21,31,38	N/A
H-23658	9,13,21,31,38	N/A
H-23660	9,13,21,31,38	N/A
H-23664	9,13,21,31,38	N/A
H-23668	9,13,21,31,38	N/A
H-23670	9,13,21,31,38	N/A
H-23674	9,13,21,31,38	N/A
H-23678	9,13,21,31,38	N/A
H-23680	9,13,21,31,38	N/A
H-23684	9,13,21,31,38	N/A
H-23688	9,13,21,31,38	N/A
H-24110-B	9,13,21	12
H-24112-B	9,13,21	12
H-24210	9,13,21	12
H-24212	9,13,21	12
H-28114-F	N/A	12
H-28116-F	N/A	12
H-28118-F	N/A	12
H-28124-F	N/A	12
H-29114	N/A	12
H-29116	N/A	12
H-29118	N/A	12
H-29124	N/A	12



Hi-Lite Mfg. Co.

LED Series Specifications





FIXTURE NUMBER	LED 2	LED 3 / 4
H-30114	9,13,21,31,38	12
H-30116	9,13,21,31,38	12
H-30118	9,13,21,31,38	12
H-30120	9,13,21,31,38	12
H-30122	9,13,21,31,38	12
H-30124	9,13,21,31,38	12
H-30125	9,13,21,31,38	12
H-30132	9,13,21,31,38	12
H-30136	9,13,21,31,38	12
H-30214	N/A	12
H-30216	N/A	12
H-30218	N/A	12
H-30220	N/A	12
H-30222	N/A	12
H-30224	N/A	12
H-30225	N/A	12
H-31110-1HB	N/A	12
H-31112-1HB	N/A	12
H-31114-1HB	N/A	12
H-31116-1HB	N/A	12
H-32108-B	N/A	12
H-32110-B	N/A	12
H-32112-B	N/A	12
H-32114-B	N/A	12
H-32116-B	N/A	12
H-32118-B	N/A	12
H-33108	N/A	12
H-33110	N/A	12
H-33112	N/A	12
H-33114	N/A	12
H-33116	N/A	12
H-33118	N/A	12
H-34108	N/A	12
H-34110	N/A	12
H-34112	N/A	12

FIXTURE NUMBER	LED 2	LED 3 / 4
H-34114	N/A	12
H-34116	N/A	12
H-34118	N/A	12
H-35108-F	N/A	12
H-35110-F	N/A	12
H-35112-F	N/A	12
H-35114-F	N/A	12
H-35116-F	N/A	12
H-35118-F	N/A	12
H-36114	N/A	12
H-36116	N/A	12
H-36118	N/A	12
H-36124	N/A	12
H-36206-B	N/A	12
H-36208-B	N/A	12
H-36306	N/A	12
H-36308	N/A	12
H-37114	N/A	12
H-37116	N/A	12
H-37118	N/A	12
H-37124	N/A	12
H-40114	9,13,21,31,38	12
H-40116	9,13,21,31,38	12
H-40118	9,13,21,31,38	12
H-40120	9,13,21,31,38	12
H-40122	9,13,21,31,38	12
H-40124	9,13,21,31,38	12
H-40125	9,13,21,31,38	12
H-40214	N/A	12
H-40216	N/A	12
H-40218	N/A	12
H-40220	N/A	12
H-40222	N/A	12
H-40224	N/A	12
H-40225	N/A	12



Hi-Lite Mfg. Co.

LED Series Specifications




FIXTURE NUMBER	LED 2	LED 3 / 4
H-43310-B	N/A	12
H-43314-B	N/A	12
H-43317-B	N/A	12
H-43324-B	N/A	12
H-51012	9,13,21,31,38	12
H-51014	9,13,21,31,38	12
H-51016	9,13,21,31,38	12
H-51018	9,13,21,31,38	12
H-51022	9,13,21,31,38	12
H-51025	9,13,21,31,38	12
H-51112-B	9,13,21,31,38	12
H-51114-B	9,13,21,31,38	12
H-52012	N/A	12
H-52014	N/A	12
H-52016	N/A	12
H-52018	N/A	12
H-52022	N/A	12
H-52025	N/A	12
H-53012	9,13	12
H-53014	9,13	12
H-53016	9,13	12
H-53018	9,13,31,38	12
H-53022	9,13,21,31,38	12
H-53025	9,13,21,31,38	12
H-53112-B	9,13	12
H-53114-B	9,13	12
H-53212	9,13	12
H-53214	9,13	12
H-53216	9,13	12
H-53312-B	9,13	12
H-53314-B	9,13	12
H-54016	9,13,21,31,38	12
H-54024	9,13,21,31,38	12
H-54216	9,13,21,31,38	12
H-54224	9,13,21,31,38	12

FIXTURE NUMBER	LED 2	LED 3 / 4
H-60108	N/A	12
H-60110	N/A	12
H-60112	N/A	12
H-60114	N/A	12
H-60116	N/A	12
H-60314	N/A	12
H-60318	N/A	12
H-65110-B	9,13	12
H-65210	9,13	12
H-70412	9,13,21,31,38	12
H-70415	9,13,21,31,38	12
H-91408	N/A	12
H-91410	N/A	12
H-91412	N/A	12
H-91414	N/A	12
H-91416	N/A	12
H-91418	N/A	12
H-91420	N/A	12
H-91422	N/A	12
H-91424	N/A	12
H-91508-B	N/A	12
H-91510-B	N/A	12
H-91512-B	N/A	12
H-91514-B	N/A	12
H-91516-B	N/A	12
H-91518-B	N/A	12
H-91520-B	N/A	12
H-91522-B	N/A	12
H-91524-B	N/A	12
H-93708	N/A	12
H-93710	N/A	12
H-93712	9,13,21	12
H-93714	9,13,21	12
H-93716	9,13,21	12
H-93718	9,13,21,31	12



Hilite Mfg. Co.

LED Series Specifications




FIXTURE NUMBER	LED 2	LED 3 / 4
H-94716	9,13,21,31,38	12
H-94718	9,13,21,31,38	12
H-94720	9,13,21,31,38	12
H-94722	9,13,21,31,38	12
H-94724	9,13,21,31,38	12
H-94727	9,13,21,31,38	12
H-CGU	N/A	12
H-CGU-1B	N/A	12
H-CGU-1HB	N/A	12
H-CGU-2B	N/A	12
H-CGU-2VB	N/A	12
H-CGU-10	N/A	12
H-CGU-10-1B	N/A	12
H-CGU-10-2B	N/A	12
H-CGU-F	9,13	12
H-CGU-F2F	N/A	12
H-CGU-HB	N/A	12
H-CGU-OB	N/A	12
H-CGU-10-CM	N/A	12
H-CGU-10-1-CM	N/A	12
H-CGU-10-1-PM	N/A	12
H-CGU-10-RG-PM	N/A	12
H-CGU-10-RG-1-PM	N/A	12
H-CGU-10-PSM	N/A	12
H-CGU-10-1-PSM	N/A	12
H-CGU-10-RG-PSM	N/A	12
H-CGU-10-RG-1-PSM	N/A	12
H-CGU-10-RG	N/A	12
H-CGU-10-RG-1	N/A	12
H-CGU-10-RG-1-A	N/A	12
H-CGU-10-RG-A-1B	N/A	12
H-CGU-10-RG-A1-1B	N/A	12
H-CGU-10-RG-A2-1B	N/A	12
H-CGU-10-RG-F	N/A	12
H-CGU-RS-8	N/A	12

FIXTURE NUMBER	LED 2	LED 3 / 4
H-CGU-RS-8-1B	N/A	12
H-CGU-RS-8-2B	N/A	12
H-CGU-RS-9	N/A	12
H-CGU-RS-9-1B	N/A	12
H-CGU-RS-9-2B	N/A	12
H-CGU-RSHB-8	N/A	12
H-CGU-RSHB-9	N/A	12
H-CGU-SS-8	N/A	12
H-CGU-SS-8-1B	N/A	12
H-CGU-SS-8-2B	N/A	12
H-CGU-SSHB-8	N/A	12
H-CGU-W2B	N/A	12
H-EM-10	9,13,21,31	12
H-EM-12	9,13,21,31	12
H-EM-16	9,13,21,31,38	12
H-EMC-10	9,13,21,31,38	12
H-EMC-12	9,13,21,31,38	12
H-EMC-16	9,13,21,31,38	12
H-FGU	N/A	12
H-FGU-1HB	N/A	12
H-FGU-2B	N/A	12
H-FGU-10	N/A	12
H-FGU-10-1B	N/A	12
H-FGU-10-2B	N/A	12
H-FGU-F	N/A	12
H-FGU-HB	N/A	12
H-FGU-OB	N/A	12
H-LCGU	N/A	12
H-LCGU-1B	N/A	N/A
H-LCGU-1HB	N/A	N/A
H-LCGU-2B	N/A	N/A
H-LCGU-2VB	N/A	N/A
H-LCGU-14	N/A	12
H-LCGU-14-1B	N/A	12
H-LCGU-14-2B	N/A	12



Hilite Mfg. Co.

LED Series Specifications




FIXTURE NUMBER	LED 2	LED 3 / 4
H-LCGU-F	N/A	12
H-LCGU-F2F	N/A	12
H-LCGU-OB	N/A	12
H-LCGU-14-CM	N/A	12
H-LCGU-14-1-CM	N/A	12
H-LCGU-14-PM	N/A	12
H-LCGU-14-1-PM	N/A	12
H-LCGU-14-RG-PM	N/A	N/A
H-LCGU-14-RG-1-PM	N/A	N/A
H-LCGU-14-PSM	N/A	12
H-LCGU-14-1-PSM	N/A	12
H-LCGU-14-RG-PSM	N/A	12
H-LCGU-14-RG-1-PSM	N/A	12
H-LCGU-14-RG	N/A	12
H-LCGU-14-RG-1	N/A	12
H-LCGU-14-RG-1-A	N/A	12
H-LCGU-14-RG-A1-1B	N/A	N/A
H-LCGU-14-RG-A-1B	N/A	N/A
H-LCGU-14-RG-A2-1B	N/A	N/A
H-LCGU-14-RG-F	N/A	N/A
H-LCGU-RS-10	N/A	N/A
H-LCGU-RS-10-1B	N/A	N/A
H-LCGU-RS-10-2B	N/A	12
H-LCGU-RS-12	N/A	12
H-LCGU-RS-12-1B	N/A	12
H-LCGU-RS-12-2B	N/A	12
H-LCGU-RSHB-10	N/A	12
H-LCGU-RSHB-12	N/A	12
H-LCGU-SS-10	N/A	12
H-LCGU-SS-10-1B	N/A	12
H-LCGU-SS-10-2B	N/A	12
H-LCGU-SS-12	N/A	12
H-LCGU-SS-12-1B	N/A	12
H-LCGU-SSHB-10	N/A	12
H-LCGU-SSHB-12	N/A	12

FIXTURE NUMBER	LED 2	LED 3 / 4
H-LCGU-W2B	N/A	12
H-LFGU	N/A	12
H-LFGU-1B	N/A	12
H-LFGU-1HB	N/A	12
H-LFGU-2B	N/A	12
H-LFGU-14	N/A	12
H-LFGU-14-1B	N/A	12
H-LFGU-14-2B	N/A	12
H-LFGU-F	N/A	12
H-LFGU-HB	N/A	12
H-LFGU-OB	N/A	12
H-LWGU-2VB	N/A	12
H-LWGU-F2F	N/A	12
H-LWGU-W2B	N/A	12
H-MCGUS-6S	N/A	12
H-MFGUS-10-4D	N/A	12
H-MGUS-10-4D	N/A	12
H-WGU-F2F	N/A	12
H-WGU-2VB	N/A	12
H-WGU-W2B	N/A	12
H-WGUGR-8	N/A	12
H-WGUGR-10	N/A	12
H-WGUGR-12	N/A	12
H-WGUGR-14	N/A	12
H-WGUGR-16	N/A	12
H-WGUGR-17	N/A	12
H-WGUGR-18	N/A	12




HI-LITE MFG. CO., INC

13450 Monte Vista Avenue
 Chino, California 91710
 Telephone: (909) 465-1999
 Toll Free: (800) 465-0211
 Fax: (909) 465-0907
 www.hilitemfg.com




LED 2/3 Stem Mount Canopy (LED/SMC)

Note: Not available in steel, copper, brass or specialty finishes.
 Stem mount fixtures are suitable for damp location only.




LED 2/3 Hang Straight Canopy 1/2" or 3/4" (LED/HSC 1/2" or 3/4")

Note: Not available in steel, copper, brass or specialty finishes.
 Stem mount fixtures are suitable for damp location only.





LED 2/3 Cord Canopy

Note: Not available in steel, copper, brass or specialty finishes.
 Stem mount fixtures are suitable for damp location only.



LED 2/3 Wall Mount Ballast Canopy

Note: Not available in steel, copper, brass or specialty finishes.
 Gooseneck & wall bracket fixtures are suitable for wet, damp & dry locations.



LED 2/3 Wall Mount Ballast Canopy for HB Series

Note: Not available in steel, copper, brass or specialty finishes. Gooseneck & wall bracket fixtures are suitable for wet, damp & dry locations.



Hi-Lite Mfg.
13450 Monte Vista Avenue
Chino, California 91710
Tel: 909.965.1999 • Toll Free: 800.465.0211
Fax: 909.465.0907
www.hilitemfg.com
Email: Sales@hilitemfg.com

The designs are sole property of Hi-Lite Mfg. Co., Inc.
they are protected by Copyright, Trademark and Trade Dress Law.
A number of these designs are protected by design patents, issued or pending.