

Project Name

Location

Prepared By



SATCO S11720

10WLED/DW/LINEAR/12"/ADJ-CCT

Notes

General

Status	Active
Wattage	10
Voltage	120V
Finish	White
CCT (Kelvin)	3000K/4000K/5000K

Specifications

Technology	LED
Lumen Output	750
CRI	90
Beam Angle	110
Rated Hours	40000
Operating Temperature	-20C (-4F) to a maximum of +45C (+113F)
Dimmable	Yes Dimmable
IC Rated	Yes

Dimensions

Length (in.)	12
Width (in.)	3.74
Height (in.)	3.15
Weight (lb.)	1.17

Compliance

Safety Listing	cETLus
Location Rating	Damp
UL Application	Ceiling
Energy Star	Yes
ES Unique ID	ESID-2351026
CEC Status	California T24 Qualified
RoHS Compliant	Yes
FCC Compliant	Yes

Additional Information

Additional Information	Adjustable color temperature. Selectable between 3000K, 4000K, and 5000K
Warranty	5 Year Limited

Project Name

Location

Prepared By



SATCO S11721

15WLED/DW/LINEAR/18"/ADJ-CCT

Notes

General

Status	Active
Wattage	15
Voltage	120V
Finish	White
CCT (Kelvin)	3000K/4000K/5000K

Specifications

Technology	LED
Lumen Output	1125
CRI	90
Beam Angle	110
Rated Hours	40000
Operating Temperature	-20C (-4F) to a maximum of +45C (+113F)
Dimmable	Yes Dimmable
IC Rated	Yes

Dimensions

Length (in.)	18
Width (in.)	3.74
Height (in.)	3.15
Weight (lb.)	1.43

Compliance

Safety Listing	cETLus
Location Rating	Damp
UL Application	Ceiling
Energy Star	Yes
ES Unique ID	ESID-2351027
CEC Status	California T24 Qualified
RoHS Compliant	Yes
FCC Compliant	Yes

Additional Information

Additional Information	Adjustable color temperature. Selectable between 3000K, 4000K, and 5000K
Warranty	5 Year Limited

Project Name

Location

Prepared By



Notes

General

Status	Active
Wattage	20
Voltage	120V
Finish	White
CCT (Kelvin)	3000K/4000K/5000K

Specifications

Technology	LED
Lumen Output	1500
CRI	90
Beam Angle	110
Rated Hours	40000
Operating Temperature	-20C (-4F) to a maximum of +45C (+113F)
Dimmable	Yes Dimmable
IC Rated	Yes

Dimensions

Length (in.)	24
Width (in.)	3.74
Height (in.)	3.15
Weight (lb.)	1.70

Compliance

Safety Listing	cETLus
Location Rating	Damp
UL Application	Ceiling
Energy Star	Yes
ES Unique ID	ESID-2351028
CEC Status	California T24 Qualified
RoHS Compliant	Yes
FCC Compliant	Yes

Additional Information

Additional Information	Adjustable color temperature. Selectable between 3000K, 4000K, and 5000K
Warranty	5 Year Limited

Project Name

Location

Prepared By



SATCO S11723
25WLED/DW/LINEAR/32"/ADJ-CCT

Notes

General

Status	Active
Wattage	25
Voltage	120V
Finish	White
CCT (Kelvin)	3000K/4000K/5000K

Specifications

Technology	LED
Lumen Output	1875
CRI	90
Beam Angle	110
Rated Hours	40000
Operating Temperature	-20C (-4F) to a maximum of +45C (+113F)
Dimmable	Yes Dimmable
IC Rated	Yes

Dimensions

Length (in.)	32
Width (in.)	3.74
Height (in.)	3.15
Weight (lb.)	2.07

Compliance

Safety Listing	cETLus
Location Rating	Damp
UL Application	Ceiling
Energy Star	Yes
ES Unique ID	ESID-2351030
CEC Status	California T24 Qualified
RoHS Compliant	Yes
FCC Compliant	Yes

Additional Information

Additional Information	Adjustable color temperature. Selectable between 3000K, 4000K, and 5000K
Warranty	5 Year Limited

Project Name

Location

Prepared By



Notes

General

Status	Active
Wattage	40
Voltage	120V
Finish	White
CCT (Kelvin)	3000K/4000K/5000K

Specifications

Technology	LED
Lumen Output	3000
CRI	90
Beam Angle	110
Rated Hours	40000
Operating Temperature	-20C (-4F) to a maximum of +45C (+113F)
Dimmable	Yes Dimmable
IC Rated	Yes

Dimensions

Length (in.)	48
Width (in.)	3.74
Height (in.)	3.15
Weight (lb.)	2.84

Compliance

Safety Listing	cETLus
Location Rating	Damp
UL Application	Ceiling
Energy Star	Yes
ES Unique ID	ESID-2351029
CEC Status	California T24 Qualified
RoHS Compliant	Yes
FCC Compliant	Yes

Additional Information

Additional Information	Adjustable color temperature. Selectable between 3000K, 4000K, and 5000K
Warranty	5 Year Limited