



2020 SEASONAL









# AMERICAN LIGHTING

BRIGHT IDEAS • INNOVATIVE SOLUTIONS

---

## 2020 SEASONAL

---

For the most current product specifications and ordering information  
Please visit us as [www.americanlighting.com](http://www.americanlighting.com)

[www.AmericanLighting.com](http://www.AmericanLighting.com)  
11775 E. 45th Ave. Denver, CO 80239  
Phone: 800.880.1180 Fax: 303.695.7633

American Lighting Inc. All rights reserved ©2020 REV. 2033



**NEW  
2020**

# STARFALL LIGHT




## CASCADING LED TUBE LIGHT

Designed to look like falling snow and mimic the look of shooting stars, Starfall tubes enhance the visual impact of your seasonal installation with virtually unbreakable, energy efficient LED tubes and saves time with a convenient installation process. Simply screw Starfall tubes into existing C9 (E17) light stringers and suspend from tree branches, along roof lines and across the deck in various lengths for a dazzling display of animated light.

### FEATURES

- Simulates falling snow for enhanced visual experience
- Easy installation - simply screws into E17 socket stringers
- Durable polycarbonate lens is virtually unbreakable
- Two sizes available - 24" and 36" lengths
- Available in Pure White and Warm White color options
- 120V AC Operation - 1W per bulb - 15,000 hour rating
- cETLus Listed for indoor and outdoor use



**PURE WHITE**



**WARM WHITE**

For More Information on Starfall Tube Lights, See Page: 38





NEW  
2020

# FILAMENT S14



## CLASSIC STYLE MODERN LED

Combine classic style with modern reliability and energy savings with the our new Filament S14 LED Light Bulbs. Featuring innovative LED technology with traditional filament style strip, they provide a natural lighting experience for those that want the benefits of LED's and the look of a traditional bulb in your string lighting applications.

### FEATURES


- Classic filament style LED powered S14 Bulb
- E26 Medium base with transparent glass lens
- Dimmable with most CL and TRIAC dimmers
- 120V line voltage & 12V DC low voltage bulb options
- 1W per bulb - 10,000 hour rating
- cULus Listed for indoor and outdoor locations

[For More Information on Filament Style S14 Bulbs, See Page: 45](#)





RESIDENTIAL



COMMERCIAL



MUNICIPAL







## 2020 SEASONAL

## DECORATIVE LIGHT STRING

## Commercial Coaxial

5mm	pg. 10
Mini	pg. 11
G12	pg. 12
C6	pg. 13

## Commercial Standard

5mm	pg. 14
Twinkle 5mm	pg. 15
Mini	pg. 16
Incandescent Mini	pg. 17
C6	pg. 18
C7	pg. 19
C9	pg. 20

## Specialty Light String

Icicle Lights	pg. 21
Net Lights	pg. 21

## STRINGERS &amp; REELS

## C7 &amp; C9 Stringers

C7 (E12) Candelabra	pg. 24
C9 (E17) Intermediate	pg. 25

## Commercial Grade Light String

Commercial (E12) Candelabra	pg. 26
Commercial (E17) Intermediate	pg. 27
Commercial (E26) Suspended	pg. 28
Commercial (E26) Medium Base	pg. 29

## ACCESSORIES

## Light String / Stringer Accessories

Plugs & Sockets	pg. 30
C7 / C9 Sockets	pg. 31
X-Wire Reels	pg. 31
Light String Clips	pg. 32-33
Catenary Cable	pg. 34
Outdoor Timers	pg. 35

## DECORATIVE BULBS

## E12 / E17 / E26 Base

<b>NEW</b> Starfall Tube	pg. 38
Premium C7	pg. 40
Premium C9	pg. 41
Incandescent C7	pg. 42
Incandescent C9	pg. 42
Pro Dec Series	pg. 43-44
<b>NEW</b> Filament LED S14	pg. 45
Faceted LED S14	pg. 45
Incandescent S14	pg. 45

## LINEAR LIGHTING

## Linear Lighting

LED Flexbrite - 1/2"	pg. 48
LED Flexbrite - 3/8"	pg. 49
Lightstar	pg. 50

## Greenery &amp; Specialty

Wreaths	pg. 51
Garland	pg. 51
Neon Flex Snowflakes	pg. 52
Rope Light Snowflakes	pg. 53

## SPECIALTY

## Greenery &amp; Specialty

Wreaths	pg. 51
Garland	pg. 51
Neon Flex Snowflakes	pg. 52
Rope Light Snowflakes	pg. 53

## ARCHITECTURAL

## Wall Washers

Linear Wall Washer	pg. 56
RGB Array	pg. 57

Warranty Information	pg. 58-59
Terms & Conditions	pg. 60

## Decorative Light String

	<b>Commercial Coax 5mm</b> pg. 10		<b>Commercial Coax Mini</b> pg. 11		<b>Commercial Coax G12</b> pg. 12
	<b>Commercial Coax C6</b> pg. 13		<b>Standard 5mm</b> pg. 14		<b>Twinkle 5mm</b> pg. 15
	<b>Standard Mini</b> pg. 16		<b>Incandescent Mini</b> pg. 17		<b>Standard C6</b> pg. 18
	<b>Standard C7</b> pg. 19		<b>Standard C9</b> pg. 20		<b>Icicle Lights</b> pg. 21
	<b>Net Lights</b> pg. 21				

## Stringers &amp; Reels









	<b>C7 (E12) Stringers</b> pg. 24		<b>C9 (E17) Stringers</b> pg. 25		<b>Commercial Grade (E12) Candelabra</b> pg. 26
	<b>Commercial Grade (E17) Intermediate</b> pg. 27		<b>Commercial Grade (E26) Suspended</b> pg. 28		<b>Commercial Grade (E26) Medium Base</b> pg. 29

## Light String / Stringer Accessories








	<b>Plugs &amp; Sockets</b> pg. 30		<b>C7 / C9 Sockets</b> pg. 31		<b>X-Wire</b> pg. 31
	<b>Light String Clips</b> pg. 32-33		<b>Catenary Cable</b> pg. 34		<b>Outdoor Timers</b> pg. 35



## Decorative Bulbs

 <p><b>NEW 2020</b> <b>Starfall Tube</b> pg. 38</p>	 <p><b>Premium C7</b> pg. 40</p>	 <p><b>Premium C9</b> pg. 41</p>
 <p><b>Incandescent C7</b> pg. 42</p>	 <p><b>Incandescent C9</b> pg. 42</p>	 <p><b>Pro Dec Series</b> pg. 43-44</p>
 <p><b>NEW 2020</b> <b>Filament LED S14</b> pg. 45</p>	 <p><b>Faceted LED S14</b> pg. 45</p>	 <p><b>Incandescent S14</b> pg. 45</p>

## Linear &amp; Specialty Lighting

 <p><b>LED Flexbrite - 1/2"</b> pg. 48</p>	 <p><b>LED Flexbrite - 3/8"</b> pg. 49</p>	 <p><b>Lightstar</b> pg. 50</p>
 <p><b>Wreaths</b> pg. 51</p>	 <p><b>Garland</b> pg. 51</p>	 <p><b>Neon Flex Snowflakes</b> pg. 52</p>
 <p><b>Rope Light Snowflakes</b> pg. 53</p>		

## Architectural Lighting

 <p><b>Linear Wall Washer</b> pg. 56</p>	 <p><b>RGB Array</b> pg. 57</p>
---	--









# LIGHT STRING

## Decorative Light String

### Commercial Coaxial

5mm	pg. 10
Mini	pg. 11
G12	pg. 12
C6	pg. 13

### Commercial Standard

5mm	pg. 14
Twinkle 5mm	pg. 15
Mini	pg. 16
Incandescent Mini	pg. 17
C6	pg. 18
C7	pg. 19
C9	pg. 20

### Icicle & Net Lights

Icicle Lights	pg. 21
Net Lights	pg. 21

### Accessories

Light String Clips	pg. 32-33
Catenary Cable	pg. 34
Outdoor Timers	pg. 35



# COMMERCIAL 5MM

## Commercial Coaxial LED Light String

This lens is 5MM tall with an inverted cone at the top of the lens that disperses the very directional light from the LEDs to more closely approximate the sparkle of incandescent mini lights. Our most popular lens type is offered in 8 different colors and features commercial coaxial connections for all season use.

### FEATURES

- Up to 90% energy savings over incandescent light string
- Connect up to 125 light strings to a single power source
- Coaxial power connection system provides strain relief and keeps moisture out of connections
- Durable construction includes thicker 20AWG wire
- Available in 6 different color options
- Connection accessories available for large scale installations while minimizing connections to power
- CSAus Certified for indoor and outdoor use
- 3-season warranty



BLUE



GREEN



MULTI COLOR



PURE WHITE



RED



ULTRA WARM WHITE

Color swatches are for representation purposes only and may not depict actual product color

### COMMERCIAL COAX 5MM ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
5MM-25/6-G-BL	Blue	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
5MM-25/6-G-GR	Green	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
5MM-25/6-G-MU	Multi Color*	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
5MM-25/6-G-PW	Pure White	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
5MM-25/6-G-RE	Red	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
5MM-25/6-G-UWW	Ultra Warm White	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
5MM-50/6-G-UWW	Ultra Warm White	25 ft	4.8W / String	50 / String	6"	300W / 62 Strings	Green

\*(MU) Multi Color = Red, Gold, Green, Blue, and Orange

### COMMERCIAL COAX LIGHT STRING ACCESSORIES


ITEM NUMBER	DESCRIPTION
LEDPWRCON-4A	4amp Power Adaptor (Required)
LEDSPACER-12	12ft Extension Wire
LEDSPACER-20	20ft Extension Wire
LEDSPACER-50	50ft Extension Wire
POWERTAP-8	8-way Power Tap (1 male port - 7 female port)
POWERTAP-Y	"Y" Power Connector
POWERTAP-X	"X" Power Connector
POWERTAP-END	End Cap / Bag of 10pcs



Power Adaptor




Extension Wire



8-way Connector



X - Connector



Y - Connector





# COMMERCIAL MINI

## Commercial Coaxial LED Light String

The mini, or M5, lens is designed to look the same as traditional incandescent mini lights that have been used for years. Faceting the lens breaks up directional LED lighting disperses in the light in all directions. For those who are fans of the traditional mini shape, this LED option provides the same look in an energy efficient & long lasting product.

### FEATURES

- Up to 90% energy savings over incandescent light string
- Connect up to 125 light strings to a single power source
- Coaxial power connection system provides strain relief and keeps moisture out of connections
- Durable construction includes thicker 20AWG wire
- Available in 8 different color options
- Connection accessories available for large scale installations while minimizing connections to power
- CSAus Certified for indoor and outdoor use
- 3-season warranty



Color swatches are for representation purposes only and may not depict actual product color

### COMMERCIAL COAX MINI ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
MINI-25/6-G-BL	Blue	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
MINI-25/6-G-GR	Green	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
MINI-25/6-G-MU	Multi Color*	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
MINI-25/6-G-OR	Orange	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
MINI-25/6-G-PI	Pink	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
MINI-25/6-G-PW	Pure White	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
MINI-25/6-G-RE	Red	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
MINI-25/6-G-UWW	Ultra Warm White	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green

\*(MU) Multi Color = Red, Gold, Green, Blue, and Orange

### COMMERCIAL COAX LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
LEDPWRCON-4A	4amp Power Adaptor (Required)
LEDSPACER-12	12ft Extension Wire
LEDSPACER-20	20ft Extension Wire
LEDSPACER-50	50ft Extension Wire
POWERTAP-8	8-way Power Tap (1 male port - 7 female port)
POWERTAP-Y	"Y" Power Connector
POWERTAP-X	"X" Power Connector
POWERTAP-END	End Cap / Bag of 10pcs



Power Adaptor



Extension Wire



8-way Connector



X - Connector



Y - Connector

LIGHT STRING

STRINGERS & REELS

ACCESSORIES

DECORATIVE BULBS

LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL

# COMMERCIAL G12

## Commercial Coaxial LED Light String

The G12 is a spherical, 12mm in diameter faceted lens that creates a look similar to berries or small orbs where it's installed. Enjoy longer runs of light and easier installation using commercial LEDs, with water tight co-axial connectors to reduce maintenance time during the busy holiday season.

### FEATURES

- Up to 90% energy savings over incandescent light string
- Connect up to 125 light strings to a single power source
- Coaxial power connection system provides strain relief and keeps moisture out of connections
- Durable construction includes thicker 20AWG wire
- Available in 6 different color options
- Connection accessories available for large scale installations while minimizing connections to power
- CSAus Certified for indoor and outdoor use
- 3-season warranty



BLUE




GREEN



MULTI COLOR



PURE WHITE



RED



ULTRA WARM WHITE

Color swatches are for representation purposes only and may not depict actual product color

### COMMERCIAL COAX G12 ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
G12-25/6-G-BL	Blue	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
G12-25/6-G-GR	Green	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
G12-25/6-G-MU	Multi Color*	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
G12-25/6-G-PW	Pure White	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
G12-25/6-G-RE	Red	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
G12-25/6-G-UWW	Ultra Warm White	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green

\*(MU) Multi Color = Red, Gold, Green, Blue, and Orange

### COMMERCIAL COAX LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
LEDPWRCON-4A	4amp Power Adaptor (Required)
LEDSPACER-12	12ft Extension Wire
LEDSPACER-20	20ft Extension Wire
LEDSPACER-50	50ft Extension Wire
POWERTAP-8	8-way Power Tap (1 male port - 7 female port)
POWERTAP-Y	"Y" Power Connector
POWERTAP-X	"X" Power Connector
POWERTAP-END	End Cap / Bag of 10pcs



Power Adaptor



Extension Wire



8-way Connector



X - Connector



Y - Connector





# COMMERCIAL C6

## Commercial Coaxial LED Light String

The largest in the commercial coaxial line, the C6 is a strawberry-shaped lens slightly smaller than its popular counterpart, the C7 bulb. Enjoy longer runs of light and easier installation using commercial LEDs, with water tight co-axial connectors to reduce maintenance time during the busy holiday season.

### FEATURES

- Up to 90% energy savings over incandescent light string
- Connect up to 125 light strings to a single power source
- Coaxial power connection system provides strain relief and keeps moisture out of connections
- Durable construction includes thicker 20AWG wire
- Available in 7 different color options
- Connection accessories available for large scale installations while minimizing connections to power
- CSAus Certified for indoor and outdoor use
- 3-season warranty



BLUE



GREEN



MULTI COLOR



PINK



PURE WHITE



RED



ULTRA WARM WHITE

Color swatches are for representation purposes only and may not depict actual product color

### COMMERCIAL COAX C6 ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
C6-25/6-G-BL	Blue	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
C6-25/6-G-GR	Green	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
C6-25/6-G-MU	Multi Color*	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
C6-25/6-G-PI	Pink	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
C6-25/6-G-PW	Pure White	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
C6-25/6-G-RE	Red	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green
C6-25/6-G-UWW	Ultra Warm White	12.5 ft	2.4W / String	25 / String	6"	300W / 125 Strings	Green

\*(MU) Multi Color = Red, Gold, Green, Blue, and Orange

### COMMERCIAL COAX LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
LEDPWRCON-4A	4amp Power Adaptor (Required)
LEDSPACER-12	12ft Extension Wire
LEDSPACER-20	20ft Extension Wire
LEDSPACER-50	50ft Extension Wire
POWERTAP-8	8-way Power Tap (1 male port - 7 female port)
POWERTAP-Y	"Y" Power Connector
POWERTAP-X	"X" Power Connector
POWERTAP-END	End Cap / Bag of 10pcs



Power Adaptor



Extension Wire



8-way Connector



X - Connector



Y - Connector


# STANDARD 5MM

## Commercial Standard LED Light String

The standard 5mm light strings are ideal for holiday decoration of trees, shrubs, wreaths, garland, and many other special events. Designed with a concave lens, these wide angle bulbs are 25% brighter than standard-shaped light strings and shine equally brilliant from any viewing angle.

### FEATURES

- Up to 90% energy savings over conventional incandescent light string
- Standard plug and socket power connection
- Inter-connectable up to 210W
- Pre-assembled, durable plastic sockets with fused stacked plug
- 36,000 hours rated life
- UL Listed for indoor and outdoor use
- 1 Year Warranty



GREEN



ORANGE



PURPLE



PURE WHITE



BLUE



MULTI COLOR



PINK



RED



ULTRA WARM WHITE

Color swatches are for representation purposes only and may not depict actual product color

### STANDARD 5MM ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
5MM-50/6-G-BL-S	Blue	25 ft	4.8W / String	50 / String	6"	210W / 43 Strings	Green
5MM-50/6-G-GR-S	Green	25 ft	4.8W / String	50 / String	6"	210W / 43 Strings	Green
5MM-50/6-G-MU-S	Multi Color	25 ft	2.4W / String	50 / String	6"	210W / 87 Strings	Green
5MM-50/6-G-OR-S	Orange	25 ft	2.4W / String	50 / String	6"	210W / 87 Strings	Green
5MM-50/6-G-PU-S	Purple	25 ft	4.8W / String	50 / String	6"	210W / 43 Strings	Green
5MM-50/6-G-PW-S	Pure White	25 ft	4.8W / String	50 / String	6"	210W / 43 Strings	Green
5MM-50/6-G-RE-S	Red	25 ft	2.4W / String	50 / String	6"	210W / 87 Strings	Green
5MM-50/6-G-UWW-S	Ultra Warm White	25 ft	4.8W / String	50 / String	6"	210W / 43 Strings	Green
5MM-70/4-G-BL-S	Blue	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
5MM-70/4-G-GR-S	Green	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
5MM-70/4-G-MU-S	Multi Color	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
5MM-70/4-G-PW-S	Pure White	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
5MM-70/4-G-RE-S	Red	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
5MM-70/4-G-UWW-S	Ultra Warm White	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green

\*(MU) Multi Color = Red, Gold, Green, Blue, and Orange





# TWINKLE 5MM

## Commercial Standard LED Light String

The Standard 5mm Twinkle light string creates an eye-catching display with a slow, random twinkling effect. LEDs in the string turn on and off randomly drawing attention and adding additional sparkle to displays. Use exclusively for an overall effect or inter-mixed with 5mm Standard strings for a subtler display that still has movement.

### FEATURES

- Twinkle on and off lighting effect
- Up to 90% energy savings over conventional incandescent light string
- Standard plug and socket power connection
- Inter-connectable up to 210W
- 60,000 (PW/UWW)/100,000 (color) hours rated life
- Pre-assembled, durable plastic sockets with fused stacked plug
- UL Listed for indoor and outdoor use
- 1 Year Warranty



BLUE



GREEN



MULTI COLOR



PURE WHITE



RED



ULTRA WARM WHITE

Color switches are for representation purposes only and may not depict actual product color

### TWINKLE 5MM ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
T5MM-50/4-G-BL-S	Blue	17 ft	4.8W / String	50 / String	4"	210W / 43 Strings	Green
T5MM-50/4-G-GR-S	Green	17 ft	4.8W / String	50 / String	4"	210W / 43 Strings	Green
T5MM-50/4-G-MU-S	Multi Color	17 ft	4.8W / String	50 / String	4"	210W / 43 Strings	Green
T5MM-50/4-G-PW-S	Pure White	17 ft	4.8W / String	50 / String	4"	210W / 43 Strings	Green
T5MM-50/4-G-RE-S	Red	17 ft	4.8W / String	50 / String	4"	210W / 43 Strings	Green
T5MM-50/4-G-UWW-S	Ultra Warm White	17 ft	4.8W / String	50 / String	4"	210W / 43 Strings	Green
T5MM-50/4-W-UWW-S	Ultra Warm White	17 ft	4.8W / String	50 / String	4"	210W / 43 Strings	White

\*(MU) Multi Color = Red, Gold, Green, Blue, and Orange



# STANDARD MINI

## Commercial Standard LED Light String

These mini (M5) LEDs are your replacement for older style incandescent mini lights. Featuring multicolor options, create a fun color theme for holiday decorating, with a festive spirit effect. Use indoors to light your Christmas tree or outside in the yard or wrapped around tree trunks, columns and railings.

### FEATURES

- Up to 90% energy savings over conventional light string
- Inter-connectable up to 210W
- Pre-assembled, durable, plastic sockets on 22 AWG copper wire; 2-Blade socket with fused stacked plug
- 36,000 hours rated life
- UL Listed for indoor and outdoor use
- 1 Year Warranty



BLUE



GREEN



MULTI COLOR



PURE WHITE



RED



ULTRA WARM WHITE

Color swatches are for representation purposes only and may not depict actual product color

### STANDARD MINI ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
<b>MINI-50/6-G-BL-S</b>	Blue	25 ft	4.8W / String	50 / String	6"	210W / 43 Strings	Green
<b>MINI-50/6-G-GR-S</b>	Green	25 ft	4.8W / String	50 / String	6"	210W / 43 Strings	Green
<b>MINI-50/6-G-MU-S</b>	Multi Color	25 ft	2.4W / String	50 / String	6"	210W / 87 Strings	Green
<b>MINI-50/6-G-PW-S</b>	Pure White	25 ft	4.8W / String	50 / String	6"	210W / 43 Strings	Green
<b>MINI-50/6-G-RE-S</b>	Red	25 ft	2.4W / String	50 / String	6"	210W / 87 Strings	Green
<b>MINI-50/6-G-UWW-S</b>	Ultra Warm White	25 ft	4.8W / String	50 / String	6"	210W / 43 Strings	Green
<b>MINI-70/4-G-BL-S</b>	Blue	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
<b>MINI-70/4-G-GR-S</b>	Green	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
<b>MINI-70/4-G-MU-S</b>	Multi Color	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
<b>MINI-70/4-G-PW-S</b>	Pure White	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
<b>MINI-70/4-G-RE-S</b>	Red	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
<b>MINI-70/4-G-UWW-S</b>	Ultra Warm White	23.5 ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green

\*(MU) Multi Color = Red, Gold, Green, Blue, and Orange




# INCANDESCENT MINI

## Commercial Incandescent Light String

Our standard mini lights offer superior quality at affordable prices making them the ideal choice for a variety of lighting projects. Featuring your traditional clear lens as well as colored bulb options, create the perfect canvas for all your lighting needs with sophisticated ambiance for any event or special occasion.

### FEATURES

- Super bright lamps with snap-lock sockets
- If one bulb fails, the rest stay lit
- Connect up to 210 watts to one plug with no additional accessories required
- Heavy duty plastic snap-lock sockets on 22AWG
- Copper wire; 2-blade socket with fused stacked plug (3 amp, replaceable fuse)
- UL Listed for indoor and outdoor use



Color swatches are for representation purposes only and may not depict actual product color

### STANDARD INCANDESCENT MINI ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
XE50/6-G-AM	Amber	25ft	21.5W / String	50 / String	6"	210W / 9 Strings	Green
XE50/6-G-CL	Clear	25ft	21.5W / String	50 / String	6"	210W / 9 Strings	Green
XE50/6-G-GR	Green	25ft	21.5W / String	50 / String	6"	210W / 9 Strings	Green
XE50/6-G-MU	Multi Color	25ft	21.5W / String	50 / String	6"	210W / 9 Strings	Green
XE50/6-G-RE	Red	25ft	21.5W / String	50 / String	6"	210W / 9 Strings	Green
XE50/6-G-TE	Teal	25ft	21.5W / String	50 / String	6"	210W / 9 Strings	Green
XE100/6-G-BL	Blue	50ft	43W / String	100 / String	6"	210W / 4 Strings	Green
XE100/6-G-CL	Clear	50ft	43W / String	100 / String	6"	210W / 4 Strings	Green
XE100/6-G-GR	Green	50ft	43W / String	100 / String	6"	210W / 4 Strings	Green
XE100/6-G-MU	Multi Color	50ft	43W / String	100 / String	6"	210W / 4 Strings	Green
XE100/6-G-PU	Purple	50ft	43W / String	100 / String	6"	210W / 4 Strings	Green
XE100/6-G-RE	Red	50ft	43W / String	100 / String	6"	210W / 4 Strings	Green

\*(MU) Multi Color = Red, Gold, Green, Blue, and Orange



# STANDARD C6

## Commercial Standard LED Light String

Not as small as a mini and not as large as a C7, the C6 LED mini lights are a decorators dream! Multicolor lights are a fun color theme for family Christmas decorating, with a festive Christmas spirit effect. C6 lights strings are popular for lighting up bushes and trees, or use for indoor decorating or accent lighting.

### FEATURES

- Up to 90% energy savings over conventional light string
- Inter-connectable up to 210W
- Pre-assembled, durable, plastic sockets on 22 AWG copper wire; 2-Blade socket with fused stacked plug
- 36,000 hours rated life
- UL Listed for indoor and outdoor use
- 1 Year Warranty



BLUE



GOLD



GREEN



MULTI COLOR



PURE WHITE



RED



ULTRA WARM WHITE


Color swatches are for representation purposes only and may not depict actual product color

### STANDARD C6 ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
<b>C6-70/4-G-BL-S</b>	Blue	23.5ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
<b>C6-70/4-G-GD-S</b>	Gold	23.5ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
<b>C6-70/4-G-GR-S</b>	Green	23.5ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
<b>C6-70/4-G-MU-S</b>	Multi Color	23.5ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
<b>C6-70/4-G-PW-S</b>	Pure White	23.5ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
<b>C6-70/4-G-RE-S</b>	Red	23.5ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green
<b>C6-70/4-G-UWW-S</b>	Ultra Warm White	23.5ft	4.8W / String	70 / String	4"	210W / 43 Strings	Green

\*(MU) Multi Color = Red, Gold, Green, Blue, and Orange





# STANDARD C7

## Commercial Standard LED Light String

Love traditional decorative bulbs but tired of blown fuses and broken lights? Our colorful C7 LED Light Strings are a convenient replacement for older C7 bulbs but have durable epoxy lenses and save up to 90% in power compared to a traditional C7 incandescent.

### FEATURES

- Up to 90% energy savings over conventional light string
- Inter-connectable up to 210W
- Pre-assembled, durable, plastic sockets on 22 AWG copper wire; 2-Blade socket with fused stacked plug
- 36,000 hours rated life
- UL Listed for indoor and outdoor use
- 1 Year Warranty



MULTI COLOR



PURE WHITE



ULTRA WARM WHITE

Color swatches are for representation purposes only and may not depict actual product color

### STANDARD C7 ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
C7-25/8-G-MU-S	Multi Color	16.7ft	2.4W / String	25 / String	8"	210W / 87 Strings	Green
C7-25/8-G-PW-S	Pure White	16.7ft	2.4W / String	25 / String	8"	210W / 87 Strings	Green
C7-25/8-G-UWW-S	Ultra Warm White	16.7ft	2.4W / String	25 / String	8"	210W / 87 Strings	Green

\*(MU) Multi Color = Red, Gold, Green, Blue, and Orange

LIGHT STRING

STRINGERS & REELS

ACCESSORIES

DECORATIVE BULBS

LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL



STANDARD C9

Commercial Standard LED Light String


Recreate your favorite seasonal lighting memories using our LED C9 light string, without having to worry about connecting too many strings! Connect up to 210W and share your holiday lighting spirit by hanging these traditional C9 light strings along roof-lines, wrapping outdoor trees, or use along walkways.

FEATURES


- Up to 90% energy savings over conventional light string
- Inter-connectable up to 210W
- Pre-assembled, durable, plastic sockets on 22 AWG copper wire; 2-Blade socket with fused stacked plug
- 36,000 hours rated life
- UL Listed for indoor and outdoor use
- 1 Year Warranty



MULTI COLOR



PURE WHITE



ULTRA WARM WHITE

Color swatches are for representation purposes only and may not depict actual product color

STANDARD C9 ORDERING INFORMATION							
ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
C9-25/8-G-MU-S	Multi Color	16.7ft	2.4W / String	25 / String	8"	210W / 87 Strings	Green
C9-25/8-G-PU-S	Pure White	16.7ft	2.4W / String	25 / String	8"	210W / 87 Strings	Green
C9-25/8-G-UWW-S	Ultra Warm White	16.7ft	2.4W / String	25 / String	8"	210W / 87 Strings	Green

\*(MU) Multi Color = Red, Gold, Green, Blue, and Orange





# ICICLE LIGHTS

## Commercial Coaxial Icicle Light String

Our superior quality, faceted icicle lights are the answer to your decorating dreams! Durable, weather resistant icicle lights are built to last and maintain professional display even in harsh climates. Hang these stunning strands from your roof, across a white picket fence, or along your porch railing to create an elegant display.

### FEATURES

- Faceted Mini lens style icicle lights
- Coaxial power connection system provides strain relief and keeps moisture out of connections
- 6" spacing with 8" and 16" drops
- Perfect for roof lines or perimeter fencing
- 60,000 hours rated life
- CSAus Certified for indoor and outdoor use

LIGHT STRING

STRINGERS & REELS

ACCESSORIES

DECORATIVE BULBS

LINEAR LIGHTING

SPECIALTY LIGHTING


ARCHITECTURAL

### LED ICICLE LIGHTS ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	DROPS	SPACING	MAX RUN	WIRE
MINI-ICE-70/6-W-PW	Pure White	8 ft	4.8W / String	16 (8"-16")	6"	210W / 43 Strings	White
MINI-ICE-70/6-W-UWW	Ultra Warm White	8 ft	4.8W / String	16 (8"-16")	6"	210W / 43 Strings	White

### ICICLE LIGHT ACCESSORIES

ITEM NUMBER	DESCRIPTION
LEDPWRCON-4A-WH	120V Power Adapter (Required) / White



# NET LIGHTS

## Standard LED Net Lights

Featuring 70 wide angle (5mm) LEDs configured perfectly in a 4' x 6' net, our net lights are great for decorating hedges, bushes, and shrubs or wrapping tree trunks. Simple to use, and reduces your installation time and last longer than the incandescent alternative.


### FEATURES

- 70 Wide angle 5mm bulbs per net
- Ultra Warm White color temperature
- Easy installation! Connect up to 21 nets
- Available in 4ft by 6ft size with 8" LED spacing
- Perfect for small trees, hedges, and shrubbery
- Consuming only 9.6W per net / 60,000 hours rated life
- UL Listed for indoor and outdoor use

### NET LIGHT ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LED COUNT	SPACING	MAX RUN	WIRE
5MM-NET46-UWW-S	Ultra Warm White	4ft x 6ft	9.6W / Net	70 / Net	8"	210W / 21 Nets	Green









# STRINGERS & REELS

## Stringers & Reels

### Stringers

C7 Stringers	pg. 24
C9 Stringers	pg. 25

### Commercial Grade Light String

Commercial Grade E12 Candelabra	pg. 26
Commercial Grade E17 Intermediate	pg. 27
Commercial Grade E26 Medium Base	pg. 28-29

### Accessories

Light String Clips	pg. 32-33
Catenary Cable	pg. 34
Outdoor Timers	pg. 35



# C7 STRINGERS

## E12 Candelabra Base Stringers & Reels

Our C7 stringers and reels are our most popular linear lighting option for most commercial and residential applications. Custom cut this stringer to the length you need and use snap-on male and female plugs (not included) to supply power to your lighting applications making it ideal for small and large outdoor seasonal displays.

### FEATURES

- Compatible with most E12 candelabra base bulbs
- Stringers include factory installed fused plug and socket
- Magnetic version available for mounting to metal surfaces
- Up to 960W maximum run lengths
- Available in 25ft, 50ft, and 100ft stringers as well as 250ft and 1000ft bulk reels
- White, Green, and Brown stringer color options
- E12 socket type bulbs sold separately



WHITE



GREEN



BROWN

### C7 STRINGER ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	SPACING	WIRE GAUGE	MAX RUN
<b>XA-C72512-GR</b>	Green	25ft	12"	SPT-1 / 20AWG	600W
<b>XA-C72512-WH</b>	White	25ft	12"	SPT-1 / 20AWG	600W
<b>XA-C75012-GR</b>	Green	50ft	12"	SPT-1 / 20AWG	600W
<b>XA-C75012-WH</b>	White	50ft	12"	SPT-1 / 20AWG	600W
<b>XA-C710012-GR</b>	Green	100ft	12"	SPT-2 / 18AWG	960W
<b>XA-C710012-WH</b>	White	100ft	12"	SPT-2 / 18AWG	960W
<b>XA-C7-MG6</b>	Green	1000ft	6"	SPT-2 / 18AWG	960W
<b>XA-C7-MW6</b>	White	1000ft	6"	SPT-2 / 18AWG	960W
<b>XA-C7-MG12</b>	Green	1000ft	12"	SPT-2 / 18AWG	960W
<b>XA-C7-MW12</b>	White	1000ft	12"	SPT-2 / 18AWG	960W
<b>XA-C7-MB12</b>	Brown	1000ft	12"	SPT-2 / 18AWG	960W
<b>XA-C7-MG15</b>	Green	1000ft	15"	SPT-2 / 18AWG	960W
<b>XA-C7-MG18</b>	Green	1000ft	18"	SPT-2 / 18AWG	960W
<b>XA-C7-MG24</b>	Green	1000ft	24"	SPT-2 / 18AWG	960W
<b>XA-C7-MG36</b>	Green	1000ft	36"	SPT-2 / 18AWG	960W

### C7 MAGNETIC BASE STRINGER ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	SPACING	WIRE GAUGE	MAX RUN
<b>MXC7-DG12</b>	Green	250ft	12"	SPT-1 / 18AWG	840W



## C9 STRINGERS

### E17 Intermediate Base Stringers & Reels

Our C9 stringers and reels are our most popular linear lighting option for most commercial and residential applications. Custom cut this stringer to the length you need and use snap-on male and female plugs (not included) to supply power to your lighting applications making it ideal for small and large outdoor seasonal displays.

#### FEATURES

- Compatible with most E17 intermediate base bulbs
- Stringers include factory installed fused plug and socket
- Magnetic version available for mounting to metal surfaces
- Up to 960W maximum run lengths
- Available in 25ft, 50ft, and 100ft stringers as well as 500ft and 1000ft bulk reels
- White, Green, and Brown stringer color options
- E17 socket type bulbs sold separately



WHITE



GREEN



BROWN

#### C9 STRINGER ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	SPACING	WIRE GAUGE	MAX RUN
XA-C92512-GR	Green	25ft	12"	SPT-1 / 20AWG	600W
XA-C92512-WH	White	25ft	12"	SPT-1 / 20AWG	600W
XA-C95012-GR	Green	50ft	12"	SPT-1 / 20AWG	600W
XA-C95012-WH	White	50ft	12"	SPT-1 / 20AWG	600W
XA-C910012-GR	Green	100ft	12"	SPT-2 / 18AWG	960W
XA-C910012-WH	White	100ft	12"	SPT-2 / 18AWG	960W
XA-C9-MG6	Green	1000ft	6"	SPT-2 / 18AWG	960W
XA-C9-MW6	White	1000ft	6"	SPT-2 / 18AWG	960W
XA-C9-MG12	Green	1000ft	12"	SPT-2 / 18AWG	960W
XA-C9-MW12	White	1000ft	12"	SPT-2 / 18AWG	960W
XA-C9-MB12	Brown	1000ft	12"	SPT-2 / 18AWG	960W
XA-C9-MG15	Green	1000ft	15"	SPT-2 / 18AWG	960W
XA-C9-MG18	Green	1000ft	18"	SPT-2 / 18AWG	960W
XA-C9-MG24	Green	1000ft	24"	SPT-2 / 18AWG	960W
XA-C9-MG36	Green	1000ft	36"	SPT-2 / 18AWG	960W

#### C9 MAGNETIC BASE STRINGER ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	SPACING	WIRE GAUGE	MAX RUN
MXC9-DG12	Green	500ft	12"	SPT-1 / 18AWG	840W
MXC9-DG15	Green	500ft	15"	SPT-1 / 18AWG	840W



# COMMERCIAL E12

## E12 Candelabra Base Light String

Commercial E12 Candelabra base stringers are perfect for any outdoor patio or lighting display. Commercial grade stringers are weather resistant and designed for long term usage. Includes guy-wire loop for additional support for large spans or spaces. E12 base sockets are perfect for any standard LED or incandescent bulbs giving you the creative freedom for your lighting display.

### FEATURES

- 330ft Black wire with 12" spacing between 330 sockets
- Great decorative lighting product for patios, gazebos, building outlines, event tents, and retail walkways
- Factory-molded, formulated PVC sockets on heavy-duty wire form a tight weather resistant seal around bulbs
- Suitable for indoor and outdoor commercial applications
- E12 candelabra decorative bulbs sold separately



Shown for visual reference only - socket size or spacing may not depict actual product (Bulbs sold separately)

### COMMERCIAL E12 LIGHT STRING ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	SOCKETS	SPACING	WIRE GAUGE	MAX RUN
LS-C-12-BK	Black	330ft	330	12"	SPT-2 / 18AWG	1200W

### COMMERCIAL E12 LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
M-PLUG-BK-SPT2-B	2-Prong Plug for SPT-2 / Black / Bag of 25
LS-CABLE-60	60ft Catenary Cable Kit (Includes 2 Standard Locks)
LS-CABLE-110	110ft Catenary Cable Kit (Includes 2 Standard Locks)
LS-CABLE-500	500ft Catenary Cable Bulk Reel
LS-LOCK-4	Catenary Cable Heavy Duty Locks (Qty 4)
LS-TT	Catenary Cable Tensioning tool


See Catenary Cable (page 34) for additional information



2-Prong Plug



Catenary Cable



Heavy Duty Locks



Tensioning Tool



## COMMERCIAL E17

### E17 Intermediate Base Light String

Commercial E17 Intermediate base stringers are perfect for any outdoor patio or lighting display. Commercial grade stringers are weather resistant and designed for long term usage. Includes guy-wire loop for additional support for large spans or spaces. E17 base sockets are perfect for any standard LED or incandescent bulbs giving you the creative freedom for your lighting display.

#### FEATURES

- 330ft Black wire with 15" spacing between 264 sockets
- Great decorative lighting product for patios, gazebos, building outlines, event tents, and retail walkways
- Factory-molded, formulated PVC sockets on heavy-duty wire form a tight weather resistant seal around bulbs
- Suitable for indoor and outdoor commercial applications
- E17 Intermediate decorative bulbs sold separately



Shown for visual reference only - socket size or spacing may not depict actual product (Bulbs sold separately)

#### COMMERCIAL E17 LIGHT STRING ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	SOCKETS	SPACING	WIRE GAUGE	MAX RUN
LS-I-15-BK	Black	330ft	264	15"	SPT-2 / 18AWG	1200W

#### COMMERCIAL E17 LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
M-PLUG-BK-SPT2-B	2-Prong Plug for SPT-2 / Black / Bag of 25
LS-CABLE-60	60ft Catenary Cable Kit (Includes 2 Standard Locks)
LS-CABLE-110	110ft Catenary Cable Kit (Includes 2 Standard Locks)
LS-CABLE-500	500ft Catenary Cable Bulk Reel
LS-LOCK-4	Catenary Cable Heavy Duty Locks (Qty 4)
LS-TT	Catenary Cable Tensioning tool

See Catenary Cable (page 34) for additional information



2-Prong Plug



Catenary Cable



Heavy Duty Locks



Tensioning Tool



# COMMERCIAL E26

## E26 Suspended Medium Base Light String

Commercial E26 Medium base stringers are perfect for any outdoor patio or lighting display. Commercial grade stringers are weather resistant and designed for long term usage. Includes guy-wire loop for additional support for large spans or spaces. E26 base sockets are perfect for any standard LED or incandescent bulbs giving you the creative freedom for your lighting display.

### FEATURES

- Great decorative lighting product for patios, gazebos, building outlines, event tents, and retail walkways
- Factory-molded, formulated PVC sockets on heavy-duty wire form a tight weather resistant seal around bulbs
- Suitable for indoor and outdoor commercial applications
- E26 Medium base decorative bulbs sold separately
- cTUVus Listed (LS2 only)



Shown for visual reference only - socket size or spacing may not depict actual product (Bulbs sold separately)

### COMMERCIAL SUSPENDED E26 LIGHT STRING ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	SOCKETS	SPACING	WIRE GAUGE	MAX RUN	RATING
<b>LS2-MS-24-48-BK</b>	Black	48ft	24	24"	14AWG SJTW	1200W	cTUVus
<b>LS2-MS-24-48-WH</b>	White	48ft	24	24"	14AWG SJTW	1200W	cTUVus
<b>LS-MS-24-100-BK</b>	Black	100ft	50	24"	14AWG SJTW	1800W	Non-Rated
<b>LS-MS-24-BK</b>	Black	330ft	165	24"	14AWG SJTW	1800W	Non-Rated

### COMMERCIAL E26 LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
<b>LS-M/MS-END</b>	Plastic End Cap
<b>LS-CABLE-60</b>	60ft Catenary Cable Kit (Includes 2 Standard Locks)
<b>LS-CABLE-110</b>	110ft Catenary Cable Kit (Includes 2 Standard Locks)
<b>LS-CABLE-500</b>	500ft Catenary Cable Bulk Reel
<b>LS-LOCK-4</b>	Catenary Cable Heavy Duty Locks (Qty 4)
<b>LS-TT</b>	Catenary Cable Tensioning tool


See Catenary Cable (page 34) for additional information



End Cap



Catenary Cable



Heavy Duty Locks



Tensioning Tool



# COMMERCIAL E26

## E26 Medium Base Light String

Commercial E26 Medium base stringers are perfect for any outdoor patio or lighting display. Commercial grade stringers are weather resistant and designed for long term usage. Includes guy-wire loop for additional support for large spans or spaces. E26 base sockets are perfect for any standard LED or incandescent bulbs giving you the creative freedom for your lighting display.

### FEATURES

- Great decorative lighting product for patios, gazebos, building outlines, event tents, and retail walkways
- Factory-molded, formulated PVC sockets on heavy-duty wire form a tight weather resistant seal around bulbs
- Suitable for indoor and outdoor commercial applications
- E26 Medium base decorative bulbs sold separately
- cTUVus Listed (LS2 only)



Shown for visual reference only - socket size or spacing may not depict actual product (Bulbs sold separately)

### COMMERCIAL E26 LIGHT STRING ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	SOCKETS	SPACING	WIRE GAUGE	MAX RUN	RATING
LS2-M-24-48-BK	Black	48ft	24	24"	14AWG SJTW	1200W	cTUVus
LS-M-24-100-BK	Black	100ft	50	24"	14AWG SJTW	1800W	Non-Rated
LS-M-24-BK	Black	330ft	165	24"	14AWG SJTW	1800W	Non-Rated

### COMMERCIAL E26 LIGHT STRING ACCESSORIES

ITEM NUMBER	DESCRIPTION
LS-M/MS-END	Plastic End Cap
LS-CABLE-60	60ft Catenary Cable Kit (Includes 2 Standard Locks)
LS-CABLE-110	110ft Catenary Cable Kit (Includes 2 Standard Locks)
LS-CABLE-500	500ft Catenary Cable Bulk Reel
LS-LOCK-4	Catenary Cable Heavy Duty Locks (Qty 4)
LS-TT	Catenary Cable Tensioning tool

See Catenary Cable (page 34) for additional information



End Cap



Catenary Cable



Heavy Duty Locks



Tensioning Tool



# PLUGS & SOCKETS

## Stringer Plug and Socket Accessories

Plugs and Sockets are great for custom-made light strings or simply for making custom extension cords for your light displays. Available in SPT-1 and SPT-2 18AWG options that feature easy slide on installation that are great for starting new runs or adding onto existing utilizing in-line sockets.

- 2-prong polarized plug (125V, 10A capacity)
- Available in SPT-1 and SPT-2 18AWG
- Black, Green, and White color options
- Easy to use slide on installation
- UL Listed for indoor and outdoor use

### PLUGS ORDERING INFORMATION

ITEM NUMBER	COLOR	WIRE GAUGE	QTY
M-PLUG-BK-B	Black	SPT-1 / 18AWG	25
M-PLUG-BK-500	Black	SPT-1 / 18AWG	500
M-PLUG-GR-B	Green	SPT-1 / 18AWG	25
M-PLUG-GR-500	Green	SPT-1 / 18AWG	500
M-PLUG-WH-B	White	SPT-1 / 18AWG	25
M-PLUG-WH-500	White	SPT-1 / 18AWG	500
M-PLUG-BK-SPT2-B	Black	SPT-2 / 18AWG	25
M-PLUG-BK-SPT2-500	Black	SPT-2 / 18AWG	500
M-PLUG-GR-SPT2-B	Green	SPT-2 / 18AWG	25
M-PLUG-GR-SPT2-500	Green	SPT-2 / 18AWG	500
M-PLUG-WH-SPT2-B	White	SPT-2 / 18AWG	25
M-PLUG-WH-SPT2-500	White	SPT-2 / 18AWG	500

### SOCKETS ORDERING INFORMATION

ITEM NUMBER	COLOR	WIRE GAUGE	QTY
F-SOCKET-BK-B	Black	SPT-1 / 18AWG	25
F-SOCKET-BK-500	Black	SPT-1 / 18AWG	500
F-SOCKET-GR-B	Green	SPT-1 / 18AWG	25
F-SOCKET-GR-500	Green	SPT-1 / 18AWG	500
F-SOCKET-WH-B	White	SPT-1 / 18AWG	25
F-SOCKET-WH-500	White	SPT-1 / 18AWG	500
F-SOCKET-BK-SPT2-B	Black	SPT-2 / 18AWG	25
F-SOCKET-BK-SPT2-500	Black	SPT-2 / 18AWG	500
F-SOCKET-GR-SPT2-B	Green	SPT-2 / 18AWG	25
F-SOCKET-GR-SPT2-500	Green	SPT-2 / 18AWG	500
F-SOCKET-WH-SPT2-B	White	SPT-2 / 18AWG	25
F-SOCKET-WH-SPT2-500	White	SPT-2 / 18AWG	500

### IN-LINE SOCKETS ORDERING INFORMATION

ITEM NUMBER	COLOR	WIRE GAUGE	QTY
F-INLINE-GR-B	Green	SPT-1 / 18AWG	25
F-INLINE-WH-B	White	SPT-1 / 18AWG	25
F-INLINE-BK-SPT2-B	Black	SPT-2 / 18AWG	25
F-INLINE-GR-SPT2-B	Green	SPT-2 / 18AWG	25
F-INLINE-WH-SPT2-B	White	SPT-2 / 18AWG	25



LIGHT STRING

STRINGERS & REELS

ACCESSORIES

DECORATIVE BULBS

LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL

# C7 & C9 BULB SOCKETS

## Stringer Socket Accessories

With the addition of plugs and sockets, create your own custom light stringers or patio light stringers with our C7 or C9 zip sockets. All lighting projects are different, and zip sockets give you precise socket placement and spacing control.



- C7 (E12) Candelabra and C9 (E17) Intermediate sockets
- Available in SPT-2 18AWG
- Green, White, and Brown color options
- Easy to use snap-on installation

### C7 BULB SOCKETS ORDERING INFORMATION

ITEM NUMBER	COLOR	WIRE GAUGE	QTY
<b>C7SOCKET18SPT2-GR</b>	Green	SPT-2 / 18AWG	100
<b>C7SOCKET18SPT2-WH</b>	White	SPT-2 / 18AWG	100
<b>C7SOCKET18SPT2-BR</b>	Brown	SPT-2 / 18AWG	100

### C9 BULB SOCKETS ORDERING INFORMATION

ITEM NUMBER	COLOR	WIRE GAUGE	QTY
<b>C9SOCKET18SPT2-GR</b>	Green	SPT-2 / 18AWG	100
<b>C9SOCKET18SPT2-WH</b>	White	SPT-2 / 18AWG	100
<b>C9SOCKET18SPT2-BR</b>	Brown	SPT-2 / 18AWG	100

## X-WIRE

### 18AWG SPT-2 Bulk Wire Reels

Designing your own light stringers is easier than you think with light sockets, zip plugs and bulk reels of X-wire. Cut this 18 gauge electrical wire to any length you like and easily attach sockets and plugs to configure your light strands to any space.

### FEATURES

- Use with SPT-2 sockets, plugs and other accessories
- 18 Gauge Wire / 10 amp capacity
- Available in 500ft bulks reels
- Black, Brown, Green, and White wire color options
- Plugs and Sockets sold separately
- Rated for indoor and outdoor use



BLACK



BROWN



GREEN



WHITE

### X-WIRE ORDERING INFORMATION

ITEM NUMBER	COLOR	WIRE GAUGE	LENGTH
<b>XA-WIREG18-BK-500</b>	Black	SPT-2 / 18AWG	500ft
<b>XA-WIREG18-BR-500</b>	Brown	SPT-2 / 18AWG	500ft
<b>XA-WIREG18-GR-500</b>	Green	SPT-2 / 18AWG	500ft
<b>XA-WIREG18-WH-500</b>	White	SPT-2 / 18AWG	500ft



# LIGHT STRING CLIPS Premium Light String Accessories

## PREMIUM SHINGLE TAB

- Slides under shingles or use in between gutters and fascia boards
- Use P-Clip accessory with 3M backing for surface mount installations
- 3 socket diameter mounting options: C6, C7, and C9 bulbs
- Allows installation of bulb without removal from socket
- Made with high quality resin and UV stabilizers

ITEM NUMBER	DESCRIPTION	QTY
<b>39001-PREM</b>	Shingle Tab Clip	500
<b>39007-PREM</b>	Surface Mount P-Clip Accessory	500



## PREMIUM MULTI CLIP

- Shingle or gutter mounting clip for C7 and C9 light sockets
- Slides under shingles or clamps to gutters to hold bulb in place
- Wire guides attach clip to wire allowing for quick take-down
- Made with high quality resin and UV stabilizers

ITEM NUMBER	DESCRIPTION	QTY
<b>MULTI-CLIP-PREM</b>	Multi Shingle/Gutter Clip	500



## PREMIUM ALL-IN-ONE CLIP

- Shingle or gutter mounting clip for icicle lights, C7, and C9 stringers
- Slides under shingles or clamps to gutters to hold bulb in place
- Does not require removal of decorative bulbs from stringers
- Made with high quality resin and UV stabilizers

ITEM NUMBER	DESCRIPTION	QTY
<b>ALLINONECLIP-PREM</b>	All-in-one Shingle/Gutter Clip	500



## ALL-IN-ONE CLIP

- Slides under shingles or clamps to gutters to secure stringers
- Compatible with most mini lights, C7, and C9 stringers
- Does not require removal of decorative bulbs from stringers
- Made with high quality resin and UV stabilizers

ITEM NUMBER	DESCRIPTION	QTY
<b>390232</b>	All-in-One Mounting Clip	100



## ONNI CLIP

- Shingle and gutter mounting clip for C7 and C9 bulb stringers
- Slides under shingles or clamps to gutters to hold bulb in place
- Does not require removal of decorative bulbs from stringers
- Made with high quality resin and UV stabilizers

ITEM NUMBER	DESCRIPTION	QTY
<b>OMNI-CLIP</b>	Omni Shingle/Gutter Clip	500



## MAGNETIC C7/C9 CLIP

- Magnetic surface mounting clip for C7 or C9 stringers
- Magnetic base secures to most metal surfaces for fast installations
- Twist lock design securely holds bulbs
- Made with high quality resin and UV stabilizers

ITEM NUMBER	DESCRIPTION	QTY
<b>MAGCLIPC9</b>	C7/C9 Magnetic Surface Mount Clip	100



## U-CLIP

- 2" U-shaped C7 and C9 mounting accessory for deck railings
- Simply slide onto railings to hold stringers in place
- Features utility hook for hanging icicle lights or garland
- Made with high quality resin and UV stabilizers

ITEM NUMBER	DESCRIPTION	QTY
<b>U-CLIP-PREM</b>	C7/C9 Stringer Railing Mount U-Clip	500



## C-CLIP

- Hard plastic clip used to mount C7 and C9 stringers to roof-lines, under eaves, or where other clips traditional clips cannot be used
- Mount with screws or silicone adhesive for permanent installations
- Made with high quality resin and UV stabilizers

ITEM NUMBER	DESCRIPTION	QTY
<b>39006</b>	C7/C9 Stringer Surface Mount C-Clip	500



## LAWN STAKE

- Mounting accessory for lining sidewalks and driveways
- Available in 5" and 10" stake length options
- Speed ratchet head saves time by seating C7 or C9 sockets and twisting into place
- Glass-filled nylon for a rigid, durable design

ITEM NUMBER	DESCRIPTION	QTY
<b>39021-PREM</b>	5" Lawn Stake	500
<b>39022-PREM</b>	10" Lawn Stake	500



## ICICLE LIGHT CLIP

- Exclusively used to attach icicle lights to roof-lines and gutters
- Slides under shingles or clamps to a gutter via utility hook
- Recommend using one clip per icicle drop for best display results
- Made with high quality resin and UV stabilizers

ITEM NUMBER	DESCRIPTION	QTY
<b>39303</b>	Icicle Light Mounting Clip	100



## MINI LIGHT CLIP

- Attaches mini lights to windows or other solid surfaces
- Two size diameters accommodate incandescent or LED mini lights
- 3M adhesive backing for surface mounting
- Made with high quality resin and UV stabilizers

ITEM NUMBER	DESCRIPTION	QTY
<b>39095-PREM</b>	Mini Light Surface Mounting Clip	1000






# CATENARY CABLE

## Multi-purpose Suspension Cable


Multi-purpose suspension cable with cable locks for quick, reliable support up to 330 pounds of load and spans up to 110 feet. Available in short run kits that include standard cable locks for each end, or in 500ft bulk reels that include four heavy duty locks.

### FEATURES

- Provides support for spans of Commercial Grade Light String, C7 & C9 Stringers, and other linear products
- 1/8" diameter outdoor rated, galvanized cable and clips resist corrosion
- Cable fasteners can be attached without the use of tools and can be adjusted quickly and easily
- Tensioning Tool allows you to tension wire up to 880lbs with minimal effort due to the 6:1 gear drive mechanism
- The integral torque gauge controls the load applied to the wire, giving consistent tension every time and optimizing the life of the wire



**STANDARD LOCKS**  
(Included with Kits)



**HEAVY DUTY LOCKS**



**BULK REEL**



**TENSIONING TOOL**

### CETENARY CABLE ORDERING INFORMATION

ITEM NUMBER	DESCRIPTION	LENGTH	MAX LOAD
LS-CABLE-60	60ft Catenary Cable Kit (Includes 2 Standard Locks)	60 ft	200lbs
LS-CABLE-110	110ft Catenary Cable Kit (Includes 2 Standard Locks)	110 ft	200lbs
LS-CABLE-500	500ft Catenary Cable Bulk Reel	500 ft	330lbs
LS-LOCK-4	Catenary Cable Heavy Duty Locks (Qty 4)	N/A	330lbs
LS-TT	Catenary Cable Tensioning tool	N/A	N/A

# MECHANICAL TIMER

## 24-Hour Outdoor Plug-in Timer

Set your lights or other electrical items to come on and off at different times each day with this 24 hour mechanical timer. Includes a protective plastic cover for the elements, Manual on/off switch, and two grounded outlets for your lighting power accessories.

### FEATURES

- 24-Hour timer with manual on/off switch
- 30 minute on/off segment switches
- Protective cover to keep out the elements
- Two grounded outlets for powering lighting accessories
- 125V AC / 15 Amp Capacity
- UL listed

#### MECHANICAL TIMER ORDERING INFORMATION

ITEM NUMBER	DESCRIPTION
AL-TIME-100	24-Hour Outdoor Mechanical Plug-in Timer



# DUSK TO DAWN TIMER

## Programmable Dusk to Dawn Plug-in Timer

Set your lights or other electrical items to come on and off at different times each day with this 24 hour mechanical timer. Includes a protective plastic cover for the elements, Manual on/off switch, and two grounded outlets for your lighting power accessories.

### FEATURES

- Automatic Dusk to Dawn sensor setting
- Eight - 2-10 hour timer interval settings
- Manual on/off switch
- Two grounded outlets for powering lighting accessories
- 125V AC / 15 Amp Capacity
- UL listed

#### MECHANICAL TIMER ORDERING INFORMATION

ITEM NUMBER	DESCRIPTION
AL-TIME-300	Programmable Dusk to Dawn Outdoor Plug-in Timer











# DECORATIVE BULBS

## Decorative Bulbs

### E12 Candelabra & E17 Intermediate Base

---

Starfall Tube - <b>NEW!</b>	pg. 38
Premium C7	pg. 40
Premium C9	pg. 41
Incandescent C7	pg. 42
Incandescent C9	pg. 42
Pro Decorative C7	pg. 43
Pro Decorative G30	pg. 43
Pro Decorative G40	pg. 43

### E26 Medium Base

---

Pro Decorative G50	pg. 43
Pro Decorative S14	pg. 44
Filament LED S14 - <b>NEW!</b>	pg. 45
Faceted LED S14	pg. 45
Incandescent S14	pg. 45



# STARFALL LIGHT




NEW  
2020

## LED Cascading Tube Light


Starfall tubes are designed to look like falling snow and mimic the look of shooting stars. Enhance the visual impact of your seasonal installation with virtually unbreakable, energy efficient LED tubes and save money and time in a convenient installation process. Simply screw Starfall tubes into existing C9 (E17) light stringers and suspend from tree branches, along roof lines and across the deck in various lengths for a dazzling display of animated light.

### FEATURES

- Simulates falling snow for enhanced visual experience
- Easy installation - simply screws into E17 socket stringers
- Two sizes available - 24" and 36" lengths
- Durable polycarbonate lens is virtually unbreakable
- Dual sided illumination for increased visibility
- Available in Pure White and Warm White color options
- Perfect for C9 stringers and commercial grade light string
- 120V AC Operation - 1W per bulb - 15,000 hour rating
- cETLus Listed for indoor and outdoor use



PURE WHITE



WARM WHITE



24 INCH



36 INCH

### STARFALL LIGHT ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	WATTAGE	LUMENS
STF-E17-PW-24	Pure White	24"	0.8W	58Lm
STF-E17-PW-36	Pure White	36"	1W	85Lm
STF-E17-WW-24	Warm White	24"	0.8W	82Lm
STF-E17-WW-36	Warm White	36"	1W	98Lm



LIGHT STRING

STRINGERS & REELS

ACCESSORIES


DECORATIVE BULBS

LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL







# PREMIUM C7




## Dimmable LED C7 Bulbs

Premium C7 bulbs feature SMD LED technology and are the perfect complement to your holiday lights! SMD technology produces bulbs that are bright and last longer while still maintaining exceptional durability and energy efficiency. Cast a vivid glow across your roof, along a fence or down the driveway to create a festive holiday light display.

### FEATURES

- Premium SMD powered LED C7 Bulb
- E12 Candelabra base with durable plastic lens
- Available in Faceted, Transparent, and Opaque versions
- Dimmable with most CL and LED dimmers
- 120V AC Operation - 0.8W per bulb - 15,000 hour rating
- UL Listed and CSAus for indoor and outdoor locations



FACETED



TRANSPARENT

### PREMIUM C7 BULB ORDERING INFORMATION

ITEM NUMBER	COLOR	STYLE	QTY
NC7D-LED-BL	Blue	Faceted	25
NC7D-LED-GR	Green	Faceted	25
NC7D-LED-OR	Orange	Faceted	25
NC7D-LED-PI	Pink	Faceted	25
NC7D-LED-PU	Purple	Faceted	25
NC7D-LED-PW	Pure White	Faceted	25
NC7D-LED-RE	Red	Faceted	25
NC7D-LED-WW	Warm White	Faceted	25
NC7D-LED-YE	Yellow	Faceted	25
NC7D-LED-ASST	Assorted*	Faceted	25
NC7DT-LED-PW	Pure White	Twinkle Faceted	25
NC7DT-LED-WW	Warm White	Twinkle Faceted	25
NC7D-LEDS-BL	Blue	Transparent	25
NC7D-LEDS-GR	Green	Transparent	25
NC7D-LEDS-OR	Orange	Transparent	25
NC7D-LEDS-PI	Pink	Transparent	25
NC7D-LEDS-PU	Purple	Transparent	25
NC7D-LEDS-PW	Pure White	Transparent	25
NC7D-LEDS-RE	Red	Transparent	25
NC7D-LEDS-WW	Warm White	Transparent	25
NC7D-LEDS-YE	Yellow	Transparent	25
NC7D-LEDS-ASST	Assorted*	Transparent	25
NC7DT-LED-CS-BL	Blue	Opaque	25
NC7DT-LED-CS-GR	Green	Opaque	25
NC7DT-LED-CS-OR	Orange	Opaque	25
NC7DT-LED-CS-PW	Pure White	Opaque	25
NC7DT-LED-CS-RE	Red	Opaque	25
NC7DT-LED-CS-WW	Warm White	Opaque	25
NC7DT-LED-CS-ASST	Assorted*	Opaque	25

\*(ASST) Assorted = (5) of each color: Blue, Green, Orange, Red, and Warm White

### FACETED C7



BLUE



GREEN



ORANGE



PINK



PURPLE



WHITE



RED



YELLOW

### TRANSPARENT C7



BLUE



GREEN



ORANGE



PINK



PURPLE



WHITE



RED



YELLOW

### OPAQUE C7



BLUE



GREEN



ORANGE



WHITE



RED

# PREMIUM C9




## Dimmable LED C9 Bulbs

Premium C9 bulbs feature SMD LED technology and are the perfect complement to your holiday lights! SMD technology produces bulbs that are bright and last longer while still maintaining exceptional durability and energy efficiency. Cast a vivid glow across your roof, along a fence or down the driveway to create a festive holiday light display.

### FEATURES

- Premium SMD powered LED C9 Bulb
- E17 Intermediate base with durable plastic lens
- Available in Faceted, Transparent, and Opaque versions
- Dimmable with most CL and LED dimmers
- 120V AC Operation - 0.8W per bulb - 15,000 hour rating
- UL Listed and CSAus for indoor and outdoor locations



FACETED

TRANSPARENT

### PREMIUM C9 BULB ORDERING INFORMATION

ITEM NUMBER	COLOR	STYLE	QTY
NC9D-LED-BL	Blue	Faceted	25
NC9D-LED-GR	Green	Faceted	25
NC9D-LED-OR	Orange	Faceted	25
NC9D-LED-PI	Pink	Faceted	25
NC9D-LED-PU	Purple	Faceted	25
NC9D-LED-PW	Pure White	Faceted	25
NC9D-LED-RE	Red	Faceted	25
NC9D-LED-WW	Warm White	Faceted	25
NC9D-LED-YE	Yellow	Faceted	25
NC9D-LED-ASST	Assorted*	Faceted	25
NC9DT-LED-PW	Pure White	Twinkle Faceted	25
NC9DT-LED-WW	Warm White	Twinkle Faceted	25
NC9D-LEDS-BL	Blue	Transparent	25
NC9D-LEDS-GR	Green	Transparent	25
NC9D-LEDS-OR	Orange	Transparent	25
NC9D-LEDS-PI	Pink	Transparent	25
NC9D-LEDS-PU	Purple	Transparent	25
NC9D-LEDS-PW	Pure White	Transparent	25
NC9D-LEDS-RE	Red	Transparent	25
NC9D-LEDS-WW	Warm White	Transparent	25
NC9D-LEDS-YE	Yellow	Transparent	25
NC9D-LEDS-ASST	Assorted*	Transparent	25
NC9D-LED-CS-BL	Blue	Opaque	25
NC9D-LED-CS-GR	Green	Opaque	25
NC9D-LED-CS-OR	Orange	Opaque	25
NC9D-LED-CS-PW	Pure White	Opaque	25
NC9D-LED-CS-RE	Red	Opaque	25
NC9D-LED-CS-WW	Warm White	Opaque	25
NC9D-LED-CS-ASST	Assorted*	Opaque	25

\*(ASST) Assorted = (5) of each color: Blue, Green, Orange, Red, and Warm White

### FACETED C9



BLUE



GREEN



ORANGE



PINK



PURPLE



WHITE



RED



YELLOW

### TRANSPARENT C9



BLUE



GREEN



ORANGE



PINK



PURPLE



WHITE



RED



YELLOW

### OPAQUE C9



BLUE



GREEN



ORANGE



WHITE



RED




# INCANDESCENT C7

- Double-dipped bulbs for true, long lasting color
- E12 Candelabra base with transparent glass lens
- Dimmable with most incandescent dimmers
- Extra filament for increased longevity
- 130V AC Operation - 7W per bulb - 3,000 hour rating
- Suitable for indoor and outdoor use

## INCANDESCENT C7 BULB ORDERING INFORMATION

ITEM NUMBER	COLOR	STYLE	QTY
<b>C7-7-AM</b>	Amber	Transparent	25
<b>C7-7-BL</b>	Blue	Transparent	25
<b>C7-7-CL</b>	Clear	Transparent	25
<b>C7-7-GR</b>	Green	Transparent	25
<b>C7-7-PU</b>	Purple	Transparent	25
<b>C7-7-RE</b>	Red	Transparent	25
<b>C7-7-TE</b>	Teal	Transparent	25
<b>C7-7-YE</b>	Yellow	Transparent	25
<b>C7-7-ASST</b>	Assorted*	Transparent	25

\*(ASST) Assorted = (5) of each color: Blue, Green, Orange, Red, and Warm White




# INCANDESCENT C9

- Double-dipped bulbs for true, long lasting color
- E17 Intermediate base with transparent glass lens
- Dimmable with most incandescent dimmers
- Extra filament for increased longevity
- 130V AC Operation - 7W per bulb - 3,000 hour rating
- Suitable for indoor and outdoor use

## INCANDESCENT C9 BULB ORDERING INFORMATION

ITEM NUMBER	COLOR	STYLE	QTY
<b>C9-7-AM</b>	Amber	Transparent	25
<b>C9-7-CL</b>	Clear	Transparent	25
<b>C9-7-GR</b>	Green	Transparent	25
<b>C9-7-PI</b>	Pink	Transparent	25
<b>C9-7-PU</b>	Purple	Transparent	25
<b>C9-7-RE</b>	Red	Transparent	25
<b>C9-7-TE</b>	Teal	Transparent	25
<b>C9-7-YE</b>	Yellow	Transparent	25
<b>C9-7-ASST</b>	Assorted*	Transparent	25

\*(ASST) Assorted = (5) of each color: Blue, Green, Orange, Red, and Warm White




# PRO DEC BULBS



## PRO DEC C7

- Professional SMD powered LED C7 Bulb
- E12 Candelabra base with transparent glass lens
- Dimmable with most CL and TRIAC dimmers
- Stem style optic for controlled light distribution
- 120V AC Operation - 1W per bulb - 25,000 hour rating
- cULus Listed for indoor and outdoor locations


ITEM NUMBER	DESCRIPTION	QTY
<b>PC7-E12-WW</b>	Pro Dec C7 / Opaque / 0.5W / 2700K	25



## PRO DEC G30

- Professional SMD powered LED G30 Bulb
- E12 Candelabra base with transparent glass lens
- Dimmable with most CL and TRIAC dimmers
- Stem style optic for controlled light distribution
- 120V AC Operation - 0.5W per bulb - 25,000 hour rating
- cULus Listed for indoor and outdoor locations


ITEM NUMBER	DESCRIPTION	QTY
<b>PG30-E12-WW</b>	Pro Dec G30 / Transparent / 2700K	25



## PRO DEC G40

- Professional SMD powered LED G30 Bulb
- E17 Intermediate base with transparent glass lens
- Dimmable with most CL and TRIAC dimmers
- Stem style optic for controlled light distribution
- 120V AC Operation - 1W per bulb - 25,000 hour rating
- cULus Listed for indoor and outdoor locations


ITEM NUMBER	DESCRIPTION	QTY
<b>PG40-E17-UWW</b>	Pro Dec G40 / Transparent / 2400K	25
<b>PG40-E17-WW</b>	Pro Dec G40 / Transparent / 2700K	25



## PRO DEC G50

- Professional SMD powered LED G50 Bulb
- E26 Medium base with transparent glass lens
- Dimmable with most CL and TRIAC dimmers
- Stem style optic for controlled light distribution
- 120V AC Operation - 1.4W per bulb - 25,000 hour rating
- cULus Listed for indoor and outdoor locations

ITEM NUMBER	DESCRIPTION	QTY
<b>PG50-E26-UWW</b>	Pro Dec G40 / Transparent / 2400K	25
<b>PG50-E26-WW</b>	Pro Dec G40 / Transparent / 2700K	25
<b>PG50F-E26-WW</b>	Pro Dec G40 / Opaque / 2700K	25



LIGHT STRING

STRINGERS &amp; REELS

ACCESSORIES

DECORATIVE BULBS

LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL




# PRO DEC S14

## Professional S14 LED Bulbs

Enhance your commercial or residential outdoor entertainment areas with our Pro Dec designer series S14 bulbs. Pro Dec LED S14 bulbs offer a elegant warm night time glow using a 1.4 Watt SMD Optic Core with a 25,000 bulb life, perfect for replacing your outdated incandescent and inefficient S14 bulbs. Featuring an E26 medium base and glass lens that resists fading, Pro Dec S14 bulbs pair well with our Commercial Grade Light String (sold separately).

### FEATURES

- Professional SMD powered LED S14 Bulb
- E26 Medium base with transparent glass lens
- Available in Opaque and Transparent lens styles
- Dimmable with most CL and TRIAC dimmers
- Stem style optic for controlled light distribution
- 120V AC Operation - 1.4W per bulb - 25,000 hour rating
- cULus Listed for indoor and outdoor locations
- Commercial Grade Light String sold separately



3-11/32"  
M.O.L



OPAQUE BLUE



OPAQUE GREEN



OPAQUE RED



OPAQUE YELLOW



OPAQUE WHITE



WHITE - 5500K



WARM WHITE - 2700K



ULTRA WARM WHITE - 2400K

### PROFESSIONAL S14 BULBS ORDERING INFORMATION

ITEM NUMBER	COLOR	STYLE	SOCKET BASE	VOLTAGE	QTY
<b>PS14F-E26-BL</b>	Blue	Opaque	E26	120V	25
<b>PS14F-E26-GR</b>	Green	Opaque	E26	120V	25
<b>PS14F-E26-RE</b>	Red	Opaque	E26	120V	25
<b>PS14F-E26-YE</b>	Yellow	Opaque	E26	120V	25
<b>PS14F-E26-WH</b>	White	Opaque	E26	120V	25
<b>PS14F-E26-WW</b>	Warm White	Opaque	E26	120V	25
<b>PS14-E26-WH</b>	White	Transparent	E26	120V	25
<b>PS14-E26-WW</b>	Warm White	Transparent	E26	120V	25
<b>PS14-E26-UWW</b>	Ultra Warm White	Transparent	E26	120V	25


# S14 DECORATIVE BULBS

## FILAMENT LED S14



- Classic filament style LED powered S14 Bulb
- E26 Medium base with transparent glass lens
- Dimmable with most CL and TRIAC dimmers
- 120V line voltage & 12V DC low voltage bulb options
- 1W per bulb - 10,000 hour rating
- cULus Listed for indoor and outdoor locations

ITEM NUMBER	DESCRIPTION	QTY
<b>S14-LEDF-12-30K</b>	12V DC Filament S14 / Warm White / 1W	25
<b>S14-LEDF-120-30K</b>	120V Filament S14 / Warm White / 1W	25



3-15/32"  
M.O.L



## FACETED LED S14

- Premium SMD powered LED S14 Bulb
- E26 Medium base with faceted durable plastic lens
- Equal beam pattern for even light distribution
- Non-dimmable
- 120V AC Operation - 1.5W per bulb - 25,000 hour rating
- Suitable for indoor and outdoor locations

ITEM NUMBER	DESCRIPTION	QTY
<b>S14-LED-WW</b>	120V Faceted S14 / Warm White / 1.5W	25




3-11/16"  
M.O.L



## INCANDESCENT S14

- Traditional incandescent filament S14 Bulb
- E26 Medium base with transparent glass lens
- Dimmable with most incandescent dimmers
- 2-LED filament design for added longevity
- 130V AC Operation - 11W per bulb - 8,000 hour rating
- Suitable for indoor and outdoor locations

ITEM NUMBER	DESCRIPTION	QTY
<b>B11S14-CL</b>	130V Incandescent S14 / Clear / 11W	25



3-15/32"  
M.O.L



LIGHT STRING

STRINGERS &amp; REELS

ACCESSORIES


DECORATIVE BULBS

LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL









# LINEAR & SPECIALTY

## Linear & Specialty Lighting

### Linear Lighting

LED Flexbrite - 1/2"	pg. 48
LED Flexbrite - 3/8"	pg. 49
Lightstar	pg. 50

### Greenery

Wreaths	pg. 51
Garland	pg. 51

### Specialty

Neon Flex Snowflakes	pg. 52
Rope Light Snowflakes	pg. 53



# FLEXBRITE - 1/2"

## LED Rope Light Bulk Reels

Professionally crafted LED Flexbrite offers design flexibility and commercial grade quality, weather resistant construction that can stand the test of time. Clear UV inhibited PVC tubing allows for the highest brightness to shine through to increase linear lighting effects, resulting in vibrant rope light displays great for residential and commercial lighting applications.

### FEATURES

- Available in 150ft bulk reels and custom cut options
- Clear, UV inhibited PVC housing
- Parallel wiring to each LED ensures that if one LED goes out, the rest of the cutting increment stays lit
- Vertically mounted 3mm LEDs at 1" spacing
- \*Cuttable every 36" and 60" (see individual ordering info)
- Perfect for outlining landscapes and signage
- UL Listed for indoor and outdoor use  
(\*UL Listing void if cut)



### 1/2" LED FLEXBRITE ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	LUMENS	WATTAGE	IP RATING	CRI	DIAMETER	CUTTING
ULRL-LED-WW-150	3000K	150ft	32Lm / ft	1W / ft	IP65	72+	1/2in	36in
ULRL-LED-WH-150	5000K	150ft	34Lm / ft	1W / ft	IP65	75+	1/2in	36in
ULRL-LED-AM-150	Amber	150ft	N/A	0.47W / ft	IP65	N/A	1/2in	60in
ULRL-LED-BL-150	Blue	150ft	N/A	1W / ft	IP65	N/A	1/2in	36in
ULRL-LED-RE-150	Red	150ft	N/A	0.47W / ft	IP65	N/A	1/2in	60in
ULRL-LED-YE-150	Yellow	150ft	N/A	0.47W / ft	IP65	N/A	1/2in	60in
ULRL-LED-GR-150	Green	150ft	N/A	1W / ft	IP65	N/A	1/2in	36in
ULRL-LED-WW	3000K	Custom Cut	32Lm / ft	1W / ft	IP65	72+	1/2in	36in
ULRL-LED-WH	5000K	Custom Cut	32Lm / ft	1W / ft	IP65	72+	1/2in	36in

120V Bulk Reels Include: (5) 5ft power connector kits with fused plug (one is pre-attached), (1) pre-attached end cap, and (50) mounting clips

### 1/2" LED FLEXBRITE ACCESSORIES

ITEM NUMBER	DESCRIPTION
RL-LED-CONKIT-1.6AMP	5ft Power Connection Kit w/Plug
RL-INVSP	In-line Invisible Splice Connector
RL-SPLICE	Heavy Duty Splice Connector
RL-END	End Cap (Qty 10)
RL-ST-3	Shrink Tube (Qty 10)
RL-CLIP/SCREW	U-Shaped Mounting Clip w/screw (Qty 10)
RL-TRACK-4	4ft Clear Plastic Mounting Track



Power Cord Kit



Invisible Splice



Heavy Duty Splice



Shrink Tube



End Caps



Mounting Clips



Mounting Track



# FLEXBRITE - 3/8"

## LED Rope Light Bulk Reels

Professionally crafted LED Flexbrite offers design flexibility and commercial grade quality, weather resistant construction that can stand the test of time. Clear UV inhibited PVC tubing allows for the highest brightness to shine through to increase linear lighting effects, resulting in vibrant rope light displays great for residential and commercial lighting applications.

### FEATURES

- Available in 150ft bulk reels
- Clear, UV inhibited PVC housing
- Parallel wiring to each LED ensures that if one LED goes out, the rest of the cutting increment stays lit
- Vertically mounted 3mm LEDs at 1" spacing
- \*Cutttable every 36"
- Perfect for outlining landscapes and signage
- UL Listed for indoor and outdoor use (\*UL Listing void if cut)

### 3/8" LED FLEXBRITE ORDERING INFORMATION

ITEM NUMBER	COLOR	LENGTH	LUMEN	WATTAGE	IP RATING	CRI	DIAMETER	CUTTING
LED-MRL-WW-150	3000K	150ft	32Lm / ft	1W / ft	IP65	72+	3/8in	36in
LED-MRL-WH-150	5000K	150ft	34Lm / ft	1W / ft	IP65	75+	3/8in	36in

120V Bulk Reels Include: (5) 5ft power connector kits with fused plug (one is pre-attached), (1) pre-attached end cap, and (50) mounting clips

### 3/8" LED FLEXBRITE ACCESSORIES

ITEM NUMBER	DESCRIPTION
MRL-LED-CONKIT-1.6AMP	5ft Power Connection Kit w/Plug
MRL-INV SPL	In-line Invisible Splice Connector
MRL-SPLICE	Heavy Duty Splice Connector
RL-ST-3	Shrink Tube (Qty 10)
MRL-CLIP/SCREW	U-Shaped Mounting Clip w/screw (Qty 10)
MRL-TRACK-4	4ft Clear Plastic Mounting Track



Power Cord Kit



Invisible Splice



Heavy Duty Splice



Shrink Tube



Mounting Clips



Mounting Track



# LED LIGHTSTAR

## Bulk Reels

A great low voltage option for your year round lighting displays, LED Lightstar provides a warm white linear lighting option that saves 75% in running costs over incandescent while significantly reducing maintenance costs. Use for tree, festival and tent, accent, decorative, architectural detail, patio, deck, and gazebo lighting.

### FEATURES

- 5mm inverted cone lenses attached to 18AWG SPT-2 wire with LEDs spaced every 5.9"
- Wide viewing angle (180°) for high visibility
- Low-voltage reels are safe for year-round use
- 12V DC operation requires a 12V power supply
- 200ft Maximum run lengths
- Long life LEDs last up to 50,000 hours
- Suitable for year-round outdoor use (IP65)



Shown for visual reference only - LED spacing may not depict actual product

LED LIGHTSTAR ORDERING INFORMATION							
ITEM NUMBER	COLOR	LENGTH	SPACING	WATTAGE	MAX RUN	CUTTABLE	WIRE
LLR-6-BK-WW	Warm White	344.5ft	5.9"	0.32W / ft	200ft / 65W	Yes	Black

LED LIGHTSTAR ACCESSORIES	
ITEM NUMBER	DESCRIPTION
LLR-CHAN-4	4ft Aluminum Mounting Channel



Mounting Channel

# WREATHS

## Pre-lit LED Wreath Greenery

Bring the forest into your seasonal lighting displays without the mess of needles. The realistic PVC needles provide a lush background of dense foliage that will complement any decorating scheme. Featuring warm white LED lights and realistic pine cones, pre-lit wreaths are a great addition to any holiday installation.

### FEATURES

- Pre-lit with warm white LEDs
- Available in three sizes - 36", 48", 60" options
- 36" wreaths includes realistic pine cones for added decor
- Easy plug and play installation
- Up to 750 tips per wreath (60")
- 120V voltage input
- UL Listed light string for indoor and outdoor use



### PRE-LIT WREATHS ORDERING INFORMATION

ITEM NUMBER	SIZE	NUMBER OF TIPS	LED COUNT	WATTAGE	CCT	PINE CONES
031-LED-WR-36	36"	270	100	7.2W	Warm White - 3000K	12
031-LED-WR-48	48"	430	200	14.4W	Warm White - 3000K	24
031-LED-WRB-36	36"	270	100	7.2W	Warm White - 3000K	None
031-LED-WRB-48	48"	430	200	14.4W	Warm White - 3000K	None
031-LED-WRB-60	60"	750	300	21.6W	Warm White - 3000K	None

# GARLAND

## 9ft Decorative Garland Greenery

If you need a beautiful, sturdy garland this holiday season, our 9ft garland is designed to remain natural looking and full while being used in high traffic, residential and commercial environments. This dense garland is offered in both pre-lit LED and standard options. Pre-lit garland also includes realistic pine cones for a more natural look.

### FEATURES

- Available in pre-lit LED and unlit standard 9ft lengths
- Pre-lit version includes decorative pine cones
- Features traditional warm white color temperature
- Up to 315 tips per garland
- Suitable for indoor and outdoor use



### GARLAND ORDERING INFORMATION

ITEM NUMBER	SIZE	NUMBER OF TIPS	LED COUNT	WATTAGE	CCT	PINE CONES
031-LED-GA-9	9ft	315 Tips	100	7.2W	Warm White - 3000K	12
031-UNL-GAB-9	9ft	315 Tips	None	N/A	N/A	None



# NEON SNOWFLAKES

## LED Neon Flex Snowflake Motifs


Let it snow this winter with our LED Neon Flex Snowflake motifs. The same as our traditional LED rope light version, but now with a vibrant neon glow effect. Available in a warm white or cool white colored motifs, create stunning neon snowflake designs to use in any residential or commercial applications.

### FEATURES

- Available in two elegant designs to choose from
- Warm White and Cool White color options
- Made from our durable LED Neon Flex
- Smooth and seamless light source eliminates LED dotting
- Features UV inhibitor for lasting clarity
- Two motif sizes available: 24” and 36”
- Long life LEDs last up to 30,000 hours
- Pairs great with LED Neon Flex linear lighting
- Suitable for indoor and outdoor use



DELUXE



ELEGANT

### LED NEON SNOWFLAKE ORDERING INFORMATION

ITEM NUMBER	COLOR	STYLE	SIZE	WATTAGE
NF-LED-CW-SNOWFA24	Cool White	Deluxe	24"	31.5W
NF-LED-WW-SNOWFA24	Warm White	Deluxe	24"	31.5W
NF-LED-CW-SNOWFA36	Cool White	Deluxe	36"	48W
NF-LED-WW-SNOWFA36	Warm White	Deluxe	36"	48W
NF-LED-CW-SNOWFB24	Cool White	Elegant	24"	28.8W
NF-LED-WW-SNOWFB24	Warm White	Elegant	24"	28.8W
NF-LED-CW-SNOWFB36	Cool White	Elegant	36"	48W
NF-LED-WW-SNOWFB36	Warm White	Elegant	36"	48W


## ROPE LIGHT SNOWFLAKES

### LED Rope Light Snowflake Motifs

Let it snow this winter with our LED Rope Light Snowflake motifs. Hang these elegant motifs in windows to mantels, trees or fencing to create a magical scene. Made from sturdy, energy efficient LED rope light that will last throughout many holiday seasons, you'll never have to worry about your seasonal lighting losing its fun.

#### FEATURES

- Available in three distinct styles to choose from
- Warm White and Cool White color options
- Made from our durable LED rope light
- Features UV inhibitors for lasting clarity
- Multiple sizes available: 18", 24", and 36"
- Long life LEDs last up to 30,000 hours
- Pairs great with traditional LED rope light
- Suitable for year-round outdoor use
- UL Listed for indoor and outdoor use



CLASSIC



DELUXE




ELEGANT

#### LED ROPE LIGHT SNOWFLAKE ORDERING INFORMATION

ITEM NUMBER	COLOR	STYLE	SIZE	WATTAGE
LED-CW-HSM-SNOWF18	Cool White	Classic	18"	12W
LED-WW-HSM-SNOWF18	Warm White	Classic	18"	12W
LED-CW-HSM-SNOWF24	Cool White	Classic	24"	18W
LED-WW-HSM-SNOWF24	Warm White	Classic	24"	18W
LED-CW-HSM-SNOWF36	Cool White	Classic	36"	27W
LED-WW-HSM-SNOWF36	Warm White	Classic	36"	27W
LED-CW-HSM-SNOWFA24	Cool White	Deluxe	24"	18W
LED-WW-HSM-SNOWFA24	Warm White	Deluxe	24"	18W
LED-CW-HSM-SNOWFA36	Cool White	Deluxe	36"	30W
LED-WW-HSM-SNOWFA36	Warm White	Deluxe	36"	30W
LED-CW-HSM-SNOWFB24	Cool White	Elegant	24"	18W
LED-WW-HSM-SNOWFB24	Warm White	Elegant	24"	18W
LED-CW-HSM-SNOWFB36	Cool White	Elegant	36"	30W
LED-WW-HSM-SNOWFB36	Warm White	Elegant	36"	30W









# ARCHITECTURAL

## Architectural Lighting

### Linear Wall Washers

Linear Warm White  
Linear RGB

pg. 56  
pg. 56

### RGB Array Wall Washer

RGB Array

pg. 57



# LINEAR WASHERS

## 3000K & RGB LED Wall Washers

High power LEDs combined with a durable aluminum housing rated for wet locations make this family of lighting tools perfect for high impact illumination, indoors or out. Available in a warm white single color version as well as an ultra dynamic RGB option, add either to your commercial lighting installations for the ultimate wow factor.

### FEATURES

- High impact dynamic linear LED wall washer
- Available in 3000K warm white and dynamic RGB
- RGB wall washer features built-in standalone mode
- Multiple fixture lengths available (warm white)
- Durable aluminum alloy housing with enamel finish and tempered glass lens rated for wet locations
- LED light source saves energy and reduces maintenance
- Built-in driver and 5ft grounded power cord
- Integrated mounting holes in base/leg brackets with adjustable tilt design for installation flexibility
- Suitable for indoor and outdoor use (IP65)



### LINEAR WALL WASHER ORDERING INFORMATION

ITEM NUMBER	SIZE	CCT	WATTAGE	LUMENS	OPTICS	MAX RUN
LLW16-WW	16"	Warm White - 3000K	15W	700Lm	25°	N/A
LLW32-WW	32"	Warm White - 3000K	30W	1400Lm	25°	N/A
LLW48-WW	48"	Warm White - 3000K	45W	2100Lm	25°	N/A
WW-L48-RGB	48"	RGB	45W	N/A	25°	Up to 30 units (Signal)

### RGB LINEAR WALL WASHER ACCESSORIES

ITEM NUMBER	DESCRIPTION
DMX-RGB-3	3-Channel DMX Controller (RGB)
WW-CON	Outdoor Rated DMX Controller (RGB)
WW-EC15	15ft Signal Cable (RGB)
WW-END	Signal Termination End Cap (RGB)
WW-XLR3	3ft DMX Adapter Cable (RGB)
WW-XLR3-15	15ft DMX Adapter Cable (RGB)
CUSTOMCABLE	DMX Adapter or signal cable (Special Order)



DMX-RGB-3

WW-CON  
(OUTDOOR RATED)

**NOTE:** To use WW-L48-RGB with former RGB wall washers (LLW-RGB Series), item LW-WW-CONVERSION is needed for interconnection of signal cables (sold separately). Please contact American Lighting for more information.

## RGB ARRAY

### DMX Controlled LED Wall Washer

High power red, blue, and green LEDs combined with a durable aluminum housing rated for wet locations make this LED array perfect for high impact illumination, indoors or out. Power up to five fixtures via one power cord and link data up to 30 fixtures, either directly or with signal extension cables.

#### FEATURES

- High impact dynamic LED RGB array wall washer
- Durable aluminum alloy housing with enamel finish and tempered glass lens rated for wet locations
- LED light source saves energy and reduces maintenance
- Built-in driver and 5ft grounded power cord simple plug and play installation
- Integrated mounting holes in base/leg brackets with adjustable tilt design for installation flexibility
- 60,000 hours rated life
- Suitable for indoor and outdoor use (IP65)

#### RGB ARRAY ORDERING INFORMATION

ITEM NUMBER	SIZE	CCT	WATTAGE	LUMENS	OPTICS	MAX RUN
<b>WW-ARRAY-RGB</b>	13" x 9.5"	RGB	50W	N/A	25°	5 units power (30 Signal)

#### RGB ARRAY ACCESSORIES

ITEM NUMBER	DESCRIPTION
<b>DMX-RGB-3</b>	3-Channel DMX Controller (RGB)
<b>WW-CON</b>	Outdoor Rated DMX Controller (RGB)
<b>WW-EC15</b>	15ft Signal Cable (RGB)
<b>WW-END</b>	Signal Termination End Cap (RGB)
<b>WW-XLR3</b>	3ft DMX Adapter Cable (RGB)
<b>WW-XLR3-15</b>	15ft DMX Adapter Cable (RGB)
<b>CUSTOMCABLE</b>	DMX Adapter or signal cable (Special Order)



**DMX-RGB-3**



**WW-CON**  
(OUTDOOR RATED)



## Warranty Information

Product Category	Warranty Period	Average Life in Hours*
Commercial Coaxial LED .....	3 Season** .....	60,000 (Cool White, Ultra Warm White); 100,000 (Other Colors)
Commercial Standard LED .....	1 Year .....	36,000
Incandescent Light String .....	90 Days .....	2,000
C7 & C9 Stringers & Reels .....	90 Days .....	N/A
Magnetic C9 Reels .....	90 Days .....	N/A
Starfall Tube .....	1 Year .....	15,000
Premium LED C7 & C9 Retrofit .....	1 Year .....	50,000
Incandescent C7 & C9 Bulbs .....	90 Days .....	3,000
LED Icicle Lights .....	3 Season** .....	60,000
LED Net Lights .....	3 Years .....	60,000
LED NeonFlex Motifs .....	1 Year .....	60,000
LED Snowflake Motifs .....	1 Year .....	30,000
LED Pre-Lighted Greenery .....	1 Year .....	25,000
LED LightStar Reel .....	1 Year .....	50,000
Commercial Grade Light String .....	1 Year .....	N/A
12V & 120V Filament Bulbs .....	90 Days .....	10,000
Professional LED Lamps .....	3 Years .....	60,000
Standard LED S14s .....	1 Year .....	25,000
Incandescent B-Series .....	90 Days .....	8,000
LED Rope Light .....	1 Year <sup>††</sup> .....	60,000
LED Linear Warm White Wall Washer .....	3 Years .....	40,000
LED Linear RGB & LED RGB Array Wall Washer .....	1 Year .....	60,000

### \*AVERAGE LIFE

Average incandescent lamp life, rated life and average life are terms used to describe the number of hours at which half of the lamps have failed. For LEDs, the hours of rated life specify the point where 70% of original lumen output is reached. Below this point, the effective life is over, however, the LED may still emit light. Individual results may vary with actual environmental conditions including, but not limited to, proper installation, ambient temperature and/or input voltage fluctuations.

\*\*Commercial Coaxial LED light strings have a three season warranty, where each season is limited to 90 days; If commercial coaxial LED light strings are left up year round, warranty consists of 1 year.

<sup>†</sup>Standard Linear Warranty applies. See next page for details.

<sup>††</sup> Limited Product Warranty applies to lengths up to 75 feet. See next page for details.

### LIMITED PRODUCT WARRANTY

American Lighting products are warranted to be free from defects in material and workmanship for the warranty period listed on the previous page by category. Warranty periods begin from the date of shipment from American Lighting Inc's warehouse to the original purchaser. Products that prove to be defective during their specific warranty period will be either repaired or replaced, at the sole discretion of American Lighting Inc. Claims for defective products must be submitted in writing to American Lighting Inc's RGA Department within the warranty period. Upon approval of such return, American Lighting Inc reserves the right to inspect the product for misuse or abuse. Claims for indirect or consequential damages or for product that, in American Lighting Inc's opinion, has been misused will be denied.

This is a warranty of product reliability only and not a warranty of merchantability or fitness for a particular purpose. American Lighting Inc shall have no liability whatsoever in any event for payment of incidental or consequential damages, including, without limitations, installation costs and/or damages for personal injury and/or property. These products may represent a possible shock or fire hazard if improperly installed or altered in any way. This warranty does not apply to any product that has not been properly installed in accordance with current local codes and/or the National Electrical Code. Products that require a transformer, driver or power supply must be used in conjunction with American Lighting Inc's recommended power supply to ensure safety and retain product warranty.

## Warranty Information Continued

### STANDARD LINEAR WARRANTY

Rope light and linear lighting products in all their various types and shapes, whether LED or incandescent, are wired in series parallel. This means that several individual lamps or LEDs are wired together in series to equal 12V, 24V or 120V. Then these sections are wired together (in parallel) to light up in unison. If one solder joint, lamp or resistor fails, a whole section will not light. Due to the number of elements involved, and the numerous extenuating circumstances beyond our control, American Lighting Inc offers a Standard Linear Warranty on most linear lighting products. The limited liability warranty is listed above, however the Standard Linear Warranty offers replacement product by section due to defective material and/or workmanship for one year beginning from the date of shipment from American Lighting Inc's warehouse to the original purchaser.

LED technology is changing rapidly, and not all color temperatures and performance levels can be duplicated at a later time. Best practices include purchasing 10-15% more for a particular project on the same initial order where white LED color temperatures must be maintained over project and product life. Eventual product replacement should be considered at layout and design stages. Best practices also include testing connections and product performance prior to mounting and/or installing.

### USE OF LINEAR LIGHTING IN OUTDOOR APPLICATIONS

Incandescent rope light and LED Flexbrite UL 2388 custom cuts; incandescent and LED Flexbrite pre-packaged kits; and UL Listed (special order) cuts of LED Neon Flexbrite Plus and Economy have factory assembled power connections and end caps that seal the rope from moisture. Due to strict quality control standards, American Lighting is able to offer a limited warranty on these items rather than the standard linear lighting warranty that replaces product by defective section only. For outdoor applications, best practices include using kits interconnected (same length kits are best for color control of White LED Flexbrite) or using custom cuts that do not exceed 75 feet.

For all linear lighting categories, any non-rated field connection made in an outdoor application should be properly sealed with dielectric grease covering all conductive materials; and properly installed power connections and end caps, sealed with silicone and heat shrink tube. However, since non-rated (field executed) power connections of linear lighting products cannot be quality controlled, and outdoor use of non-rated product is not recommended, American Lighting cannot warrant the product to any purchaser.

### PRODUCT SPECIFICATIONS

For the latest product information, updates, instructions and details concerning specifications, colors, finishes, performance, installation and design, visit [www.AmericanLighting.com](http://www.AmericanLighting.com). Color may vary from the color printed herein due to limitations in photographic and printing processes. American Lighting Inc. reserves the right to change product specifications without notice. Other product specifications such as color temperature, wavelength characteristics and lumen output are subject to production limitations and may vary.

LED technology is changing rapidly, and not all color temperatures and performance levels can be duplicated at a later time. Best practices include purchasing 10-15% more for a particular project on the same initial order where white LED color temperatures must be maintained over project and product life. Eventual product replacement should be considered at layout and design stages. Best practices also include testing connections and product performance prior to mounting and/or installing.



# GENERAL TERMS AND CONDITIONS

## GENERAL TERMS AND CONDITIONS

To Our Valued Customer,  
American Lighting is committed to providing you with the highest quality Residential, Commercial, and Seasonal lighting products along with unsurpassed Customer Service.  
Please refer to the information below with regards to initial orders, shipping, freight, merchandise returns, cancellations and safety.

## MERCHANDISE RETURN POLICY

The retention of goods by the Buyer or for the benefit of the Buyer without written objection within five (5) business days after delivery shall constitute an unconditional and absolute acceptance by the Buyer. Errors in billing and shipping must be reported in writing to the American Lighting, Inc RGA Department within five (5) business days from receipt of the shipment. FAX 303-695-7633.

All returns require a pre-authorized RGA number. Returns received without prior authorization will not be accepted by American Lighting, Inc. Receiving an RGA number does not imply acceptance and/or payment of credit; it is only permission to return material to American Lighting for evaluation. For proper credit, all returns must include the authorization number (clearly marked on the outside of each box) and a copy of the original invoice or packing slip. All credits must be used within 120 days, or they will expire and no longer be valid for use. The Buyer will incur a re-stocking fee based on the TABLE below and will be responsible for all freight charges for product returned due to over-stock and/or Buyer ordering error. Refused or undeliverable shipments will be subject to a 20% re-stocking fee in addition to all applicable shipping costs.

Return Timeframe	Re-Stock Fee
0-180 Days	20%
181-365 Days	35%
365+ Days	Contact American Lighting

Sales of 'seasonal products' are final. Defective seasonal product may be returned for replacement only within our normal warranty period. Sales of any 'Limited Quantities Available' product are final. Sales of "Custom Cut" and "By the Foot" linear lighting products are considered "special order" and all sales are final. Defective linear product may be returned for replacement only within our normal warranty period.

Please visit [www.americanlighting.com](http://www.americanlighting.com) to download the RGA Form.

## PAYMENT TERMS AND CONDITIONS

American Lighting, Inc accepts the following credit cards:  
VISA, MasterCard, Discover, and American Express.

Buyers wishing to establish a line of credit must submit a completed and signed American Lighting, Inc Credit Application and a copy of their Resale Certificate prior to placing their initial order. A \$1000 minimum opening order is required for any new account. A credit application may be downloaded from our website at [www.americanlighting.com](http://www.americanlighting.com). Completed applications should be faxed to the Credit Department at 303-695-7633. American Lighting, Inc reserves the right to deny or revoke credit or extension of credit to any Buyer at its sole discretion without recourse from the Buyer and without prior notice to the Buyer.

Approved credit terms are Net 30 Days. Finance charges in the amount of 1.75% per month (21.0% APR) will be applied to all invoices with a past due balance. Returned (NSF) checks are the responsibility of the Buyer and are subject to a 10% surcharge on the entire order. Pre-payment terms may be established on a case by case basis.

## WILL CALL

Will call orders are subject to a \$3.00 handling fee.

**PRICES AND PRODUCT SPECIFICATIONS ARE  
SUBJECT TO CHANGE WITHOUT NOTICE.**

## ORDER CANCELLATION POLICY

American Lighting Inc. will not accept cancellation requests for custom orders, special orders or direct from manufacturer shipped orders. Order cancellations for stocked products must be submitted in the form of a written request to the American Lighting Inc. Customer Service Department prior to 2:00PM MST on the same day the original order was faxed or emailed. Fax to 303-695-7633 or email to [orders@americanlighting.com](mailto:orders@americanlighting.com).

The Buyer will be charged a 20% re-stocking fee and all applicable shipping charges on any order refused or returned without an authorized cancellation number.

## FREIGHT

F.O.B. Denver, Colorado.

American Lighting, Inc ships all orders using our preferred carrier. Shipping an order on the customer's own freight account is not allowed unless it is pre-approved by the Customer Service Manager AND when the carrier matches American Lighting's preferred carrier. Pre-approved "Freight Allowed" orders will be shipped via Ground Delivery. Call factory for pre-approval and freight allowed amount.

Products of a seasonal nature do not qualify for "Freight Allowed" shipping.

## SHIPMENTS

Delivery is contingent upon strikes, fires, accidents, delays of carrier, or other delays beyond our control. We strive to ship available product the same day when orders are faxed and received by our Customer Service Department by 2:00pm MST, Monday - Friday. FAX 303-695-7633.

## DROP SHIPMENTS

We are happy to process drop shipments for our customers. Each drop shipment will be subject to \$5 (USD) Drop Ship fee in addition to the normal freight charges associated with the order. For drop shipment orders, American Lighting recommends that all orders be designation "Signature Required." At the customer's request, we will ship the order with "Signature Required." American Lighting will not be responsible for lost or stolen product from a job-site or delivery-site.

## SMALL ORDER CHARGE

All orders under \$50.00 will be subject to a \$10 Small Order Charge.

## FREIGHT CLAIMS/PACKAGING

American Lighting, Inc's products are carefully inspected prior to packaging and are packed properly for shipment. We cannot assume responsibility for damage occurred in transit. If you do not inspect the cartons upon arrival for possible concealed damage, you risk forfeiture of a freight claim. All freight claims for damages or breakage, whether obvious or concealed, must be submitted in writing to the American Lighting, Inc RGA Department within 48 hours of receipt. FAX 303-695-7633.

Note: LED technology is changing rapidly. LEDs are made in lots and sorted into bins based on wavelength ranges that achieve colors. Products ordered at different times may not have the same color appearance due to variations of up to 10% within lots.

## SAFETY

You must disconnect lighting products from the power supply before servicing or replacing bulbs. Only qualified personnel should install and perform service on lighting products. Periodic inspection and maintenance is required to keep equipment operating properly and at peak performance. Do not mount fixtures on or adjacent to combustible materials.

©2020 American Lighting, Inc.

## Notes

LIGHT STRING

STRINGERS &amp; REELS

ACCESSORIES

DECORATIVE BULBS

LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL



## Notes

LIGHT STRING

STINGERS &amp; REELS

## ACCESSORIES

## DECORATIVE BULBS

## LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL

## Notes

LIGHT STRING

STRINGERS &amp; REELS

ACCESSORIES

DECORATIVE BULBS

LINEAR LIGHTING

SPECIALTY LIGHTING

ARCHITECTURAL



## This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



# AMERICAN LIGHTING

BRIGHT IDEAS • INNOVATIVE SOLUTIONS

For the most current product specifications and ordering information  
Please visit us as [www.americanlighting.com](http://www.americanlighting.com)

[www.AmericanLighting.com](http://www.AmericanLighting.com)  
11775 E. 45th Ave. Denver, CO 80239  
Phone: 800.880.1180

Printed in the U.S.A ©2020 All Rights Reserved American Lighting Inc. REV. 2033





**AMERICAN LIGHTING**  
BRIGHT IDEAS • INNOVATIVE SOLUTIONS

[www.AmericanLighting.com](http://www.AmericanLighting.com)  
11775 E. 45th Ave. Denver, CO 80239  
Phone: 800.880.1180 Fax: 303.695.7633

American Lighting Inc. All rights reserved ©2020 REV. 2033