

SPOTLIGHT

LIGHT MOVES FAST. CATCH SATCO'S MOST RECENT PRODUCT INTRODUCTIONS INSIDE!

SATCO | NUVO **NEW!**
NEW! SELECTABLE 8' & 10' BALLASTS
SMART JACK WITH SENSORS

**ADAPTABLE,
SELECTABLE & SENSIBLE**
GET SELECTABLE
SMART JACK IN 2015

CLIPQUICK

8' & 10' BALLASTS
SELECTABLE
SMART JACK
CLIPQUICK
CLIPQUICK
CLIPQUICK
CLIPQUICK

SATCO.COM | 800-457-2626

SATCO | NUVO **NEW!**
NEW! LED FILAMENT LAMPS

**NUVO LED
FILAMENT LAMPS**
TRADITIONAL LOOKS, LONG
LASTING LIGHT

LED FILAMENT LAMPS
TRADITIONAL LOOKS, LONG
LASTING LIGHT

SATCO.COM | 800-457-2626

SATCO | NUVO **NEW!**
NEW! DIRECT REPLACEMENT
LED LAMPS

**LED DIRECT REPLACEMENT
LAMPS FOR USE WITH INSTANT
OR RAPID START BALLASTS**
NO REWIRING REQUIRED

LED DIRECT REPLACEMENT
LAMPS FOR USE WITH INSTANT
OR RAPID START BALLASTS

SATCO.COM | 800-457-2626

SATCO | NUVO **NEW!**
NEW! LED PAR LAMPS

A familiar face - enhanced!
Better light, improved
efficiency & lasting
performance

LED PAR LAMPS
BETTER LIGHT, IMPROVED
EFFICIENCY & LASTING
PERFORMANCE

SATCO.COM | 800-457-2626

SATCO | NUVO **NEW!**
NEW! LED STRIP LIGHTS

**NEW LONGTIME IN-STRIP LIGHTING
TECHNOLOGY**
GET A WASTING SELECTABLE
STRIP NOW IN 4' & 8'

LED STRIP LIGHTS
NEW LONGTIME IN-STRIP
LIGHTING TECHNOLOGY

SATCO.COM | 800-457-2626

SATCO | NUVO **NEW!**
NEW! LED SELECTABLE-LINK
SLAVE PICTURES

**SELECT NEW LIGHTING
SELECTABLE-LINK SLAVE
PICTURES**

LED SELECTABLE-LINK
SLAVE PICTURES

SATCO.COM | 800-457-2626

SATCO | NUVO **NEW!**
NEW! LED BALLAST HEAD
SECURITY LIGHTS

**SECURE YOUR SPACE
WITH NEW DUAL HEAD
SECURITY LED
FLOOD LIGHTS**

LED BALLAST HEAD
SECURITY LIGHTS

SATCO.COM | 800-457-2626

SATCO | NUVO **NEW!**
NEW! LED SHOP LIGHTS

**A NEW SPACE-SAVING
SHOP LIGHT
SOLUTION**

LED SHOP LIGHTS
A NEW SPACE-SAVING
SHOP LIGHT SOLUTION

SATCO.COM | 800-457-2626





NUVO's Functional line of luminaries offers the latest technologies and manufacturing design in LED lighting for the commercial, industrial and residential market.

We bring quality, value and design to every product we create. With each progressive generation our technology and engineering advance, improving product performance, versatility of application, ease of installation, safety, maintenance and overall satisfaction.

NUVO provides lighting solutions you can count on, and products you can rely on.



**WE'VE ADDED MORE
WALL PACKS!
NEW DESIGNS &
FEATURES**



ColorQuick™

Selectable Color Technology

Switch to/from the following CCT



3000K

4000K

5000K



COLOR QUICK™ TECHNOLOGY
3 SELECTABLE CCTS

DLC PREMIUM

**ENGINEERED FOR BETTER
LIGHT PLACEMENT**

IP65
RUGGED, ALL WEATHER DURABILITY

50,000 HOURS LONG LIFE

SATCO|NUVO's line of superior quality, rugged wall packs keep expanding with top notch features like color selectable technology and advancements in design engineering to minimize light trespass.

This introduction includes our semi cutoff, full cutoff and adjustable wall pack for light delivery right where you need it. All DLC® Premium certified, each deliver 50,000 hours of superior, energy efficient LED light.



SATCO NUVO FUNCTIONAL

CCT SELECTABLE FULL CUTOFF WALL PACK




Directs light down, no light trespass
Select CCT 3000K/4000K/5000K
0-10V Dimming
Add-on photocell (Sold separately)
Maintenance free






ColorQuick™

Selectable Color Technology

Switch to/from the following CCT



86-205
Add-on photocell



120-277V



50,000 HOURS

70 CRI



Item	Description	Watts	Voltage	CCT	Lm	MH Equiv.	CRI	Life/Hrs.	UPC	Pack
65-671	40W FULL CUTOFF WALL PACK	40W	120-277V	3000K/4000K/5000K	4800 ~ 5000	100W - 150W	70	50K	045923655265	4
65-672	60W FULL CUTOFF WALL PACK	60W	120-277V	3000K/4000K/5000K	7200 ~ 7500	150W - 200W	70	50K	045923655272	4
65-673	80W FULL CUTOFF WALL PACK	80W	120-277V	3000K/4000K/5000K	9600 ~ 10000	250W	70	50K	045923655289	4
Accessory										
86-205	Add-on Photocell for LED Wall Pack Fixture								045923862052	1

CCT SELECTABLE ADJUSTABLE WALL PACK - 2 SIZES




90° Adjustable head
Select CCT 3000K/4000K/5000K
0-10V Dimming
Add-on photocell* (Sold separately)
Maintenance free




ColorQuick™

Selectable Color Technology

Switch to/from the following CCT





65-677, 65-678 3 7/8" (98.1±1mm)
 65-679, 65-680 4 7/8" (112.1±1mm)



65-677, 65-678 3 7/8" (98.1±1mm)
 65-679, 65-680 8 1/2" (216.1±1mm)

65-677, 65-678
 8 1/4" (205.3±1mm)
 65-679, 65-680
 11 1/16" (280.6±1mm)



86-205
 Add-on photocell

120-277V



50,000 HOURS

70 CRI



FCC



Item	Description	Watts	Voltage	CCT	Lm	MH Equiv.	CRI	Life/Hrs.	UPC	Pack
65-677*	28W ADJUSTABLE WALL PACK	28W	120-277V	3000K/4000K/5000K	3360 ~ 3500	70W - 100W	70	50K	045923655357	4
65-678*	40W ADJUSTABLE WALL PACK	40W	120-277V	3000K/4000K/5000K	4800 ~ 5000	100W - 150W	70	50K	045923655395	4
65-679	60W ADJUSTABLE WALL PACK	60W	120-277V	3000K/4000K/5000K	7200 ~ 7500	150W - 200W	70	50K	045923655401	4
65-680	80W ADJUSTABLE WALL PACK	80W	120-277V	3000K/4000K/5000K	9600 ~ 10000	250W	70	50K	045923655494	4
Accessory										
86-205	Add-on Photocell for LED Wall Pack Fixture								045923862052	1

*Not compatible with 86-205 photocell




CCT SELECTABLE SEMI CUTOFF WALL PACK



Directs light out, not up
Select CCT 3000K/4000K/5000K
0-10V Dimming
Add-on photocell (Sold separately)
Maintenance free



Switch to/from the following CCT



86-205
Add-on photocell



Item	Description	Watts	Voltage	CCT	Lm	MH Equiv.	CRI	Life/ Hrs.	UPC	Pack
65-674	40W SEMI CUTOFF WALL PACK	40W	120-277V	3000K/4000K/5000K	4800 ~ 5000	100W - 150W	70	50K	045923655296	4
65-675	60W SEMI CUTOFF WALL PACK	60W	120-277V	3000K/4000K/5000K	7200 ~ 7500	150W - 200W	70	50K	045923655302	4
65-676	80W SEMI CUTOFF WALL PACK	80W	120-277V	3000K/4000K/5000K	9600 ~ 10000	250W	70	50K	045923655340	4
Accessory										
86-205	Add-on Photocell for LED Wall Pack Fixture								045923862052	1

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
 110 HEARTLAND BLVD
 BRENTWOOD, NY 11717
 T. 631-243-2022
 F. 631-243-2027

TEXAS
 2000 VALWOOD PKWY
 FARMERS BRANCH, TX 75234
 T. 972-247-2437
 F. 972-247-54087

FLORIDA
 900 NW 159TH DR
 MIAMI, FL 33169
 T. 305-624-2044
 F. 305-247-5408

CALIFORNIA
 31288 SAN BENITO ST
 HAYWARD, CA 98275
 T. 510-487-4822
 F. 510-487-8955

WASHINGTON
 4710 116TH ST SW
 MUKILTEO, WA 98275
 T. 425-789-3300
 F. 425-789-3310

PUERTO RICO
 CAMPECHE STREET, 23 JULIO
 N. MATOS INDUSTRIAL PARK
 T. 787-757-3510
 F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315

**CCT SELECTABLE
LIGHTING DELIVERS
APPLICATION FLEXIBILITY
AND SAFETY**



ColorQuick™

Selectable Color Technology

Switch to/from the following CCT

3000K 4000K 5000K



**COLOR QUICK TECHNOLOGY
3 SELECTABLE CCTS**

**ENGINEERED FOR BETTER
LIGHT PLACEMENT**

WET LOCATION

DLC® LISTED

LONG LIFE — 50,000 HOURS

CCT selectable small wall packs in a compact size, perfect for light commercial use. They're built tough with UV-coated die-cast aluminum bodies and impact resistant IK10 lens for all-weather endurance.

Designed to direct light where you need it most with an integrated, bypassable photocell and long, maintenance-free, LED life.



SATCO NUVO FUNCTIONAL





LED CCT SELECTABLE SMALL WALL PACK



Perfect for light commercial use
Rugged, quality build
Compact size
3 CCT Settings:
3000K/4000K/5000K
Integrated, bypassable
photocell
Maintenance free



Switch to/from the following CCT



Item	Description	W	Voltage	CCT	Lm	Surge Protection	CRI	Life/Hrs.	UPC	Pack
65-655*	29W LED SMALL WALL PACK	29	120-277V	3000K/4000K/5000K	3650-3770	2.5KV	80	50K	045923651755	4
65-656	40W LED SMALL WALL PACK	40	120-277V	3000K/4000K/5000K	4200-5000	2.5KV	80	50K	045923651762	4

*29W 0-10V Dimmable

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSales@satco.com/631-243-2022 EXT. 315

**SELECTABLE CCT,
SUPERIOR LIGHT.**


**THE COMPACT COMMERCIAL
WALL PACK SOLUTION.**



ColorQuick™

Selectable Color Technology

Switch to/from the following CCT



3000K

4000K

5000K



3K, 4K, 5K CCT SELECTABLE

**INTEGRATED PHOTOCELL
(BY-PASSABLE)**

**COMPACT DESIGN WITH
MULTIPLE 1/2" NPT
KNOCKOUT POINTS**

**BLACK, BRONZE, WHITE
FINISHES**

0-10V DIMMABLE

WET LOCATION, IP65

DLC PREMIUM





CCT Selectable Compact Wall Packs are the latest expansion in the popular line of SATCO's commercial luminaires. At just under 9" in diameter, with superior light output and convenient, easy to use CCT selection switch inside the fixture, choose from 3000K, 4000K and 5000K at installation.

A by-passable photocell for dusk to dawn operation, multiple knockout points for pass-through wiring and with a wet location IP65 rating, these maintenance-free LED fixtures are ready for whatever outdoor conditions come their way. Perfect for multi-unit housing, light commercial, landscape, and more.



SATCO NUVO FUNCTIONAL

LED CCT SELECTABLE SMALL ROUND WALL PACK



Item	Description	Finish	W	V	CCT Selectable	Lm	CRI	Life/Hrs.	UPC	Pack
65-750	LED SMALL 20W ROUND WALL PACK	BLACK	20	120V-277V	3K/4K/5K	2600~2800	80	50K	045923657689	10
65-751	LED SMALL 20W ROUND WALL PACK	BRONZE	20	120V-277V	3K/4K/5K	2600~2800	80	50K	045923657696	10
65-752	LED SMALL 20W ROUND WALL PACK	WHITE	20	120V-277V	3K/4K/5K	2600~2800	80	50K	045923657702	10

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSales@satco.com/631-243-2022 EXT. 315


**NEW AREA LIGHTS WITH ADVANCED
TECHNOLOGY & FEATURES**
AN OVERALL SUPERIOR LIGHTING SOLUTION



ColorQuick™

Selectable Color Technology

Switch to/from the following CCT



DUSK TO DAWN PHOTOCELL

CCT SELECTABLE
3000K/4000K/5000K

**AVAILABLE IN GRAY
OR BRONZE**
29W, 40W & 60W VERSIONS

NEMA TYPE 5 LENS
DISTRIBUTION FOR
SUPERIOR LIGHT PLACEMENT

**ALL WEATHER
DURABILITY**

DLC PREMIUM CERTIFIED

LONG LIFE — 50,000 HOURS

The new CCT Selectable LED Area Light is engineered for performance inside and out! Built rugged using die cast aluminum and impact resistant lens these IP65 fixtures are all-weather tough. The new area light features our **ColorQuick®** selectable technology, a Type 5 lens for even, omni directional light distribution, and photocell for dusk to dawn operation. An optional shorting cap is available to override the photocell.

The area light can be mounted direct to wall or with the mounting arm, sold separately. DLC® premium, the new area light delivers 50,000 hours of maintenance free LED light.

OPTIONS AVAILABLE INCLUDE



65-687
Mounting Arm



65-688
Photo Cell
Shorting Cap






SATCO NUVO FUNCTIONAL

CCT SELECTABLE AREA LIGHTS



CCT Selectable
3000K/4000K/5000K
IP65, All-Weather
Durability
Type-5 Distribution,
1-10V Dimming
Long, Maintenance-
Free Life



Item	Description	Finish	W	Voltage	CCT	Lm	Surge Protection	CRI	Life/Hrs.	UPC	Pack
65-681	29W LED AREA LIGHT W/PHOTOCELL	Gray	29	120V-277V	3K/4K/5K	4060~4640	2KV	70	50K	045923656811	2
65-682	40W LED AREA LIGHT W/PHOTOCELL	Gray	40	120V-277V	3K/4K/5K	5600~6400	2KV	70	50K	045923656828	2
65-683	60W LED AREA LIGHT W/PHOTOCELL	Gray	60	120V-277V	3K/4K/5K	8400~9600	4KV	70	50K	045923656835	2
65-684	29W LED AREA LIGHT W/PHOTOCELL	Bronze	29	120V-277V	3K/4K/5K	4060~4640	2KV	70	50K	045923656842	2
65-685	40W LED AREA LIGHT W/PHOTOCELL	Bronze	40	120V-277V	3K/4K/5K	5600~6400	2KV	70	50K	045923656859	2
65-686	60W LED AREA LIGHT W/PHOTOCELL	Bronze	60	120V-277V	3K/4K/5K	8400~9600	4KV	70	50K	045923656866	2
ACCESSORIES											
65-687	ALUMINUM MOUNTING ARM									045923656873	8
65-688	PHOTO CELL SHORTING CAP									045923656880	100

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315

**VERSATILITY
 AND VALUE-PACKED,
 SATCO'S
 COLORQUICK™
 CANOPY FIXTURES**



**COLOR SELECTABLE -
 3000K / 4000K / 5000K**

DLC PREMIUM CERTIFIED

5 WATTAGE OPTIONS

1-10V DIMMING


IP65

**PENDANT MOUNTING
 OPTION**

Our latest LED canopy fixture combines rugged construction and versatility. With selectable color temperature (3000K/4000K/5000K) and surface and pendant mount options, these canopy lights can cover a multitude of applications. Our LED canopy fixtures are easy to install and at home in tough environments.



SATCO NUVO FUNCTIONAL



Item	Description	W	Voltage	Finish	CRI	CCT	Lm	Bm	Life/ Hrs	UPC	Pk
65-623	25W LED CANOPY LIGHT	25W	100-277V	White	80	3000/4000/5000	2800~3322	150°	50K	045923674228	4
65-624	25W LED CANOPY LIGHT	25W	100-277V	Bronze	80	3000/4000/5000	2800~3322	150°	50K	045923674235	4
65-625	40W LED CANOPY LIGHT	40W	100-277V	White	80	3000/4000/5000	4425~5293	150°	50K	045923674242	4
65-626	40W LED CANOPY LIGHT	40W	100-277V	Bronze	80	3000/4000/5000	4425~5293	150°	50K	045923674259	4
65-627	55W LED CANOPY LIGHT	55W	100-277V	White	80	3000/4000/5000	6297~7546	150°	50K	045923674266	4
65-628	55W LED CANOPY LIGHT	55W	100-277V	Bronze	80	3000/4000/5000	6297~7546	150°	50K	045923674273	4
65-629	75W LED CANOPY LIGHT	75W	100-277V	White	80	3000/4000/5000	8876~10485	150°	50K	045923674280	2
65-630	75W LED CANOPY LIGHT	75W	100-277V	Bronze	80	3000/4000/5000	8876~10485	150°	50K	045923674297	2
65-631	100W LED CANOPY LIGHT	100W	100-277V	White	80	3000/4000/5000	11946~13999	150°	50K	045923674303	2
65-632	100W LED CANOPY LIGHT	100W	100-277V	Bronze	80	3000/4000/5000	11946~13999	150°	50K	045923674310	2
Accessory											
86-213	ADD-ON MICROWAVE SENSOR			White						045923862137	50

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALS@SATCO.COM/631-243-2022 EXT. 315

**SATCO UFO
HIGH BAY
NOW
AVAILABLE
IN WHITE!**



0-10V DIMMING

50,000 HOURS

120° BEAM ANGLE

IP 65

LOADS OF OPTIONS

Rugged LED high bay fixture
Superior light output
DLC Premium Listing
Greater application versatility

SATCO's UFO high bay in now available in both blank and white finish and offers a full and growing suite of optional accessories. Bi-level dimming microwave sensor add on, pendant mount adapter, optional 60° and 90° optics, anti-glare shield and an anti-glare shield with bottom diffuser; these rugged, high quality, integrated fixtures are designed to provide commercial applications with versatility in lighting needs.



SATCO NUVO FUNCTIONAL



LED UFO HIGH BAY FIXTURE



6' Power Supply Cord









LED UFO High Bay Fixture (100-277V) (277-480V)



Item	Lamp Description	Watts	Volts	HID Equiv.	Finish	CCT	Lumen	CRI	LifeHrs.	UPC	Pack/ Mstr.
LED UFO High Bay Fixture (100-277V)											
65-181*	LED UFO High Bay	100	100-277V	200-250W	Black	4000K	13000	70+	50,000	045923738104	1
65-182*	LED UFO High Bay	100	100-277V	200-250W	Black	5000K	13000	70+	50,000	045923738111	1
65-183*	LED UFO High Bay	150	100-277V	300-400W	Black	4000K	19500	70+	50,000	045923738128	1
65-184*	LED UFO High Bay	150	100-277V	300-400W	Black	5000K	19500	70+	50,000	045923738135	1
65-185*	LED UFO High Bay	200	100-277V	600W	Black	4000K	26000	70+	50,000	045923738142	1
65-186*	LED UFO High Bay	200	100-277V	600W	Black	5000K	26000	70+	50,000	045923738159	1
65-191	LED UFO High Bay	100	100-277V	200-250W	White	4000K	13000	70+	50,000	045923683121	1
65-192	LED UFO High Bay	100	100-277V	200-250W	White	5000K	13000	70+	50,000	045923683138	1
65-193	LED UFO High Bay	150	100-277V	300-400W	White	4000K	19500	70+	50,000	045923683145	1
65-194	LED UFO High Bay	150	100-277V	300-400W	White	5000K	19500	70+	50,000	045923683152	1
65-195	LED UFO High Bay	200	100-277V	600W	White	4000K	26000	70+	50,000	045923683169	1
65-196	LED UFO High Bay	200	100-277V	600W	White	5000K	26000	70+	50,000	045923683176	1
LED UFO High Bay Fixture (277-480V)											
65-522	LED UFO High Bay	100	277-480V	200-250W	Black	5000K	13000	70+	50,000	045923683190	1
65-524	LED UFO High Bay	150	277-480V	300-400W	Black	5000K	19500	70+	50,000	045923683213	1
65-526	LED UFO High Bay	200	277-480V	600W	Black	5000K	26000	70+	50,000	045923683237	1



LED UFO HIGH BAY FIXTURE





OPTIONAL ACCESSORIES



Yoke mount
(100-150W – item **65-197**)
(200W – item **65-198**)




IP68 Rated whip, black (item **65-199**)
IP68 Rated whip, white (item **65-200**)

- Features
- 5.5 Ft. length SJTW 18/3
 - Waterproof IP68 rated
 - Voltage rating 300V
 - Current rating 16A
 - Operating temperature range -40°C—105°



Microwave sensor – step
down dimming only
(item **86-207**)



Wire guard, white
(item **65-177**)



Prismatic shade
(item **65-178**) and bottom
shade diffuser (item **65-179**)



Anti-glare reflector
(item **65-187**)



Microwave sensor –
step down dimming only
(item **86-207**)



Pendant adapter
(item **65-180**)



Prismatic shade
(item **65-178**)



Carabiner hook
(item **65-190**)



Pendant adapter
(3/8" to 3/4" NPT)
(item **65-180**)



Bottom shade diffuser
(item **65-179**) must be used
with 65-178 shade



60° (Item **65-188**)
or 90° (Item **65-189**) optic



Microwave
sensor remote
(item **86-208**)*

* One Required Per Installation

Accessories

Item	Description	UPC	Pack/Mstr.
65-177	Protective wire guard – White	045923674419	5
65-178	Optional Add On Prismatic Shade – must be paired with 65-179 shade	045923683084	5
65-179	Bottom Diffuser (for 65-178)	045923683091	20
65-180	Pendant Adapter (3/8" to 3/4" NPT)	045923683107	20
65-187	Optional Add On Anti-Glare Reflector – Clear Prismatic	045923680137	100
65-188	Optional 60° Replacement Optic – Impact resistant diffuser	045923680144	6
65-189	Optional 90° Replacement Optic – Impact resistant diffuser	045923680151	100
65-190	Carabiner Hook	045923683114	100
65-197	Yoke Mount (100-150W)	045923850011	20
65-198	Yoke Mount (200W)	045923850011	20
65-199	IP68 Rated Connector with 5.5 ft. Whip – Black	045923850011	20
65-200	IP68 Rated Connector with 5.5 ft. Whip – White	045923850011	20
86-207	UFO High Bay Sensor Control	045923850011	20
86-208	Remote (for sensor 86-207)	045923850028	20

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)

110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS

2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA

900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA

31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON

4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO

CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALS@SATCO.COM/631-243-2022 EXT. 315

**Introducing the new high
standard for linear high bays...
Fully adjustable directional
light output puts control in
your hands!**



**FULLY INDEPENDENT
ARTICULATING LIGHT
PANELS**

120-277V

1-10V DIMMABLE

IP40

DLC PREMIUM

50,0000

5 YEAR WARRANTY




The nature of a traditional high bay is to put out as much light in the widest range possible. On paper this sounds like a good plan, but in form & function it can be quite literally blinding and inefficient. Whether you're trying to reach that top box on a warehouse shelf or tracking a volleyball in a gymnasium during the state championship, no one wants to be left seeing spots from powerful overhead lighting.

The graceful articulation of the individual panels on our adjustable high bay puts the power of directionality in your hands. Along with a full suite of accessories including PIR & Microwave sensors, protective cages, surface & pendant mount kits, and an Emergency battery backup unit, you now have the ability to light what you want the way you want to see it lit!



SATCO NUVO FUNCTIONAL



Item	Description	Watts	Voltage	CRI	CCT	Lm	Bm	Life/ Hrs.	UPC	Pack
65-641	110W LED ADJUSTABLE HIGH BAY	110	120-277V	80	4000	15297	100°	50K	045923674327	1
65-642	110W LED ADJUSTABLE HIGH BAY	110	120-277V	80	5000	15470	100°	50K	045923674334	1
65-643	135W LED ADJUSTABLE HIGH BAY	135	120-277V	80	4000	19562	100°	50K	045923674341	1
65-644	135W LED ADJUSTABLE HIGH BAY	135	120-277V	80	5000	19770	100°	50K	045923674358	1
65-645	165W LED ADJUSTABLE HIGH BAY	165	120-277V	80	4000	22970	100°	50K	045923674365	1
65-646	165W LED ADJUSTABLE HIGH BAY	165	120-277V	80	5000	23223	100°	50K	045923674372	1
65-647	220W LED ADJUSTABLE HIGH BAY	220	120-277V	80	4000	30394	100°	50K	045923674389	1
65-648	220W LED ADJUSTABLE HIGH BAY	220	120-277V	80	5000	30742	100°	50K	045923674396	1

ACCESSORIES

Item	Description	Finish	UPC	Pack
65-650	PENDANT MOUNT KIT ADJ HI BAY	White	045923656507	20
65-651	SURFACE MOUNT KIT ADJ HI BAY	White	045923674464	20
65-652	PROTECTIVE CAGE FOR 110W/135W/165W ADJ HI BAY - SET OF 2	White	045923654794	10
65-653	PROTECTIVE CAGE FOR 220W ADJ HI BAY - SET OF 2	White	045923654800	10
86-209	EM BATTERY BACK UP ADJ HI BAY	White	045923862090	10
86-210	MICROWAVE SENSOR ADJ HI BAY	White	045923862106	20
86-211	PIR SENSOR ADJ HI BAY	White	045923862113	20

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALS@SATCO.COM/631-243-2022 EXT. 315



ColorQuick™

Selectable Color Technology

Integrated EM Options • Damp Location • DLC Listed



BACKLIT LED TECHNOLOGY

0-10V DIMMING • 80 CRI


100-277V/100-347V

DLC CERTIFIED

DAMP LOCATION

50,000 HOURS

AVAILABLE IN
SIZES: 2x2, 1x4 & 2x4



Switch to/from the following CCT



3500K

4000K



5000K

SATCO's LED Backlit Flat Panels with ColorQuick™ technology are like having three skus for every one. Through advanced manufacturing, even light distribution is achieved at a greater cost savings, and with the added color selectable feature, DLC certification and long, maintenance free life, the LED backlit flat panel offers premium value.


EM Sensor option available. Suspension kits available and sold separately.



SATCO NUVO FUNCTIONAL



3500K 4000K 5000K
Selectable CCT
3500K, 4000K, 5000K



Optional junction box for excess wire, available separately.



Item	Description	Watts	Voltage	CRI	CCT Selectable	Lm	Life/Hrs.	UPC	Pack/Mstr.
------	-------------	-------	---------	-----	----------------	----	-----------	-----	------------

LED Back-lit flat panel with ColorQuick technology

65-571	2x2 LED BACKLIT	40	100-277V	>80	3500K/4000K/5000K	4200~4400	50K	045923659492	1
65-573	1x4 LED BACKLIT	40	100-277V	>80	3500K/4000K/5000K	4200~4400	50K	045923659508	1
65-572	2x4 LED BACKLIT	50	100-277V	>80	3500K/4000K/5000K	5250~5500	50K	045923659515	1
65-581	2x2 LED BACKLIT	40	100-347V	>80	3500K/4000K/5000K	4200~4400	50K	045923659522	1
65-582	2x4 LED BACKLIT	50	100-347V	>80	3500K/4000K/5000K	5250~5500	50K	045923659539	1
65-575	2x2 LED EM BACKLIT	40	100-277V	>80	3500K/4000K/5000K	4200~4400	50K	045923659546	1
65-577	1x4 LED EM BACKLIT	40	100-277V	>80	3500K/4000K/5000K	4200~4400	50K	045923655616	1
65-576	2x4 LED EM BACKLIT	50	100-277V	>80	3500K/4000K/5000K	5250~5500	50K	045923659553	1
65-585	2x2 LED EM BACKLIT	40	100-347V	>80	3500K/4000K/5000K	4200~4400	50K	045923659560	1
65-586	2x4 LED EM BACKLIT	50	100-347V	>80	3500K/4000K/5000K	5250~5500	50K	045923659577	1
65-587	1x4 LED EM BACKLIT	40	100-347V	>80	3500K/4000K/5000K	4200~4400	50K	045923650796	1

Item	Description	Dimensions	Finish	UPC	Pack/Mstr.
------	-------------	------------	--------	-----	------------

LED Flat Panels Accessories

LED Back-lit suspension kit — includes all necessary mounting hardware and 4' of airplane cable

65-591	2x2 SUSPENSION KIT			045923659584	30/1
65-592	1x4 SUSPENSION KIT			045923659591	30/1
65-593	2x4 SUSPENSION KIT			045923659607	30/1

LED Back-lit surface mount frame kit — includes all necessary hardware

65-595	1 x 4 FRAME KIT	48" L x 12 1/16" W x 4 5/16" D	White	045923655623	10/1
65-596	2 x 2 FRAME KIT	24 1/16" L x 24 9/16" W x 4 5/16" D	White	045923655630	10/1
65-597	2 x 4 FRAME KIT	48" L x 24 9/16" W x 4 5/16" D	White	045923655647	10/1

LED Back-lit recessed flange kit — includes all necessary hardware

65-588	1 x 4 RECESSED FLANGE KIT	49 3/16" L x 13 1/4" W x 1 1/4" D	White	045923655654	10/1
65-589	2 x 2 RECESSED FLANGE KIT	25 3/16" L x 25 3/16" W x 1 1/2" D	White	045923655661	10/1
65-590	2 x 4 RECESSED FLANGE KIT	49 3/16" L x 25 3/16" W x 1 1/2" D	White	045923655678	10/1

Add-on junction box (increases flexibility for branch circuit wiring)

65-594	Add On Junction Box			045923675942	20/1
--------	---------------------	--	--	--------------	------

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)

110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS

2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA

900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA

31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON

4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO

CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALSA@SATCO.COM/631-243-2022 EXT. 315

**SELECTABLE
SOLUTIONS BRING
GREATER VALUE TO
YOUR STOCK.**



ColorQuick™

Selectable Color Technology

Switch to/from the following CCT

3500K 4000K 5000K



PowerQuick™

Wattage Selectable

Selectable Wattage

30W 40W 50W



3 CCT SELECTIONS

3 WATTAGE SELECTIONS

**2x2 AND 2x4
SINGLE AND DOUBLE BASKET**

0-10V DIMMING • 80 CRI

DAMP LOCATION

50,000 HOURS

Satco's single and double basket LED troffers are many sku's wrapped up in one item. The CCT and wattage selectable feature helps manage inventory and is versatile in many different applications.







Select from 3500K/4000K/5000K

Select from 30W/35W/40W (2x2)

Select from 30W/40W/50W (2x4)



SATCO NUVO FUNCTIONAL

Single basket
2x2

2x4

Double basket
2x2

2x4


Item	Description	Wattage Selectable	Voltage	Finish	CCT Selectable	Lm	CRI	Life/ Hrs.	UPC	Pack
65-690	2X2 SINGLE BASKET TROFFER	30W/35W/40W	100-277V	WHITE	3500K/4000K/5000K	3300 ~ 4400	80	50K	045923656088	1
65-691	2X4 SINGLE BASKET TROFFER	30W/40W/50W	100-277V	WHITE	3500K/4000K/5000K	3300 ~ 5500	80	50K	045923655104	1
65-694	2X2 DOUBLE BASKET TROFFER	30W/35W/40W	100-277V	WHITE	3500K/4000K/5000K	3300 ~ 4600	80	50K	045923655197	1
65-695	2X4 DOUBLE BASKET TROFFER	30W/40W/50W	100-277V	WHITE	3500K/4000K/5000K	3300 ~ 5750	80	50K	045923655203	1

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315

NEW LENGTHS IN STRIP LIGHTING TECHNOLOGY!

**CCT & WATTAGE SELECTABLE
STRIPS NOW IN 4' & 8'**



ColorQuick™

Selectable Color Technology

Switch to/from the following CCT

3500K 4000K 5000K



PowerQuick™

Wattage Selectable

Selectable Wattage

30W 40W 50W



CCT & WATTAGE SELECTABLE

**0-10V DIMMABLE,
FLICKER-FREE DRIVER**

**OPTIONAL: EM BATTERY
BACKUP, PIR & MW SENSORS**

**50K HOURS,
MAINTENANCE- FREE LED**

The rugged quality construction and ease of installation built into SATCO's strip lights just proved a whole lot wiser a choice in utility lighting fixtures with the addition of CCT and wattage selectable technologies in their new 4' and 8' fixtures. With a quick release button for easy setting and additional options like emergency battery backup, microwave and PIR sensors; SATCO's new strip lights offer versatility and value in one great solution.





**OPTIONAL SUSPENSION
KITS AVAILABLE**



SATCO NUVO FUNCTIONAL

CCT & WATTAGE SELECTABLE 4' & 8' STRIP LIGHTS



Item	Description	Wattage Selectable	Voltage	CCT Selectable	Lm	CRI	Life/Hrs.	UPC	Pack
65-701	4' LINEAR STRIP WHITE FINISH 100-277V	30W/40W/50W	100-277V	3500/4000/5000	3900-6750	80	50K	045923655593	6
65-702	8' LINEAR STRIP WHITE FINISH 100-277V	30W/40W/50W	100-277V	3500/4000/5000	3900-6750	80	50K	045923655708	4
Accessories									
65-706	4' SUSPENSION KIT — 59" SUSPENSION LENGTH — Includes All Necessary Mounting Hardware							045923655791	50
65-707	8' SUSPENSION KIT — 59" SUSPENSION LENGTH — Includes All Necessary Mounting Hardware							045923655807	50
65-708	ADD ON EM — 8W/1440LM/90 MINUTE RUN TIME — Battery Mode: 8W ~1440 Lumens - 90 Minute Run Time							045923656071	20
86-210	MICROWAVE SENSOR — WHITE							045923862106	20
86-211	PIR SENSOR — WHITE							045923862113	20

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSales@satco.com/631-243-2022 EXT. 315


**SHED NEW LIGHT ON
UTILITY AREAS WITH
LED CLOUD FIXTURES**



ColorQuick™

Selectable Color Technology

Selectable color temperature



**COLOR SELECTABLE-
3000K/4000K/5000K**

11" & 14" SIZES

**PMMA
NON YELLOWING LENS**

**AVAILABLE WITH OR
WITHOUT ON/OFF
MICROWAVE SENSOR**

DAMP LOCATION

ENERGY STAR®

LED Cloud fixtures now feature Satco's ColorQuick™ Selectable CCT technology for even more versatility:

- Simple CCT selection
- Versatile Design
- Integrated on/off microwave sensor versions

The SATCO® Cloud fixture is truly an all purpose lighting solution.




SATCO NUVO FUNCTIONAL

NEW! LED CLOUD FIXTURES



ColorQuick™
Adjustable CCT technology

Selectable color temperature



Change CCT with easy to use switch

3 CCT Selectable Settings

Perfect For Closets and Complies with NEC 410.16 (A)(3) & NEC 410.16(C)(5)
Sensor versions minimum room size 50 sq. ft.

Integrated Microwave Sensor Versions
ENERGY STAR® Certified

Dimmable (non-sensor versions only)*

Available in 2 sizes - 11 & 14"



Item	Description	W	V	Finish	CCT	Lm	CRI	Width	Height	Life/Hrs.	UPC	Pk
62-1210*	11" LED CCT Selectable Flush Fixture	16	120V	White	3000K/4000K/5000K	1067L ~ 1132L	90	11"	3.125"	50K	045923621475	6
62-1211	11" LED CCT Selectable Flush Fixture with Sensor	16.5	120V	White	3000K/4000K/5000K	1067L ~ 1132L	90	11"	3.125"	50K	045923621482	6
62-1212*	14" LED CCT Selectable Flush Fixture	20	120V	White	3000K/4000K/5000K	1307L ~ 1414L	90	14"	3.55"	50K	045923621499	4
62-1213	14" LED CCT Selectable Flush Fixture with Sensor	20.5	120V	White	3000K/4000K/5000K	1307L ~ 1414L	90	14"	3.55"	50K	045923621505	4

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)

110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS

2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA

900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA

31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON

4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO

CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALSA@SATCO.COM/631-243-2022 EXT. 315

**A NEW
SPACE-SAVING
SHOP LIGHT
SOLUTION**



**SUSPENSION OR CEILING
MOUNT INSTALLATION**

ON/OFF PULL-CHAIN

**BRIGHT, 34W
SUPERIOR LED LIGHT**

ENERGY STAR®

120V PLUG-IN


The 3' LED shop light is the perfect solution for workspaces that require superior light output. Flush mount on the ceiling or suspend from above with the included hardware. ON/OFF pull chain operation and plug in connection, these rugged, quality constructed shop lights offer 50K hours of long, maintenance free LED life.



SATCO NUVO FUNCTIONAL

3' LED SHOP LIGHT

Suspension or Ceiling Mount
ON/OFF Pull-Chain
120v Plug-in
3000 Lumens
ENERGY STAR® Certified



Item	Description	W	V	CCT	Lm	CRI	Life/Hrs.	UPC	Pack
62-927	3 Ft. LED Shop Light With Pull Chain	34	120V	4000K	3000	80	50K	045923629846	8

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315

**THE NEW ANGLE
ON TRACK:
EASY, LINEAR
LIGHTING
SOLUTIONS**

At home or in a commercial space, SATCO's track bars are an easy way to add linear effects to your lighting and to accent architectural features like relief walls, artwork, signs and more. Manufactured with superior, long lasting, no maintenance LED, SATCO Track Bars are available in black and white finishes and in four convenient lengths of 1', 2', 3' or 4'.

**270°
rotation**



LINEAR LIGHT FROM A TRACK FIXTURE

EASY, SNAP-IN INSTALLATION

270° ROTATION - DIMMABLE

1', 2', 3' AND 4' LENGTHS

WHITE OR BLACK FINISH


LONG LED LIFE - 30,000 HOURS



SATCO NUVO FUNCTIONAL

NEW! LED LINEAR TRACK BARS

EASILY INSTALLS DIRECTLY ONTO STANDARD TRACK
 DELIVERS SUPERIOR LINEAR LIGHT FOR WASH EFFECTS AND MORE
 DIMMABLE
 270° ROTATION, 30° BEAM ANGLE
 1', 2', 3' AND 4' SIZES
 BLACK OR WHITE FINISH



Item	Description	W	V	Finish	CCT	Lm	CRI	Beam Angle	Length	Width	Height	Life/Hrs.	UPC	Pk
TH500	15W LED 1 Foot Track Bar	15	120V	White	3000K	960	90	30°	13 1/2"	1 1/2"	1 1/2"	30K	045923405006	12
TH501	15W LED 1 Foot Track Bar	15	120V	Black	3000K	960	90	30°	13 1/2"	1 1/2"	1 1/2"	30K	045923405013	12
TH502	30W LED 2 Foot Track Bar	30	120V	White	3000K	1920	90	30°	24"	1 1/2"	1 1/2"	30K	045923405020	12
TH503	30W LED 2 Foot Track Bar	30	120V	Black	3000K	1920	90	30°	24"	1 1/2"	1 1/2"	30K	045923405037	12
TH504	45W LED 3 Foot Track Bar	45	120V	White	3000K	2880	90	30°	34 1/4"	1 1/2"	1 1/2"	30K	045923405044	12
TH505	45W LED 3 Foot Track Bar	45	120V	Black	3000K	2880	90	30°	34 1/4"	1 1/2"	1 1/2"	30K	045923405051	12
TH506	60W LED 4 Foot Track Bar	60	120V	White	3000K	3840	90	30°	44 3/4"	1 1/2"	1 1/2"	30K	045923405068	12
TH507	60W LED 4 Foot Track Bar	60	120V	Black	3000K	3840	90	30°	44 3/4"	1 1/2"	1 1/2"	30K	045923405075	12

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
 110 HEARTLAND BLVD
 BRENTWOOD, NY 11717
 T. 631-243-2022
 F. 631-243-2027

TEXAS
 2000 VALWOOD PKWY
 FARMERS BRANCH, TX 75234
 T. 972-247-2437
 F. 972-247-54087

FLORIDA
 900 NW 159TH DR
 MIAMI, FL 33169
 T. 305-624-2044
 F. 305-247-5408

CALIFORNIA
 31288 SAN BENITO ST
 HAYWARD, CA
 T. 510-487-4822
 F. 510-487-8955

WASHINGTON
 4710 116TH ST SW
 MUKILTEO, WA 98275
 T. 425-789-3300
 F. 425-789-3310

PUERTO RICO
 CAMPECHE STREET, 23 JULIO
 N. MATOS INDUSTRIAL PARK
 T. 787-757-3510
 F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSales@satco.com/631-243-2022 EXT. 315

UNIQUE DESIGNS MODERN PROFILES: TRACK'S NEW DIRECTION



NEW! MONO POINTS

NEW! LINEAR TRACK BARS

**EXPANDED TRACK HEAD
OFFERING**

**CUSTOMIZABLE ACCENT LIGHTING
FOR LOW TO MID CEILING**

RESIDENTIAL AND COMMERCIAL

This SATCO track expansion includes mono points, linear track bars and the addition of several new track heads with modern profiles and adjustable design features, offering even more versatility and new direction to our track products! These introductions add new ways to custom tailor track lighting in low to mid ceiling residential and commercial environments.



SATCO **NUVO FUNCTIONAL**

TRACK HEADS

MODERN PROFILES
NEW! ADJUSTABLE DUAL TRACK HEADS
POPULAR WHITE, BLACK AND BRUSHED NICKEL FINISH
EASY INSTALL

**3000
K**

**1020
LUMENS**

**90
CRI**

**30,000
HOURS**

**120
VOLT**

**12
WATTS**



ROUND[†]

TH401 - 24"; White
 TH402 - 24"; Black
 TH403 - 36"; White
 TH404 - 36"; Black
 TH405 - 24"; Br.Nickel
 TH407 - 36"; Br.Nickel

Width: 3", Height: 2 1/4", Length: 5 1/8"
 Case Quantity: 12



PINCH BACK[†]

TH411 - 24"; White
 TH412 - 24"; Black
 TH413 - 36"; White
 TH414 - 36"; Black
 TH415 - 24"; Br.Nickel
 TH417 - 36"; Br.Nickel

Width: 2 3/4", Height: 2 3/4", Length: 5 5/8"
 Case Quantity: 12



ANGLE ARM[†]

TH421 - 24"; White
 TH422 - 24"; Black
 TH423 - 36"; White
 TH424 - 36"; Black
 TH425 - 24"; Br.Nickel
 TH427 - 36"; Br.Nickel

Width: 2 1/2", Height: 2 3/8", Length: 6 1/4"
 Case Quantity: 12



TAPER BACK[†]

TH451 - 24"; White
 TH452 - 24"; Black
 TH453 - 36"; White
 TH454 - 36"; Black
 TH455 - 24"; Br.Nickel
 TH457 - 36"; Br.Nickel

Width: 2 13/16", Height: 3 1/4", Length: 5 1/4"
 Case Quantity: 12



SMALL CYLINDER[†]

TH471 - 24"; White
 TH472 - 24"; Black
 TH473 - 36"; White
 TH474 - 36"; Black
 TH475 - 24"; Br.Nickel
 TH477 - 36"; Br.Nickel

Width: 2 3/16", Height: 3 1/2", Length: 5 3/16"
 Case Quantity: 12



BARREL[†]

TH431 - 24"; White
 TH432 - 24"; Black
 TH433 - 36"; White
 TH434 - 36"; Black
 TH435 - 24"; Br.Nickel
 TH437 - 36"; Br.Nickel

Width: 2 1/4", Height: 3 3/4", Length: 5"
 Case Quantity: 12

TRACK HEADS

MODERN PROFILES
NEW! ADJUSTABLE DUAL TRACK HEADS
POPULAR WHITE, BLACK AND BRUSHED NICKEL FINISH
EASY INSTALL

3000 K	1020 LUMENS	90 CRI	30,000 HOURS	120 VOLT	12 WATTS
-------------------------	------------------------------	-------------------------	-------------------------------	---------------------------	---------------------------



NEW!

FORGED TRACK HEAD[†]

TH488 - 24"; Black
 TH489 - 36"; Black
 TH490 - 24"; White
 TH491 - 36"; White
 TH492 - 24"; Br.Nickel
 TH493 - 36"; Br.Nickel
 Width: 3", Height: 5¼", Length: 4"
 Case Quantity: 12



PIPE[†]

TH441 - 24"; White
 TH442 - 24"; Black
 TH443 - 36"; White
 TH444 - 36"; Black
 TH445 - 24"; Br.Nickel
 TH447 - 36"; Br.Nickel
 Width: 2¾", Height: 2¾", Length: 5¾"
 Case Quantity: 12



NEW!

PIPE DUAL TRACK HEAD

TH480 - 24"; Black
 TH481 - 36"; Black
 TH482 - 24"; White
 TH483 - 36"; White
 Width: 2¼", Height: 6", Length: 6¾"
Lumens: 2040
Watts: 24
 Case Quantity: 6



NEW!

PISTON TRACK HEAD[†]

TH494 - 24"; Black
 TH495 - 36"; Black
 TH496 - 24"; White
 TH497 - 36"; White
 TH498 - 24"; Br. Nickel
 TH499 - 36"; Br. Nickel
 Width: 3", Height: 5¼", Length: 4"
 Case Quantity: 12



SQUARE[†]

TH461 - 24"; White
 TH462 - 24"; Black
 TH463 - 36"; White
 TH464 - 36"; Black
 TH465 - 24"; Br. Nickel
 TH467 - 36"; Br. Nickel
 Width: 2¾", Height: 2¾", Length: 5¾"
 Case Quantity: 12



NEW!

Fully adjustable

SQUARE DUAL TRACK HEAD

TH484 - 24"; Black
 TH485 - 36"; Black
 TH486 - 24"; White
 TH487 - 36"; White
 Width: 2¼", Height: 6", Length: 6¾"
Lumens: 2040
Watts: 24
 Case Quantity: 6

NEW! MONO POINT

BLACK OR WHITE FINISH
INSTANT ACCENT LIGHTING
INSTALLS LIKE CEILING LIGHT
ADJUSTABLE HEAD
WALL & CEILING APPLICATION

3000 K **1020 LUMENS** **90 CRI** **30,000 HOURS** **120 VOLT** **12 WATTS**



TAPER BACK Mono point
62-1107 - 36"; Black
62-1108 - 36"; White
Width: 4¾", Height: 4½", Length: 4¾"
Case Quantity: 12
Suitable for wall and ceiling applications




BARREL Mono point
62-1105 - 36"; Black
62-1106 - 36"; White
Width: 4¾", Height: 4½", Length: 4¾"
Case Quantity: 12
Suitable for wall and ceiling applications

NEW! LINEAR TRACK BARS

BLACK OR WHITE FINISH
INSTALLS DIRECTLY ONTO TRACK
ROTATES 270°
DELIVERS EXCEPTIONAL WALL WASH
ACCENT LIGHTING
4 SIZES AVAILABLE

3000 K **90 CRI** **30,000 HOURS** **120 VOLT**



1 FOOT TRACK BAR

TH500 - 30"; White
TH501 - 30"; Black
Width: 1½", Height: 1½", Length: 13½"
Lumens: 960
Watts: 15
Case Quantity: 12

2 FOOT TRACK BAR

TH502 - 30"; White
TH503 - 30"; Black
Width: 1½", Height: 1½", Length: 24"
Lumens: 1920
Watts: 30
Case Quantity: 12

3 FOOT TRACK BAR

TH504 - 30"; White
TH505 - 30"; Black
Width: 1½", Height: 1½", Length: 34¾"
Lumens: 2880
Watts: 45
Case Quantity: 12

4 FOOT TRACK BAR

TH506 - 30"; White
TH507 - 30"; Black
Width: 1½", Height: 1½", Length: 44¾"
Lumens: 3840
Watts: 60
Case Quantity: 12

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)

110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS

2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA

900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA

31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON

4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO

CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSales@satco.com/631-243-2022 EXT. 315

**SECURE YOUR SPACE
WITH NEW DUAL HEAD
SECURITY LED
FLOOD LIGHTS**



NEW BULLET HEAD STYLE

**RECESSED & SURFACE-MOUNTED
JUNCTION BOXES**

**WALL OR EAVE MOUNT
APPLICATIONS**

WET LOCATION LISTED

**WITH OR WITHOUT INTEGRATED
MOTION SENSOR**

ENERGY STAR® CERTIFIED

5 YEAR WARRANTY






Satco's popular dual head security lights now come in a bullet head style and can be mounted on both recessed or external junction boxes. For residential and commercial use. Made of durable die cast aluminum, fully articulating heads move to adjust and deliver 50K hours of superior long-lasting light. Available in white, bronze and black finish. IP65 rated and ENERGY STAR® certified, security lights are offered with and without motion sensor.



SATCO NUVO FUNCTIONAL

NEW! DUAL BULLET HEAD SECURITY LED FLOOD LIGHTS



Recessed and External
J-box Mounting

Fully Articulating
Die-Cast Heads

With or without Sensor
Versions

IP65 Rated

2KV Surge Protection

**Motion Sensor
Specifications**

Time setting: 10 seconds
to 10 minutes

Detection angle: 180°

Detection range: 10' to 60'

Dusk to dawn feature

Manual override



Item	Description	W	V	Finish	CCT	Total Lm (Both Heads)	CRI	Life/ Hrs.	UPC	Pack
65-710	DUAL HEAD/WHITE FINISH/3000K	20	120V-277V	WHITE	3000K	1900	80	50K	045923629525	5
65-712	DUAL HEAD/BRONZE FINISH/3000K	20	120V-277V	BRONZE	3000K	1900	80	50K	045923629532	5
65-714	DUAL HEAD/BLACK FINISH/3000K	20	120V-277V	BLACK	3000K	1900	80	50K	045923629549	5
65-716	DUAL HEAD/WHITE FINISH/4000K	20	120V-277V	WHITE	4000K	1900	80	50K	045923629556	5
65-718	DUAL HEAD/BRONZE FINISH/4000K	20	120V-277V	BRONZE	4000K	1900	80	50K	045923629563	5
65-720	DUAL HEAD/BLACK FINISH/4000K	20	120V-277V	BLACK	4000K	1900	80	50K	045923629570	5
65-711	DUAL WHITE W/MOTION SENSOR/3000K	20	120V	WHITE	3000K	1900	80	50K	045923629587	5
65-713	DUAL BRONZE W/MOTION SENSOR/3000K	20	120V	BRONZE	3000K	1900	80	50K	045923629594	5
65-715	DUAL BLACK W/MOTION SENSOR/3000K	20	120V	BLACK	3000K	1900	80	50K	045923629600	5
65-717	DUAL WHITE W/MOTION SENSOR/4000K	20	120V	WHITE	4000K	1900	80	50K	045923629617	5
65-719	DUAL BRONZE W/MOTION SENSOR/4000K	20	120V	BRONZE	4000K	1900	80	50K	045923629624	5
65-721	DUAL BLACK W/MOTION SENSOR/4000K	20	120V	BLACK	4000K	1900	80	50K	045923629631	5

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSales@satco.com/631-243-2022 EXT. 315

**Long lasting
Superior LED light
Meets beautiful
design options.**



6W, 9W AND 12W VERSIONS

3 SIZES / 3 FINISHES

50,000 HOURS

**120V / NO TRANSFORMER
REQUIRED**

MANY MOUNTING OPTIONS



Our newest landscape floods open up more design and application opportunities with 3 finishes and wattages to choose from. Quality construction means these fixtures are at home in wet locations. Easy installation and LED efficiency means they save time and money.



Mounting posts and mounting plate available in all finishes – sold separately.



SATCO NUVO FUNCTIONAL






62-1200



62-1203



62-1208


 62-1200
62-1201
62-1202
PAR 16 Size

 62-1203
62-1204
62-1205
PAR 20 Size

 62-1206
62-1207
62-1208
PAR 30 Size

Accessories


76-640 76-641 60-680 60-678



76-665 76-666



60-673 60-676



Item	Description	W	V	Finish	CCT	Lm	CRI	Life/Hrs.	UPC	Pack
62-1200	6W LED LANDSCAPE FLOOD PAR 16	6	120	BRONZE	3000K	640	80	50K	045923680168	12
62-1201	6W LED LANDSCAPE FLOOD PAR 16	6	120	DARK GRAY	3000K	640	80	50K	045923512018	12
62-1202	6W LED LANDSCAPE FLOOD PAR 16	6	120	LIGHT GRAY	3000K	640	80	50K	045923512025	12
62-1203	9W LED LANDSCAPE FLOOD PAR 20	9	120	DARK GRAY	3000K	900	80	50K	045923512032	12
62-1204	9W LED LANDSCAPE FLOOD PAR 20	9	120	LIGHT GRAY	3000K	900	80	50K	045923512049	12
62-1205	9W LED LANDSCAPE FLOOD PAR 20	9	120	BRONZE	3000K	900	80	50K	045923680175	12
62-1206	12W LED LANDSCAPE FLOOD PAR 30	12	120	BRONZE	3000K	1240	80	50K	045923621215	12
62-1207	12W LED LANDSCAPE FLOOD PAR 30	12	120	DARK GRAY	3000K	1240	80	50K	045923621222	12
62-1208	12W LED LANDSCAPE FLOOD PAR 30	12	120	LIGHT GRAY	3000K	1240	80	50K	045923621239	12

Accessories				
Item	Description	Finish	UPC	Pack
60-673	1 LIGHT DIE CAST MOUNTING PLATE	LIGHT GRAY	045923606731	96
60-674	2 LIGHT DIE CAST MOUNTING PLATE	LIGHT GRAY	045923606748	96
60-675	1 LIGHT DIE CAST MOUNTING PLATE	DARK GRAY	045923606755	96
60-676	2 LIGHT DIE CAST MOUNTING PLATE	DARK GRAY	045923606762	96
76-665	1 LIGHT DIE CAST MOUNTING PLATE	BRONZE	045923766657	24
76-666	2 LIGHT DIE CAST MOUNTING PLATE	BRONZE	045923766664	96
60-677	2" DIAMETER PVC MOUNTING POST	DARK GRAY	045923606779	24
60-678	3" DIAMETER PVC MOUNTING POST	DARK GRAY	045923606786	24
60-679	2" DIAMETER PVC MOUNTING POST	LIGHT GRAY	045923606793	24
60-680	3" DIAMETER PVC MOUNTING POST	LIGHT GRAY	045923606809	24
76-641	3" DIAMETER PVC MOUNTING POST	BRONZE	045923766411	24
76-640	2" DIAMETER PVC MOUNTING POST	BRONZE	045923766404	24

SATCO DISTRIBUTION CENTERS
NEW YORK (HQ)

 110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS

 2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA

 900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA

 31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON

 4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO

 CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315

EXPAND YOUR OPTIONS WITH COLOR SELECTABLE DOWNLIGHT RETROFITS

MORE VERSATILITY


MORE VALUE

**MORE OPPORTUNITY
IN EVERY PRODUCT**



Right at the switch, our ColorQuick® retrofit downlights can be set to one of 5 CCT temperatures ranging from a warm 2700K to cool 5000K covering the needs of a multitude of installation applications; just one more flexible features in SATCO's downlight retrofits.

In round and square baffle versions as well as round gimbals these no maintenance, energy saving fixtures now offer more versatility than ever.



5 SELECTABLE CCT SETTINGS

3 STYLES: ROUND, SQUARE & GIMBAL

**2 SIZES: FOR 4" AND 5/6" STANDARD
RECESSED HOUSING**

**WET LOCATION (BAFFLES)
DAMP LOCATION (GIMBALS)**

ENERGY STAR® CERTIFIED/50,000 HRS



ROUND GIMBAL



SQUARE BAFFLE



SATCO NUVO FUNCTIONAL

LED COLOR SELECTABLE DOWNLIGHT RETROFITS

ROUND*



S11800 / 4"



S11801, S11825 / 5-6"

SQUARE*



S11820 / 4"



S11821 / 5-6"

GIMBAL



S11822 / 4"



S11824 / 5-6"

COLORQUICK®
SELECTABLE CCT

SKU REDUCER- 35
PRODUCTS, ONLY 7 SKU'S
WET LOCATION*

ENERGY STAR® CERTIFIED*

T20/T24 COMPLIANT

LONG LIFE—50,000 HOURS
5 YEAR WARRANTY



Color changeable -
5 color temperature
settings

E26 Adapter included (S9001)
GU10 Adapter sold separately (S9000)
GU24 Adapter sold separately (S8999)

Gimbal

Baffle



Item Number	Lamp Description	W	V	CRI	CCT	Lm	Bm	M.O.L. (Inches)	Life/ Hrs.	UPC	Pack
Round											
S11800	7WLED/RDL/4/CCT-SEL	7	120	90	27K,30K,35K,40K,50K	600	90°	2 7/8	50K	045923118005	16/1
S11801	9WLED/RDL/5-6/CCT-SEL	9	120	90	27K,30K,35K,40K,50K	800	90°	3 1/4	50K	045923118012	8/1
S11825	13.5WLED/RDL/5-6/CCT-SEL	13.5	120	90	27K,30K,35K,40K,50K	1200	90°	3 1/4	50K	045923118258	8/1
Square											
S11820	6.5WLED/RDL/SQ/4/CCT-SEL	6.5	120	90	27K,30K,35K,40K,50K	600	90°	2 3/4	50K	045923118203	24/1
S11821	11.5WLED/RDL/SQ/5-6/CCT-SEL	11.5	120	90	27K,30K,35K,40K,50K	1000	90°	3 1/4	50K	045923118210	12/1
Gimbal											
S11822	7.5WLED/DIR/4/60°/CCT-SEL	7.5	120	90	27K,30K,35K,40K,50K	600	60°	3 1/2	50K	045923118227	8/1
S11824	10.5WLED/DIR/5-6/90°/CCT-SEL	10.5	120	90	27K,30K,35K,40K,50K	800	90°	3 7/8	50K	045923118241	8/1

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F.631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F.972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F.305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F.510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F.425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F.787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315

**OUR POPULAR
RETROFIT NOW
IN A CONVENIENT &
ECONOMICAL 6-PACK**



**6 PIECE PACK FOR
VALUE & CONVENIENCE**

EASY TO INSTALL

5/6" 65W REPLACEMENT

4" 45W REPLACEMENT

ENERGY STAR CERTIFIED

DAMP LOCATION

SATCO's 4" and 5/6" LED downlight retrofits, one of the market's most popular options for 45W and 65W direct replacements, are now available in convenient and economic 6 packs. With superior quality lighting at 90 CRI and available in 3000K, these LED reflectors are perfect for residential and mixed-use builder projects. Fast, convenient, and economical, SATCO continually works to provide solutions that fit the needs of your market.



SATCO NUVO FUNCTIONAL

LED DOWNLIGHT RETROFIT ECONOMY 6 PACKS | S11640, S11641





S11640



S11641



E26 Adapter included.
These retrofits are for use with recessed housings with an E26 socket only.



6 Piece Pack for Value & Convenience

Easy to Install

5/6" 65W Direct Replacement

4" 45W Direct Replacement

ENERGY STAR Certified

Damp Location

CA COMPLIANT: T20, T24

3 Year Warranty



Item	Description	W	V	CRI	CCT	Lm	Life/Hrs.	UPC	Pack/Mstr.
LED Downlight retrofit 6 packs									
S11640	8.7WLED/RDL/4/930/120V/6PK	8.7W	120V	90	3000K	600	35K	045923116407	4
S11641	9.2WLED/RDL/5-6/930/120V/6PK	9.2W	120V	90	3000K	650	35K	045923116414	3

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408


CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSales@SATCO.COM/631-243-2022 EXT. 315

**RECESSED LIGHTING
WITH AN ADVANTAGE.
NEW FEATURES THAT
CAN GO ANYWHERE.**



COLOR SELECTABLE - 5 CCT SETTINGS

ULTRA SLIM EDGE LIT LED TECHNOLOGY


4", 6", 8", ROUND AND SQUARE

WET LOCATION RATED

ENERGY STAR® CERTIFIED

50,000 HOURS

Optional accessories:



Rough-in plate



Remote Driver
6' Extension Cable



The ultra-slim profile of the lightweight remote driver downlight with selectable CCT delivers a maximum all-in-one advantage to any general recessed lighting solution.

Wet location rated and requiring <1" ceiling clearance, the remote driver fits into shallow ceilings, cabinets, basements and more. With a fast clip for convenient placement, optional extender cable and rough in plates available, this recessed downlights work for both new and existing construction, is ENERGY STAR® certified and complies with California Title 24.



SATCO NUVO FUNCTIONAL

CCT SELECTABLE REMOTE DRIVER DOWNLIGHTS




- 5 CCT Settings
27K/30K/35K/40K/50K
- <1" Ceiling Space Required
- No Recessed Can Required
- Wet Location Rated
- 3 Sizes, Round & Square
- Easy Clip-In Mounting
- Remote Driver, Optional Extension Cable & Rough In Plates
- IC Rated
- Air Tight

**4" ROUND - EDGE-LIT
S11826**




Beam Profile



Beam Angle: 108°


ILLUMINATION 10W
CCT 2700K
Beam Angle: 108°




Dimming range: 10% to 100%

CCT	2700K	3000K	3500K	4000K	5000K
LUMENS	650	670	700	700	690

**6" ROUND - EDGE-LIT
S11827**




Beam Profile



Beam Angle: 108°

ILLUMINATION 12W
CCT 2700K
Beam Angle: 108°




Dimming range: 10% to 100%

CCT	2700K	3000K	3500K	4000K	5000K
LUMENS	900	920	980	980	950

**8" ROUND - EDGE-LIT
S11828**




Beam Profile



Beam Angle: 108°


ILLUMINATION 24W
CCT 2700K
Beam Angle: 108°



Dimming range: 10% to 100%

CCT	2700K	3000K	3500K	4000K	5000K
LUMENS	1850	1950	2050	2050	2000

REMOTE DRIVER DIMENSIONS



**HELPFUL INSTALLATION
ACCESSORY**

Plugs directly into remote driver providing temporary lighting during installation.




**LOW VOLTAGE
TEMPORARY WORK LIGHT
86-216**


**4" SQUARE - EDGE-LIT
S11829**




**6" SQUARE - EDGE-LIT
S11830**



**8" SQUARE - EDGE-LIT
S11831**




Beam Profile



Beam Angle: 108°


**ILLUMINATION 10W
CCT 2700K
Beam Angle: 108°**



Dimming range: 10% to 100%


CCT	2700K	3000K	3500K	4000K	5000K
LUMENS	600	620	650	650	630

Beam Profile



Beam Angle: 108°


**ILLUMINATION 12W
CCT 2700K
Beam Angle: 108°**



Dimming range: 10% to 100%


CCT	2700K	3000K	3500K	4000K	5000K
LUMENS	700	720	760	760	750

Beam Profile



Beam Angle: 108°

**ILLUMINATION 24W
CCT 2700K
Beam Angle: 108°**



Dimming range: 10% to 100%





CCT	2700K	3000K	3500K	4000K	5000K
LUMENS	1650	1700	1800	1800	1750



NEW!

LED CCT SELECTABLE REMOTE DRIVER DOWNLIGHTS

Installation is easy...



Low Profile Edge-lit
Counter Display
(Item # S1324)

Minimum purchase
required for free
display.



ITEM	DESCRIPTION	W	V	TYPE	CCT SELECTABLE	CRI	BASE	LM (27K)	M.O.D. (IN.)	LIFE/ HRS.	UPC
Round											
S11826	10WLED/DW/EL/4/CCT/RND	10	120	DOWNLIGHT	27K,30K,35K,40K,50K	90	CONNECTOR	650	4.75	50K	045923118265
S11827	12WLED/DW/EL/6/CCT/RND	12	120	DOWNLIGHT	27K,30K,35K,40K,50K	90	CONNECTOR	900	6¾	50K	045923118272
S11828	24WLED/DW/EL/8/CCT/RND	24	120	DOWNLIGHT	27K,30K,35K,40K,50K	90	CONNECTOR	1850	8⅞	50K	045923118289
Square											
S11829	10WLED/DW/EL/4/CCT/SQ	10	120	DOWNLIGHT	27K,30K,35K,40K,50K	90	CONNECTOR	600	4¾	50K	045923118296
S11830	12WLED/DW/EL/6/CCT/SQ	12	120	DOWNLIGHT	27K,30K,35K,40K,50K	90	CONNECTOR	700	6¾	50K	045923118302
S11831	24WLED/DW/EL/8/CCT/SQ	24	120	DOWNLIGHT	27K,30K,35K,40K,50K	90	CONNECTOR	1650	8⅞	50K	045923118319
Accessories											
80-943	ROUGH-IN PLATE / BARS 4" RD										045923809439
80-944	ROUGH-IN PLATE / BARS 6" RD										045923809446
80-945	ROUGH-IN PLATE / BARS 8" RD										045923809453
80-946	GOOF RING 4" - DIRECT WIRE DL - 6" OUTSIDE DIAMETER										045923809460
80-947	GOOF RING 6" - DIRECT WIRE DL - 8" OUTSIDE DIAMETER										045923809477
80-948	GOOF RING 8" - DIRECT WIRE DL - 10⅞" OUTSIDE DIAMETER										045923809484
80-949	REMOTE DRIVER 6' EXTENSION CABLE										045923809491
86-216	REMOTE DRIVER TEMP LIGHT										045923862168

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALSA@SATCO.COM/631-243-2022 EXT. 315



5 SIZES ~ 3 CCT SELECTIONS


ENERGY STAR® ~ T24

DAMP LOCATION

AIR TIGHT

40,000 HOURS

**SLEEK DESIGN FOR
ADVANCED ARCHITECTURAL
INSTALLATIONS WITH VERSATILE,
SELECTABLE CCT.**



ColorQuick™

Selectable Color Technology

3000K-4000K-5000K




SATCO's LED Linear Recessed/Direct Wire feature a beveled trim for a sleek, recessed appearance and offer a low-profile aesthetic with even light distribution and design versatility.

The convenient direct wire junction box and spring-clip mounting make installation quick and easy.

5 long elegant sizes, 3 selectable color temps, for a multitude of applications and solutions.



SATCO NUVO FUNCTIONAL



Item #	Description	Watts	Voltage	CRI	CCT Selectable	Lm	Life/ Hrs.	UPC	Pack/ Mstr
LED Linear Recessed									
S11720	10WLED/DW/LINEAR/ 12"/ADJ-CCT	10	120	90	3000/4000/5000	750	40K	045923117206	12
S11721	15WLED/DW/LINEAR/ 18"/ADJ-CCT	15	120	90	3000/4000/5000	1125	40K	045923117213	12
S11722	20WLED/DW/LINEAR/ 24"/ADJ-CCT	20	120	90	3000/4000/5000	1500	40K	045923117220	12
S11723	25WLED/DW/LINEAR/ 32"/ADJ-CCT	25	120	90	3000/4000/5000	1875	40K	045923117237	12
S11724	40WLED/DW/LINEAR/ 48"/ADJ-CCT	40	120	90	3000/4000/5000	3000	40K	045923117244	12

Item #	Description	Dimensions	UPC	Pack/ Mstr.
LED Linear Recessed Mounting Plate for New Construction				
80-962	ROUGH-IN PLATE / BARS 12" LINEAR	12"L x 3.75"W	045923809620	6/1
80-963	ROUGH-IN PLATE / BARS 18" LINEAR	18"L x 3.75"W	045923809637	6/1
80-964	ROUGH-IN PLATE / BARS 24" LINEAR	24"L x 3.75"W	045923809644	6/1
80-965	ROUGH-IN PLATE / BARS 32" LINEAR	32"L x 3.75"W	045923809651	6/1
80-966	ROUGH-IN PLATE / BARS 48" LINEAR	48"L x 3.75"W	045923809668	6/1

*Consult Satco or visit www.satco.com for an up to date dimmer compatibility list.

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)

110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS

2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA

900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA

31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON

4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO

CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSales@satco.com/631-243-2022 EXT. 315

HI-PRO LED FILAMENT LAMPS

TRADITIONAL LOOKS, LONG
LASTING LIGHT



REPLACEMENT FOR UP TO
175W HID

ENERGY SAVING LED,
TRADITIONAL HID LOOK

BALLAST BYPASS

3000K, 5000K OPTIONS

360° BEAM ANGLE

E26/EX39 BASE VERSIONS


WET LOCATION



Coated finish
with LED
filaments
inside

SATCO's Hi-Pro Filament lamps offer **360°** of efficient light, reducing energy consumption and maintenance where traditional HID lamps are used. These Hi-Pro lamps are light weight and easy to install, energy efficient and offer a traditional shape and style, making them an easy retrofit option for commercial applications. Available in **E26** and **EX39** Base.


Common Applications:



High Bay, Low Bay
& Security



Post Top
Lighting



Wall
Pack





SATCO LED LAMPS

NEW! ADVANCED HI-PRO LED FILAMENT LAMPS

Diffused coated glass envelope

What's inside: High power LED filament strips



Beam Angle: 360°

Replacement for up to
175W HID

Traditional HID Look

Universal Burning Position

Ballast Bypass 120V-277V

360° Beam Angle

E26/EX39 Base Versions

Wet Location

3 Year Warranty



ITEM	DESCRIPTION	W	V	WATTAGE EQUIV. HID / CFL / INC	BULB TYPE	BASE TYPE	FINISH	CCT	LM	LIFE/ HRS.	UPC	M.O.L. (INCHES)	PACK
E26													
S13130	16W/LED/HID/ED23/850/E26	16	120-277V	70W/32/125	ED23	E26	COATED	5000	2000	25K	045923131301	7½	12
S13131	22W/LED/HID/ED23/850/E26	22	120-277V	100W/55/150	ED23	E26	COATED	5000	3000	25K	045923131318	7½	12
S13132	30W/LED/HID/ED23/830/E26	30	120-277V	125W/65/200	ED23	E26	COATED	3000	4000	25K	045923131325	7½	12
S13133	30W/LED/HID/ED23/850/E26	30	120-277V	125W/65/200	ED23	E26	COATED	5000	4000	25K	045923131332	7½	12
EX39													
S13134	36W/LED/HID/ED28/850/EX39	36	120-277V	150W/85/300	ED28	EX39	COATED	5000	5000	25K	045923131349	8½	12
S13135	42W/LED/HID/ED28/830/EX39	42	120-277V	175W/85/300	ED28	EX39	COATED	3000	6000	25K	045923131356	8½	12
S13136	42W/LED/HID/ED28/850/EX39	42	120-277V	175W/85/300	ED28	EX39	COATED	5000	6000	25K	045923131363	8½	12

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALSA@SATCO.COM/631-243-2022 EXT. 315



**FOR WORK SPACE & LIGHT
COMMERCIAL APPLICATIONS**



ENERGY SAVING HIGH LUMEN LAMP

REPLACES UP TO 500W INCANDESCENT

ADJUSTABLE LED PANELS, 120° AND 270°

120-277 UNIVERSAL VOLTAGE

WITH OR WITHOUT MOTION SENSOR

Satco's rugged, adjustable, LED utility light offers energy savings and superior light output where you need it. Energy saving 60W LED replaces HID CFLs and incandescent in your workshops, utility rooms, barns and light commercial spaces.



SATCO LED LAMPS



Features

Adjustable LED panels, 120° and 270°
Energy saving high lumen lamp
Replaces up to 500W incandescent
120-277 Universal voltage
With or without motion sensor





Use E26 (90-445) lamp holder for an instant high bay fixture

120° Beam angle setting



S13118





Beam Angle: 120°

270° Beam angle setting



S13119
(With motion sensor)



Beam Angle: 270°



Item	Description	Watts	Voltage	CRI	Bulb Type	Base Type	CCT	Finish	Lumens	Life/Hrs	UPC	Pack
S13118	60W/LED/UTL/MB/ 4000K	60	100-277	80	MULTI-BEAM	E26	4000	White	5880	50,000	045923131189	12
S13119	60W/LED/UTL MB/ 4000K/MOTION	60	100-277	80	MULTI-BEAM	E26	4000	White	5880	50,000	045923131196	12
Keyless Porcelain Mogul Base Lamp Holder									Max. W	Max. V	UPC	Pack
90-445	Keyless Medium Lamp Holder (Sold separately)								660	250	045923904455	60

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSales@satco.com/631-243-2022 EXT. 315

**ENHANCED FOR EFFICIENCY,
IMPROVED TECHNOLOGY
& SUPERIOR DESIGN,
THE GEN3 MULTI-BEAM**



GREATER EFFICIENCY

IMPROVED HEAT DISSIPATION

BUILT-IN 4KV SURGE PROTECTION

MULTIPLE BEAM ANGLE OPTIONS

PORT FOR MOTION SENSOR



The Gen3 Multi-Beam offers improved efficiency, performance and installation versatility. With an impressive 140 lumens per watt, a redesigned and more efficient heat sink and an optional PIR motion sensor, the multi-beam grabs more energy saving benefits than ever.

The unique adjustable light panels allow for installation at beam angles of 260°, 150° or 120°; and can be adjusted individually in any direction for maximum beam control.

The GEN3 Multi-beam is part of SATCO's robust line of commercial multi-beam lamps.

**260° Beam
Angle**



**150° Beam
Angle**



**120° Beam
Angle**



SATCO LED LAMPS



Gen3 Hi-Pro LED Multi-Beam



260° Beam Angle

Direct wire, range voltage
120-277V

Approved for enclosed
luminaires*

Available in 2700K & 5000K

Individual, field-adjustable
light panels


50,000 Hours




150° Beam Angle




120° Beam Angle



Industrial Design
Lighting



Post Top Lighting






High Bay, Low Bay

*See minimum compartment sizes listed on package and lamps or visit satco.com




S39768
30W/MB-G3/27K/100-277V

S39750
30W/MB-G3/50K/100-277V






S39798
40W/MB-G3/27K/100-277V

S39751
40W/MB-G3/50K/100-277V






S39799
60W/MB-G3/27K/100-277V




S39752
60W/MB-G3/50K/100-277V



S39769
75W/MB-G3/50K/100-277V



S39679
90W/MB-G3/50K/100-277V





Optional LED PIR sensor


(Satco model 86-215)

Plug in the module

86-215



Signal Detection



Item	Description	INC/CFL/HID	Watts	Voltage	Base Type	CCT	Lm	MOL (inches)	Life/ Hrs.	UPC	Pack
S39768	30W/LED/HID/MB/ 27K/100-277V/E26	200/55/150	30	100-277	E26	2700	3840	6 3/4	50K	045923397684	24
S39750	30W/LED/HID/MB/ 5K/100-277V/E26	200/55/150	30	100-277	E26	5000	4200	6 3/4	50K	045923397509	24
S39798	40W/LED/HID/MB /27K/100-277V/EX39	300/65/175	40	100-277	EX39	2700	5120	7 1/4	50K	045923397981	12
S39751	40W/LED/HID/MB/ 5K/100-277V/EX39	300/65/175	40	100-277	EX39	5000	5600	7 1/4	50K	045923397516	12
S39799	60W/LED/HID/MB/ 27K/100-277V/EX39	500/85/250	60	100-277	EX39	2700	7680	7 3/4	50K	045923397998	12
S39752	60W/LED/HID/MB/ 5K/100-277V/EX39	500/85/250	60	100-277	EX39	5000	8400	7 3/4	50K	045923397523	12
S39769	75W/LED/HID/MB/ 5K/100-277V/EX39	750/105/400	75	100-277	EX39	5000	10500	8 1/2	50K	045923397691	12
S39679	90W/LED/HID/MB/ 5K/100-277V/EX39	750/150/600	90	100-277	EX39	5000	12600	10	50K	045923396793	6

Accessories

86-215	Hi-Pro Motion Sensor/PIR (Passive Infrared)	045923862151
80-929	Hard Wire Surge Protector - 10kV	045923809293
92-410	Mog to Med Socket Reducer for S39750 and S39768	045923924101

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315

GEN2 Hi-Pro Shoebox Lamps just got a whole lot smarter!

For new applications
and metal halide
replacement



GREATER EFFICIENCY

4kV SURGE PROTECTION

ADVANCED HEAT DISSIPATION

ROTATABLE BASE

**NEW SENSOR PORT
& ACCESSORIES**

The GEN2 Shoebox lamp offers higher efficiency, improved heat dissipation and a port for mounting motion sensor , photocell or Wi-Fi accessories.

The unique design of expandable sides helps make installation easy and when opened in position deliver a 180° beam angle that focuses light distribution to where it is needed most.

Accessories options are pictured left and sold separately. WiFi sensor works with the SATCO STARFISH app.



80-954
Hi-Pro WiFi Module












80-956
Hi-Pro Photocell



80-957
Hi-Pro Motion Sensor/MW



SATCO LED LAMPS


80W – S28931, S28932

110W – S28937, S28938

Shoobox

Canopy

Landscape Flood

**320° Rotatable
base**
**Hi-Pro
Sensor port**
Beam Profile

**Beam Angle: 180°
(opened)**


ITEM #	DESCRIPTION	W	VOLTS	BASE TYPE	CCT	LM	BM	M.O.L (IN.)	LIFE/ HRS.	UPC	PACK/ MSTR.
High Lumen Industrial/Commercial LED Lamps											
S28931	80W/LED/HID/SB/3K/EX39/100-277V	80	100-277V	EX39	3000	10,400	180°	8 3/4	50K	045923289316	4
S28932	80W/LED/HID/SB/5K/EX39/100-277V	80	100-277V	EX39	5000	10,400	180°	8 3/4	50K	045923289323	4
S28937	110W/LED/HID/SB/3K/EX39/100-277V	110	100-277V	EX39	3000	14,300	180°	11 1/4	50K	045923289378	4
S28938	110W/LED/HID/SB/5K/EX39/100-277V	110	100-277V	EX39	5000	14,300	180°	11 1/4	50K	045923289385	4
Accessories											
80-929	Hard Wire Surge Protector - 10kV									045923809293	
80-954	Hi-Pro Wi-Fi Module - (Satco STARFISH in the App store)									045923809549	
80-956	Hi-Pro Photocell - On/Off with adjustable settings for daylight and timers									045923809563	
80-957	Hi-Pro Microwave motion sensor - On/Off with standby dimming option									045923809570	

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)

110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS

2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA

900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA

31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON

4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO

CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315

**Replace up to 400w HID
lamps in high voltage
fixture applications**



**BUILT-IN SURGE
PROTECTION**

**ADVANCED THERMAL
MANAGEMENT**

COMPACT DESIGN

ENCLOSED RATED

50,000 HOURS

Our newest addition to the Hi-Pro LED family provides 75% in energy savings. The omni-directional light is designed to fully and safely illuminate higher voltage fixture installations such as warehouses, gymnasiums, manufacturing plants and parking garages.



SATCO LED LAMPS





Features

High Lumen Omni-directional
LED for Industrial/Commercial
applications




Direct wire range voltage
277-480V

Approved for totally
enclosed fixtures


4KV Surge protection



Common Applications



Beam Profile



Beam Angle: 360°



Item	Description	Watts	HID Equiv.	Volt	CRI	CCT	Base Type	Lumens	Hrs.	UPC	Pk
S13123	54W/LED/HID/5K/277-480V/EX39	54	250W	277-480V	80	5000	EX39	8100	50000	045923131233	12
S13124	100W/LED/HID/5K/277-480V/EX39	100	400W	277-480V	80	5000	EX39	15000	50000	045923131240	4

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALLES@SATCO.COM/631-243-2022 EXT. 315

A familiar face - enhanced!
Better light, improved
efficiency & lasting
performance.



OVER 60 NEW PRODUCTS

90 CRI • SUPERIOR LIGHT

INDOOR/OUTDOOR

DIMMABLE

**25°, 40° AND 60°
 BEAM ANGLES**

**2700K, 3000K, 3500K,
 4000K AND 5000K**

With a traditional lens and silver reflector style, SATCO LED PAR lamps maintain the familiar look of the Halogen PAR and Gen1 LED lamps they replace; but at 90 CRI and a higher lumens per watt ratio, they deliver superior light and improved efficiency.

Designed for use in track, recessed fixtures and wet locations including outdoor and landscape applications, this popular family has over 60 options available for your replacement lamp upgrades or new installations!



SATCO LED LAMPS


PRODUCT INFORMATION

GEN2 LED PAR LAMPS


Features

Silver colored
reflector
Traditional lens
Wet location
Dimmable
25°, 40° and 60°
Beam angles
2700K, 3000k,
3500k, 4000K
and 5000k
90 CRI


Applications




Dimensions



Illumination



Illumination



PAR20




ITEM #	DESCRIPTION	W	VOLTS	CRI	CCT	COLOR TEMP	LM	BM	M.O.L (IN.)	LIFE/HRS.	UPC	PACK/MSTR.
PAR20 6.5W LED - 50W Replacement												
S29400*	6.5PAR20/LED/25°/927/120V	6.5	120V	90	2700K	Warm White	520	25°	3	25K	045923294006	6/24
S29401*	6.5PAR20/LED/25°/930/120V	6.5	120V	90	3000K	Soft White	520	25°	3	25K	045923294013	6/24
S29402*	6.5PAR20/LED/25°/935/120V	6.5	120V	90	3500K	Neutral White	520	25°	3	25K	045923294020	6/24
S29403*	6.5PAR20/LED/25°/940/120V	6.5	120V	90	4000K	Cool White	520	25°	3	25K	045923294037	6/24
S29404	6.5PAR20/LED/25°/950/120V	6.5	120V	90	5000K	Natural Light	520	25°	3	25K	045923294044	6/24
S29405*	6.5PAR20/LED/40°/927/120V	6.5	120V	90	2700K	Warm White	520	40°	3	25K	045923294051	6/24
S29406*	6.5PAR20/LED/40°/930/120V	6.5	120V	90	3000K	Soft White	520	40°	3	25K	045923294068	6/24
S29407*	6.5PAR20/LED/40°/935/120V	6.5	120V	90	3500K	Neutral White	520	40°	3	25K	045923294075	6/24
S29408*	6.5PAR20/LED/40°/940/120V	6.5	120V	90	4000K	Cool White	520	40°	3	25K	045923294082	6/24
S29409	6.5PAR20/LED/40°/950/120V	6.5	120V	90	5000K	Natural Light	520	40°	3	25K	045923294099	6/24


PAR30/SN




PAR30/LN




Beam Angle: 25°
S29410-S29414




Beam Angle: 40°
S29415-S29419




Beam Angle: 60°
S29420-S29424



Beam Angle: 25°
S29425-S29429



Beam Angle: 40°
S29430-S29434






Beam Angle: 60°
S29435-S29439



ITEM #	DESCRIPTION	W	VOLTS	CRI	CCT	COLOR TEMP	LM	BM	M.O.L (IN.)	LIFE/HRS.	UPC	PACK/MSTR.
PAR30 Short Neck 12.5W LED - 75W Replacement												
S29410*	12.5PAR30/SN/LED/25°/927/120V	12.5	120V	90	2700K	Warm White	1000	25°	3 1/16	25K	045923294105	6/12
S29411*	12.5PAR30/SN/LED/25°/930/120V	12.5	120V	90	3000K	Soft White	1000	25°	3 1/16	25K	045923294112	6/12
S29412*	12.5PAR30/SN/LED/25°/935/120V	12.5	120V	90	3500K	Neutral White	1000	25°	3 1/16	25K	045923294129	6/12
S29413*	12.5PAR30/SN/LED/25°/940/120V	12.5	120V	90	4000K	Cool White	1000	25°	3 1/16	25K	045923294136	6/12
S29414	12.5PAR30/SN/LED/25°/950/120V	12.5	120V	90	5000K	Natural Light	1000	25°	3 1/16	25K	045923294143	6/12
S29415*	12.5PAR30/SN/LED/40°/927/120V	12.5	120V	90	2700K	Warm White	1000	40°	3 1/16	25K	045923294150	6/12
S29416*	12.5PAR30/SN/LED/40°/930/120V	12.5	120V	90	3000K	Soft White	1000	40°	3 1/16	25K	045923294167	6/12
S29417*	12.5PAR30/SN/LED/40°/935/120V	12.5	120V	90	3500K	Neutral White	1000	40°	3 1/16	25K	045923294174	6/12
S29418*	12.5PAR30/SN/LED/40°/940/120V	12.5	120V	90	4000K	Cool White	1000	40°	3 1/16	25K	045923294181	6/12
S29419	12.5PAR30/SN/LED/40°/950/120V	12.5	120V	90	5000K	Natural Light	1000	40°	3 1/16	25K	045923294198	6/12
S29420*	12.5PAR30/SN/LED/60°/927/120V	12.5	120V	90	2700K	Warm White	1000	60°	3 1/16	25K	045923294204	6/12
S29421*	12.5PAR30/SN/LED/60°/930/120V	12.5	120V	90	3000K	Soft White	1000	60°	3 1/16	25K	045923294211	6/12
S29422*	12.5PAR30/SN/LED/60°/935/120V	12.5	120V	90	3500K	Neutral White	1000	60°	3 1/16	25K	045923294228	6/12
S29423*	12.5PAR30/SN/LED/60°/940/120V	12.5	120V	90	4000K	Cool White	1000	60°	3 1/16	25K	045923294235	6/12
S29424	12.5PAR30/SN/LED/60°/950/120V	12.5	120V	90	5000K	Natural Light	1000	60°	3 1/16	25K	045923294242	6/12
PAR30 Long Neck 12.5W LED - 75W Replacement												
S29425*	12.5PAR30/LN/LED/25°/927/120V	12.5	120V	90	2700K	Warm White	1000	25°	4 1/16	25K	045923294259	6/12
S29426*	12.5PAR30/LN/LED/25°/930/120V	12.5	120V	90	3000K	Soft White	1000	25°	4 1/16	25K	045923294266	6/12
S29427*	12.5PAR30/LN/LED/25°/935/120V	12.5	120V	90	3500K	Neutral White	1000	25°	4 1/16	25K	045923294273	6/12
S29428*	12.5PAR30/LN/LED/25°/940/120V	12.5	120V	90	4000K	Cool White	1000	25°	4 1/16	25K	045923294280	6/12
S29429	12.5PAR30/LN/LED/25°/950/120V	12.5	120V	90	5000K	Natural Light	1000	25°	4 1/16	25K	045923294297	6/12
S29430*	12.5PAR30/LN/LED/40°/927/120V	12.5	120V	90	2700K	Warm White	1000	40°	4 1/16	25K	045923294303	6/12
S29431*	12.5PAR30/LN/LED/40°/930/120V	12.5	120V	90	3000K	Soft White	1000	40°	4 1/16	25K	045923294310	6/12
S29432*	12.5PAR30/LN/LED/40°/935/120V	12.5	120V	90	3500K	Neutral White	1000	40°	4 1/16	25K	045923294327	6/12
S29433*	12.5PAR30/LN/LED/40°/940/120V	12.5	120V	90	4000K	Cool White	1000	40°	4 1/16	25K	045923294334	6/12
S29434	12.5PAR30/LN/LED/40°/950/120V	12.5	120V	90	5000K	Natural Light	1000	40°	4 1/16	25K	045923294341	6/12
S29435*	12.5PAR30/LN/LED/60°/927/120V	12.5	120V	90	2700K	Warm White	1000	60°	4 1/16	25K	045923294358	6/12
S29436*	12.5PAR30/LN/LED/60°/930/120V	12.5	120V	90	3000K	Soft White	1000	60°	4 1/16	25K	045923294365	6/12
S29437*	12.5PAR30/LN/LED/60°/935/120V	12.5	120V	90	3500K	Neutral White	1000	60°	4 1/16	25K	045923294372	6/12
S29438*	12.5PAR30/LN/LED/60°/940/120V	12.5	120V	90	4000K	Cool White	1000	60°	4 1/16	25K	045923294389	6/12
S29439	12.5PAR30/LN/LED/60°/950/120V	12.5	120V	90	5000K	Natural Light	1000	60°	4 1/16	25K	045923294396	6/12



PAR38



ITEM #	DESCRIPTION	W	VOLTS	CRI	CCT	COLOR TEMP	LM	BM	M.O.L (IN.)	LIFE/ HRS.	UPC	PACK/ MSTR.
PAR38 15W LED - 90W Replacement												
S29440*	15PAR38/LED/25/927/120V	15	120V	90	2700K	Warm White	1200	25°	5 3/16	25K	045923294402	6/12
S29441*	15PAR38/LED/25/930/120V	15	120V	90	3000K	Soft White	1200	25°	5 3/16	25K	045923294419	6/12
S29442*	15PAR38/LED/25/935/120V	15	120V	90	3500K	Neutral White	1200	25°	5 3/16	25K	045923294426	6/12
S29443*	15PAR38/LED/25/940/120V	15	120V	90	4000K	Cool White	1200	25°	5 3/16	25K	045923294433	6/12
S29444	15PAR38/LED/25/950/120V	15	120V	90	5000K	Natural Light	1200	25°	5 3/16	25K	045923294440	6/12
S29445*	15PAR38/LED/40/927/120V	15	120V	90	2700K	Warm White	1200	40°	5 3/16	25K	045923294457	6/12
S29446*	15PAR38/LED/40/930/120V	15	120V	90	3000K	Soft White	1200	40°	5 3/16	25K	045923294464	6/12
S29447*	15PAR38/LED/40/935/120V	15	120V	90	3500K	Neutral White	1200	40°	5 3/16	25K	045923294471	6/12
S29448*	15PAR38/LED/40/940/120V	15	120V	90	4000K	Cool White	1200	40°	5 3/16	25K	045923294488	6/12
S29449	15PAR38/LED/40/950/120V	15	120V	90	5000K	Natural Light	1200	40°	5 3/16	25K	045923294495	6/12
S29450*	15PAR38/LED/60/927/120V	15	120V	90	2700K	Warm White	1200	60°	5 3/16	25K	045923294501	6/12
S29451*	15PAR38/LED/60/930/120V	15	120V	90	3000K	Soft White	1200	60°	5 3/16	25K	045923294518	6/12
S29452*	15PAR38/LED/60/935/120V	15	120V	90	3500K	Neutral White	1200	60°	5 3/16	25K	045923294525	6/12
S29453*	15PAR38/LED/60/940/120V	15	120V	90	4000K	Cool White	1200	60°	5 3/16	25K	045923294532	6/12
S29454	15PAR38/LED/60/950/120V	15	120V	90	5000K	Natural Light	1200	60°	5 3/16	25K	045923294549	6/12
PAR38 15W LED 2 Pack - Non-Dimmable - 90W Replacement												
S29457	15PAR38/LED/60/930/120V/ ND/2PK	15	120V	90	3000K	Soft White	1200	60°	5 3/16	25K	045923294570	2/8
PAR38 17.5W LED - 120W Replacement												
S29455*	17.5PAR38/LED/40/930/120V	17.5	120V	90	3000K	Cool White	1400	40°	5 3/16	25K	045923294556	6/12
S29456*	17.5PAR38/LED/40/940/120V	17.5	120V	90	4000K	Neutral White	1400	40°	5 3/16	25K	045923294563	6/12

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSales@satco.com/631-243-2022 EXT. 315

**HIGHER LUMENS
MAXIMUM SAVINGS
POWERFUL
PERFORMANCE**



SILVER REFLECTOR

WET LOCATION - INDOOR/OUTDOOR

120V DIMMABLE VERSION

**120V -277V RANGE VOLTAGE /
NON DIMMABLE VERSION**

MULTIPLE CCT OPTIONS




Our latest generation of high lumen LED PAR lamps provides powerful beam control and a higher 90 CRI, resulting in a better quality of light, while maintaining maximum efficiency. This line is now expanded to include both a dimmable 120V line and a new commercial grade 120-277V universal range voltage line. This extremely popular family of lamps is excellent for use in high ceiling applications including retail spaces, houses of worship or outdoor landscape lighting.





SATCO LED LAMPS

Dimmable - Dedicated 120V Version Only
 High lumen
 High efficiency
 CMH Replacement
 CEC/T20 & 24
 120V and 120-277V Range voltage

ILLUMINATION PAR30
 Beam Angle: 40°



ILLUMINATION PAR38
 Beam Angle: 40°



PAR 30

PAR 38



ITEM	DESCRIPTION	W	V	TYPE	CCT	BASE	LM	CRI	BEAM	LIFE/ HRS.	UPC	PACK
120 VOLT Dimmable												
S22240 [†]	20.5PAR30LN/927/120V	20.5	120V	PAR30LN	2700	E26	1800	90	40°	25K	045923222405	12
S22241 [†]	20.5PAR30LN/930/120V	20.5	120V	PAR30LN	3000	E26	1800	90	40°	25K	045923222412	12
S22242 [†]	20.5PAR30LN/940/120V	20.5	120V	PAR30LN	4000	E26	1800	90	40°	25K	045923222429	12
S22243 [†]	20.5PAR30LN/950/120V	20.5	120V	PAR30LN	5000	E26	1800	90	40°	25K	04592322243	12
S22250 [†]	33PAR38/927/120V	33	120V	PAR38	2700	E26	3000	90	40°	25K	045923222504	12
S22251 [†]	33PAR38/930/120V	33	120V	PAR38	3000	E26	3000	90	40°	25K	045923222511	12
S22252 [†]	33PAR38/940/120V	33	120V	PAR38	4000	E26	3000	90	40°	25K	045923222528	12
S22253 [†]	33PAR38/950/120V	33	120V	PAR38	5000	E26	3000	90	40°	25K	045923222535	12
120-277 VOLT Non-Dimmable												
S29764 [*]	21.5PAR30LN/930/120-277V	21.5	120-277V	PAR30LN	3000	E26	1800	90	40°	25K	045923297649	12
S29765 [*]	21.5PAR30LN/940/120-277V	21.5	120-277V	PAR30LN	4000	E26	1800	90	40°	25K	045923297656	12
S29760 [*]	27PAR38/930/120-277V	27	120-277V	PAR38	3000	E26	2400	90	40°	25K	045923297601	12
S29761 [*]	27PAR38/940/120-277V	27	120-277V	PAR38	4000	E26	2400	90	40°	25K	045923297618	12

Consult the Satco website for a complete, up to date list on compatible dimmers.
 To prevent early lamp failure, lamp should only be installed in operating environments ranging from a minimum of -4°F (-20°C) to a maximum of 113°F (+45°C).

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
 110 HEARTLAND BLVD
 BRENTWOOD, NY 11717
 T. 631-243-2022
 F. 631-243-2027

TEXAS
 2000 VALWOOD PKWY
 FARMERS BRANCH, TX 75234
 T. 972-247-2437
 F. 972-247-54087

FLORIDA
 900 NW 159TH DR
 MIAMI, FL 33169
 T. 305-624-2044
 F. 305-247-5408

CALIFORNIA
 31288 SAN BENITO ST
 HAYWARD, CA
 T. 510-487-4822
 F. 510-487-8955

WASHINGTON
 4710 116TH ST SW
 MUKILTEO, WA 98275
 T. 425-789-3300
 F. 425-789-3310

PUERTO RICO
 CAMPECHE STREET, 23 JULIO
 N. MATOS INDUSTRIAL PARK
 T. 787-757-3510
 F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALSA@SATCO.COM/631-243-2022 EXT. 315

**LED DIRECT REPLACEMENT
LAMPS FOR USE WITH INSTANT
OR RAPID START BALLASTS
NO REWIRING REQUIRED**



GREATER EFFICIENCY

ALL GLASS TUBES

**INTEGRATED THERMAL FUSE
AT PINS**

DAMP LOCATION

DLC 5.1

LONG LIFE – 50,000 HOURS

Satco's direct T8 fluorescent replacement solution allows the fixture to maintain the original UL and CSA compliance while delivering efficient LED lighting. Commercial, health care, hospitality and educational venues can all realize the immediate benefits and savings LED lighting offers.



SATCO LED LAMPS

NEW GENERATION LED TYPE "A" T8 LAMPS

- Greater efficiency – up to 163 LPW
- Plug and play replacement*
- All glass tubes: no aging, yellowing or bending
- Integrated thermal fuse at pins
- DLC 5.1
- Operating Temperature Range: -4°F(-20°C)
to 118°F(45°C)
- Long life—50,000 hours
- Compatible with most instant start, rapid start
T8 electronic ballasts and some emergency
and dimming ballasts*



LED T8 – Ballast Compatible

Item	Description	W	CRI	Base Type	Bm	CCT	Lm	Mol (In.)	Life/ Hrs.	UPC	Pack
2' LED 8W T8											
S49946	8T8/LED/24-830/DR	8	82	Medium Bi Pin	210°	3000	1250	24	50K	045923499463	25
S49947	8T8/LED/24-835/DR	8	82	Medium Bi Pin	210°	3500	1250	24	50K	045923499470	25
S49948	8T8/LED/24-840/DR	8	82	Medium Bi Pin	210°	4000	1250	24	50K	045923499487	25
S49949	8T8/LED/24-850/DR	8	82	Medium Bi Pin	210°	5000	1250	24	50K	045923499494	25
3' LED 10W T8											
S49990	10T8/LED/36-830/DR	10	82	Medium Bi Pin	210°	3000	1450	36	50K	045923499906	25
S49991	10T8/LED/36-835/DR	10	82	Medium Bi Pin	210°	3500	1450	36	50K	045923499913	25
S49992	10T8/LED/36-840/DR	10	82	Medium Bi Pin	210°	4000	1450	36	50K	045923499920	25
S49993	10T8/LED/36-850/DR	10	82	Medium Bi Pin	210°	5000	1450	36	50K	045923499937	25
4' LED 11W T8											
S49934	11T8/LED/48-830/DR	11	82	Medium Bi Pin	210°	3000	1800	48	50K	045923499340	25
S49935	11T8/LED/48-835/DR	11	82	Medium Bi Pin	210°	3500	1800	48	50K	045923499357	25
S49936	11T8/LED/48-840/DR	11	82	Medium Bi Pin	210°	4000	1800	48	50K	045923499364	25
S49937	11T8/LED/48-850/DR	11	82	Medium Bi Pin	210°	5000	1800	48	50K	045923499371	25
4' LED 14W T8											
S49975	14T8/LED/48-830/DR	14	82	Medium Bi Pin	210°	3000	2200	48	50K	045923499753	25
S49976	14T8/LED/48-835/DR	14	82	Medium Bi Pin	210°	3500	2200	48	50K	045923499760	25
S49977	14T8/LED/48-840/DR	14	82	Medium Bi Pin	210°	4000	2200	48	50K	045923499777	25
S49978	14T8/LED/48-850/DR	14	82	Medium Bi Pin	210°	5000	2200	48	50K	045923499784	25

*May not be compatible with all IS, RS, DM and EM ballasts. Visit www.satco.com for an approved list.

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALS@SATCO.COM/631-243-2022 EXT. 315

**4.5W LED
EURO-E14 BASE
DECORATIVE
LAMPS**



**40 WATT INCANDESCENT
REPLACEMENT USES
ONLY 4.5 WATTS**

**FILAMENT STYLE LED
WITH A TRADITIONAL
INCANDESCENT LOOK
AND FEEL**

**3000K AND 4000K
OPTIONS**

3 YEAR WARRANTY

Applications

Euro-based fixtures



S12115,
S12116



S12117,
S12118



Item Number	Lamp Description	W	V	CRI	CCT	Lm	Finish	Life/Hrs.	UPC	Pack
S12115	4.5W/TORP/EURO-E14/CL/830/120V	4.5	120	80	3000	350	Clear	15,000	045923121159	24
S12116	4.5W/TORP/EURO-E14/CL/840/120V	4.5	120	80	4000	350	Clear	15,000	045923121166	24
S12117	4.5W/TORP/EURO-E14/FR/830/120V	4.5	120	80	3000	350	Frosted	15,000	045923121173	24
S12118	4.5W/TORP/EURO-E14/FR/840/120V	4.5	120	80	4000	350	Frosted	15,000	045923121180	24

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315

3.5W LED APPLIANCE/ MICROWAVE LAMP



**40 WATT INCANDESCENT
REPLACEMENT USES ONLY
3.5 WATTS**

**LED WITH A TRADITIONAL
INCANDESCENT LOOK
AND FEEL**

E17 BASE

3000K

3 YEAR WARRANTY



Applications

Under microwave
replacement lamp



Item Number	Lamp Description	W	V	CRI	CCT	Lm	Life/Hrs.	UPC	Pack
S12114	3.5T7/LED/CL/E17/3K/120V/CD	3.5	120	80	3000	350	15K	045923121142	100/10

Non-dimmable

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315

LED T10 HIGH LUMEN LAMPS



HIGH LUMEN OUTPUT

GENERATES LESS HEAT THAN HALOGEN


3000 & 4000K

cULus Listed

3 YEAR WARRANTY

Applications

Replaces Halogen T10 double envelope
 Picture lights
 Sconces
 Showcase displays
 Ceiling fixtures



Item Number	Lamp Description	W	V	CRI	CCT	Lm	Finish	Life/Hrs.	UPC	Pack
S11218	8T10/LED/HL/30K/FR/ND/CD	8	120	80	3000	1020	Frost	15,000	045923112188	24
S11219	8T10/LED/HL/40K/FR/ND/CD	8	120	80	4000	1080	Frost	15,000	045923112195	24

Not for use in wet or damp locations.

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
 110 HEARTLAND BLVD
 BRENTWOOD, NY 11717
 T. 631-243-2022
 F. 631-243-2027

TEXAS
 2000 VALWOOD PKWY
 FARMERS BRANCH, TX 75234
 T. 972-247-2437
 F. 972-247-54087

FLORIDA
 900 NW 159TH DR
 MIAMI, FL 33169
 T. 305-624-2044
 F. 305-247-5408

CALIFORNIA
 31288 SAN BENITO ST
 HAYWARD, CA
 T. 510-487-4822
 F. 510-487-8955

WASHINGTON
 4710 116TH ST SW
 MUKILTEO, WA 98275
 T. 425-789-3300
 F. 425-789-3310

PUERTO RICO
 CAMPECHE STREET, 23 JULIO
 N. MATOS INDUSTRIAL PARK
 T. 787-757-3510
 F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315

F15T8 REPLACEMENT 7W, 18" LED



**NO BALLAST OR EXTERNAL
DRIVER REQUIRED**

**BUILT-IN SHOCK RESISTANT
CIRCUIT**

DIRECT WIRE 120-277V

**ALL GLASS TUBE WITH PET
SHATTERPROOF COATING**

**ETL CONFORMS TO NSF
STANDARDS**

LONG LIFE—50,000 HOURS

5 YEAR WARRANTY


Applications

F15T8 (18") Replacements
Works with existing sockets –
shunted or non-shunted

Single or double ended wiring


Single Ended Wiring

(120-277V)



Double Ended Wiring

(120-277V)



Item Number	Lamp Description	W	V	CRI	Base Type	Bm	CCT	Lm	M.O.L. (Inches)	Life/ Hrs.	UPC	Pack
7W, 18"												
S11950	7T8/LED/18-830/BP	7	120-277	82	G13	160°	3000K	700	17.8	50K	045923119507	25
S11951	7T8/LED/18-840/BP	7	120-277	82	G13	160°	4000K	750	17.8	50K	045923119514	25
S11952	7T8/LED/18-865/BP	7	120-277	82	G13	160°	6500K	770	17.8	50K	045923119521	25

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSALES@SATCO.COM/631-243-2022 EXT. 315



Replace linear CFL lamps with efficient LED lighting



NO BALLAST REQUIRED

OVER 50% ENERGY SAVINGS

INSTANT ON TO FULL BRIGHTNESS

NO FLICKERING

50,000 HOURS





The expanded line of PLL LED replacement lamps make an immediate difference in efficiency and lighting quality in existing downlights and commercial luminaires. Available in both 3500K and 4000K, they provide seamless upgrades to lighting in retail, hospitality, health care and many popular commercial applications.



SATCO LED LAMPS



Direct wire 120-277V
All glass tube
Over 50% energy savings
Instant on to full brightness/
no flickering
c-UL-us classified
Long life—50,000 hours
5 Year warranty


Wiring diagram


Ballast bypass replacement for 4-pin PL-L lamps



Item	Description	Watts	CRI	Base Type	CCT	Lm	MOL (inches)	Life/Hrs.	UPC	Pack
S9952	15PLL/LED/835/BP	15	80	2G11	3500K	1900	16 ½	50K	045923099526	10
S9953	15PLL/LED/840/BP	15	80	2G11	4000K	2000	16 ½	50K	045923099533	10
S9950	23PLL/LED/835/BP	23	82	2G11	3500K	2800	22 ½	50K	045923099502	10
S9951	23PLL/LED/840/BP	23	82	2G11	4000K	2800	22 ½	50K	045923099519	10

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALSales@satco.com/631-243-2022 EXT. 315

**EVENINGS BECOME
SPECIAL UNDER A
WARM, SOFT, GLOW.**



**24FT. DURABLE OUTDOOR LED
STRING LIGHT**

**INCLUDES 12 VINTAGE STYLE
LED BULBS**

**CAN LINK UP TO 30 STRINGS
(720FT.)**

EASY TO INSTALL

**TRANSFORMS DECKS,
PORCHES, AND PATIOS**

**PERFECT FOR ENTERTAINING
AND PARTIES**

A new classic 24-ft LED decorative string light, which can transform any space into a stylish evening experience. Each strand includes 12 energy efficient, vintage style Edison LED light bulbs which deliver a perfect warm glow. Featuring a heavy duty, weatherproof cord with slots for easy installation, yet flexible so they can be used to illuminate various spaces such as patios, decks, pool areas and gazebos to name just a few.



S8020 – 24-FT /
12 Light LED
string set



S8021 S14
replacement
lamps available



SATCO **NUVO FUNCTIONAL**

PRODUCT INFORMATION DECORATIVE STRING LIGHTS

Link a maximum of 30 sets
for up to 720 continuous feet.

Heavy duty 18 gauge wire

12 Watts total

Includes 12, 1 Watt LED
bulbs and one 24' string

2700K warm white


3 Year warranty

E26 Base lamps

Wet location rated



DIMENSIONS



ACCESSORIES



Item	Description	W	V	CRI	CCT	Lm	Life/ Hrs.	UPC	Pack/ Mstr.
LED Decorative string lights									
S8020	24' INDOOR / OUTDOOR – BLACK	12W (1W x 12)	120V	>80	2700K	1200 (100 x 12)	15K	045923080203	4
LED String light replacement lamps									
S8021	1W S14 REPLACEMENT LAMPS – 4PK	1W	120V	>80	2700K	100	15K	045923080210	24-4pks
S8022	1W/LED/S14/RED/120V/ND/4PK	1W	120V		RED		15K	045923080227	24-4pks
S8023	1W/LED/S14/BLUE/120V/ND/4PK	1W	120V		BLUE		15K	045923080234	24-4pks
S8024	1W/LED/S14/GREEN/120V/ND/4PK	1W	120V		GREEN		15K	045923080241	24-4pks
S8025	1W/LED/S14/YELLOW/120V/ND/4PK	1W	120V		YELLOW		15K	045923080258	24-4pks
S8026	1W/LED/S14/ORANGE/120V/ND/4PK	1W	120V		ORANGE		15K	045923080265	24-4pks

SATCO DISTRIBUTION CENTERS

NEW YORK (HQ)
110 HEARTLAND BLVD
BRENTWOOD, NY 11717
T. 631-243-2022
F. 631-243-2027

TEXAS
2000 VALWOOD PKWY
FARMERS BRANCH, TX 75234
T. 972-247-2437
F. 972-247-54087

FLORIDA
900 NW 159TH DR
MIAMI, FL 33169
T. 305-624-2044
F. 305-247-5408

CALIFORNIA
31288 SAN BENITO ST
HAYWARD, CA
T. 510-487-4822
F. 510-487-8955

WASHINGTON
4710 116TH ST SW
MUKILTEO, WA 98275
T. 425-789-3300
F. 425-789-3310

PUERTO RICO
CAMPECHE STREET, 23 JULIO
N. MATOS INDUSTRIAL PARK
T. 787-757-3510
F. 787-757-3540

PRODUCTS INVENTORIED IN CANADA & MEXICO: INTERNATIONALS@SATCO.COM/631-243-2022 EXT. 315



SATCO LED lamps offer one of today's largest selections of LED products — providing solutions for the commercial, industrial and residential markets.

We bring quality, value and design to every product we create. With advancing technology, we improve performance, energy savings, safety, ease of installation and maintenance, and overall satisfaction.

We are your partners in success — from convenient packaging options and retail support to inventory supply.

SATCO is the lighting solution you can count on for the products you can rely on!





To learn more about Satco | Nuvo,
visit satco.com or contact 800-437-2826.

DISTRIBUTION CENTERS

New York (Headquarters)

110 Heartland Blvd., Brentwood, NY 11717
Tel. 631-243-2022, Fax: 631-243-2027

Texas

2000 Valwood Parkway, Farmers Branch, TX 75234
Tel. 972-247-2437, Fax: 972-247-5408

Florida

900 N.W. 159th Drive, Miami, FL 33109
Tel. 305-624-2044, Fax: 305-623-0286

California

31288 San Benito Street, Hayward, CA 94544
Tel. 510-487-4822, Fax: 510-487-8955

Washington

4710 116th S.W., Mukilteo, WA 98275
Tel. 425-789-3300, Fax: 425-789-3310

Puerto Rico

Campeche Street. 23 Julio
N. Matos Industrial Park, Carolina, PR 00984
Tel. 787-757-3510, Fax: 787-757-3540

Products inventoried in Canada & Mexico:

Contact: internationalsales@satco.com
631-243-2022 Ext. 315